

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 8, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 8, 1898, was 24·3 per thousand of estimated population. This rate is 1·5 above that for the corresponding week of last year, and 0·2 above that for the previous week.

The lowest mortality was recorded in Perth, viz., 18·7 per thousand; and the highest in Greenock, viz., 34·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·2 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 174, being 8 below the number for last week.

The Mean Temperature was 39°·9, being 3°·8 below that for the week immediately preceding, but 0°·3 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 8, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Jan. 8, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1026 | 733 | 1181 | 51·0 | 27·0 | 39·9 | 0·84 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 520 | 338 | 617 | 50·1 | 27·8 | 39·8 | 1·02 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 154 | 142 | 130 | 49·8 | 32·3 | 40·7 | 0·34 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 101 | 72 | 131 | 49·0 | 29·3 | 38·5 | 0·30 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 99 | 57 | 94 | 49·2 | 28·0 | 39·7 | 0·25 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 50 | 36 | 44 | 50·2 | 34·8 | 41·8 | 0·44 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 42 | 36 | 81 | 49·9 | 31·2 | 40·7 | 1·16 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 45 | 41 | 55 | 49·0 | 32·7 | 40·5 | 2·48 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 15 | 11 | 29 | 51·0 | 27·0 | 37·7 | 0·71 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 1165 | 680 | 1003 | 47·9 | 28·5 | 39·6 | 0·64 |

Week ending Saturday, JANUARY 8, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 8, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 24.3 | 2.6 | 733 | 159 | 152 | 1 | 14 | 14 | 9 | 16 | 2 | 21 | 3 | 174 | 48 | 140 | 47 | 3 |
| GLASGOW, . | 24.3 | 2.7 | 338 | 71 | 62 | 0 | 11 | 4 | 2 | 12 | 2 | 7 | 1 | 92 | 23 | 65 | 21 | 3 |
| EDINBURGH, | 25.0 | 1.9 | 142 | 26 | 26 | 0 | 1 | 3 | 2 | 0 | 0 | 5 | 0 | 25 | 8 | 34 | 10 | 0 |
| DUNDEE, . . | 22.7 | 1.9 | 72 | 19 | 18 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 1 | 12 | 6 | 7 | 7 | 0 |
| ABERDEEN, . | 21.1 | 3.0 | 57 | 12 | 21 | *1 | 1 | 1 | 4 | 0 | 0 | 1 | 1 | 14 | 2 | 11 | 3 | 0 |
| LEITH, . . . | 24.5 | 2.0 | 36 | 12 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 11 | 3 | 4 | 3 | 0 |
| PAISLEY, . . | 24.8 | 2.1 | 36 | 9 | 9 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 8 | 1 | 7 | 1 | 0 |
| GREENOCK, . | 34.9 | 6.0 | 41 | 7 | 5 | 0 | 1 | 3 | 1 | 2 | 0 | 0 | 0 | 9 | 4 | 9 | 2 | 0 |
| PERTH, . . . | 18.7 | 1.7 | 11 | 3 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 3 | 0 | 0 |

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 9, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 22.8 | 3.4 | 680 | 138 | 153 | 0 | 45 | 10 | 3 | 20 | 6 | 17 | 6 | 146 | 40 | 144 | 58 | 7 |
| GLASGOW, . | 25.9 | 5.3 | 356 | 74 | 57 | 0 | 41 | 5 | 2 | 14 | 2 | 9 | 4 | 75 | 19 | 72 | 29 | 5 |
| EDINBURGH, | 19.0 | 1.6 | 107 | 20 | 36 | 0 | 0 | 2 | 1 | 4 | 1 | 1 | 1 | 13 | 5 | 29 | 18 | 0 |
| DUNDEE, . . | 21.4 | 2.9 | 67 | 19 | 18 | 0 | 1 | 1 | 0 | 0 | 1 | 6 | 0 | 18 | 8 | 6 | 4 | 0 |
| ABERDEEN, . | 18.4 | 2.6 | 49 | 10 | 14 | 0 | 2 | 2 | 0 | 1 | 1 | 1 | 0 | 13 | 3 | 14 | 3 | 2 |
| LEITH, . . . | 22.1 | 0.0 | 32 | 9 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 1 | 9 | 1 | 0 |
| PAISLEY, . . | 19.6 | 1.4 | 28 | 1 | 12 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 7 | 2 | 8 | 2 | 0 |
| GREENOCK, . | 18.6 | 0.0 | 22 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 1 | 3 | 1 | 0 |
| PERTH, . . . | 32.4 | 1.7 | 19 | 2 | 7 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 1 | 3 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 15, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 15, 1898, was 20·4 per thousand of estimated population. This rate is 1·5 below that for the corresponding week of last year, and 3·9 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·7 per thousand; and the highest in Greenock, viz., 31·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·9 per thousand, being 0·7 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 154, being 20 below the number for the previous week.

The Mean Temperature was 43°·4, being 3°·5 above that for the week immediately preceding, and 9°·0 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 15, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Jan. 15, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1000 | 615 | 157 | 52·3 | 28·0 | 43·4 | 0·14 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 493 | 295 | 68 | 52·1 | 36·1 | 43·9 | 0·09 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 170 | 110 | 32 | 51·7 | 39·0 | 44·7 | 0·01 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 99 | 68 | 15 | 49·8 | 33·2 | 42·1 | 0·03 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 76 | 45 | 22 | 50·0 | 28·0 | 38·9 | 0·07 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 49 | 23 | 9 | 52·3 | 38·0 | 45·2 | 0·00 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 44 | 23 | 3 | 52·0 | 38·5 | 45·0 | 0·22 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 55 | 37 | 5 | 52·0 | 36·7 | 43·9 | 0·67 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 14 | 14 | 3 | 51·5 | 30·5 | 43·2 | 0·04 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 991 | 654 | 184 | 43·0 | 26·5 | 34·4 | 0·11 |

Week ending Saturday, JANUARY 15, 1898.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, January 15, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 20.4 | 1.9 | 615 | 117 | 154 | 0 | 15 | 7 | 2 | 11 | 3 | 19 | 4 | 154 | 25 | 114 | 32 |
| GLASGOW, . | 21.2 | 2.4 | 295 | 54 | 59 | 0 | 14 | 4 | 0 | 5 | 1 | 9 | 1 | 70 | 13 | 57 | 13 |
| EDINBURGH, | 19.3 | 1.1 | 110 | 20 | 35 | 0 | 0 | 2 | 0 | 2 | 1 | 1 | 2 | 23 | 4 | 28 | 9 |
| DUNDEE, . . | 21.5 | 1.9 | 68 | 21 | 15 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 0 | 20 | 3 | 7 | 4 |
| ABERDEEN, . | 16.7 | 1.9 | 45 | 7 | 15 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 1 | 7 | 1 | 7 | 1 |
| LEITH, . . . | 15.7 | 0.7 | 23 | 2 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 9 | 1 | 1 | 0 |
| PAISLEY, . . | 15.8 | 1.4 | 23 | 4 | 8 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 7 | 0 | 4 | 2 |
| GREENOCK, . | 31.5 | 3.4 | 37 | 7 | 6 | 0 | 1 | 0 | 0 | 2 | 1 | 0 | 0 | 12 | 2 | 2 | 2 |
| PERTH, . . . | 23.8 | 0.0 | 14 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 1 | 8 | 1 |

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, January 16, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 21.9 | 2.5 | 654 | 132 | 145 | 1 | 28 | 3 | 3 | 26 | 4 | 11 | 8 | 154 | 20 | 109 | 34 |
| GLASGOW, . | 23.5 | 4.2 | 323 | 59 | 49 | 0 | 25 | 1 | 2 | 23 | 3 | 4 | 4 | 71 | 11 | 59 | 16 |
| EDINBURGH, | 20.3 | 1.2 | 114 | 25 | 32 | 0 | 1 | 1 | 0 | 2 | 0 | 3 | 1 | 27 | 4 | 24 | 14 |
| DUNDEE, . . | 23.3 | 1.0 | 73 | 20 | 19 | *1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 22 | 1 | 6 | 1 |
| ABERDEEN, . | 17.3 | 0.4 | 46 | 11 | 20 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 9 | 2 | 5 | 1 |
| LEITH, . . . | 18.0 | 0.7 | 26 | 5 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 2 | 2 | 0 |
| PAISLEY, . . | 23.8 | 2.1 | 34 | 7 | 7 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 3 | 9 | 0 | 5 | 1 |
| GREENOCK, . | 22.8 | 2.5 | 27 | 4 | 7 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 7 | 0 | 3 | 1 |
| PERTH, . . . | 18.7 | 0.0 | 11 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 5 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 22, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 22, 1898, was 19·0 per thousand of estimated population. This rate is 5·6 below that for the corresponding week of last year, and 1·4 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·6 per thousand; and the highest in Aberdeen, viz., 27·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 135, being 19 below that for last week.

The Mean Temperature was 45°·0, being 1°·6 above that for the week immediately preceding, and 12°·5 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 22, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Jan. 22, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 938 | 572 | 131 | 59·2 | 29·4 | 45·0 | 0·79 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 464 | 256 | 58 | 56·0 | 36·0 | 45·9 | 0·88 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 148 | 91 | 28 | 56·5 | 36·0 | 45·7 | 0·25 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 98 | 59 | 11 | 55·8 | 32·2 | 43·6 | 0·33 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 91 | 73 | 17 | 59·2 | 29·4 | 42·3 | 0·57 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 44 | 20 | 8 | 57·7 | 36·3 | 46·7 | 0·33 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 39 | 32 | 7 | 53·9 | 38·0 | 45·6 | 0·93 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 35 | 27 | 1 | 57·0 | 37·0 | 45·4 | 2·36 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 19 | 14 | 1 | 56·0 | 33·0 | 44·7 | 0·66 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 898 | 733 | 156 | 49·7 | 15·5 | 32·5 | 0·18 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 29, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 29, 1898, was 17·4 per thousand of estimated population. This rate is 6·9 below that for the corresponding week of last year, and 1·6 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 9·5 per thousand; and the highest in Greenock, viz., 21·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being the same as that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 92, being 43 below the number for the previous week.

The Mean Temperature was 45°·6, being 0°·6 above that for the week immediately preceding, and 13°·6 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 29, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Jan. 29, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 911 | 525 | 165 | 53·9 | 27·0 | 45·6 | 0·11 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 442 | 251 | 93 | 53·1 | 33·0 | 47·2 | 0·10 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 157 | 90 | 29 | 53·3 | 33·1 | 46·6 | 0·02 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 88 | 56 | 12 | 52·8 | 30·8 | 45·4 | 0·01 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 90 | 54 | 13 | 52·5 | 27·5 | 42·3 | 0·07 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 48 | 14 | 5 | 53·9 | 35·1 | 47·7 | 0·00 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 38 | 24 | 5 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 35 | 25 | 5 | 51·0 | 35·7 | 45·4 | 0·53 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 13 | 11 | 3 | 51·5 | 27·0 | 44·8 | 0·04 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 924 | 723 | 159 | 46·2 | 20·8 | 32·2 | 0·66 |

Week ending Saturday, JANUARY 29, 1898.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, January 29, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 17.4 | 2.2 | 525 | 122 | 114 | 0 | 6 | 7 | 3 | 27 | 2 | 22 | 0 | 92 | 12 | 92 | 23 |
| GLASGOW, . | 18.0 | 2.4 | 251 | 60 | 58 | 0 | 6 | 1 | 1 | 18 | 2 | 6 | 0 | 46 | 7 | 43 | 12 |
| EDINBURGH, | 15.8 | 2.1 | 90 | 20 | 18 | 0 | 0 | 3 | 0 | 5 | 0 | 4 | 0 | 17 | 1 | 22 | 5 |
| DUNDEE, . . | 17.7 | 3.5 | 56 | 13 | 9 | 0 | 0 | 2 | 0 | 0 | 0 | 9 | 0 | 9 | 1 | 9 | 0 |
| ABERDEEN, . | 20.0 | 0.7 | 54 | 13 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 9 | 2 | 4 | 2 |
| LEITH, . . . | 9.5 | 1.4 | 14 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 2 | 0 |
| PAISLEY, . . | 16.5 | 2.1 | 24 | 1 | 10 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0 | 4 | 2 |
| GREENOCK, . | 21.3 | 2.6 | 25 | 9 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 2 | 0 | 5 | 1 |
| PERTH, . . . | 18.7 | 0.0 | 11 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 3 | 1 |

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, January 30, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 24.3 | 2.7 | 723 | 131 | 175 | 0 | 28 | 5 | 2 | 28 | 7 | 11 | 7 | 183 | 23 | 148 | 44 |
| GLASGOW, . | 26.3 | 3.8 | 362 | 64 | 64 | 0 | 24 | 0 | 0 | 19 | 3 | 6 | 4 | 92 | 13 | 76 | 24 |
| EDINBURGH, | 23.3 | 2.7 | 131 | 22 | 39 | 0 | 1 | 4 | 2 | 7 | 1 | 0 | 1 | 32 | 3 | 34 | 18 |
| DUNDEE, . . | 19.8 | 0.3 | 62 | 9 | 20 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 14 | 5 | 13 | 0 |
| ABERDEEN, . | 22.2 | 2.6 | 59 | 16 | 17 | 0 | 1 | 0 | 0 | 1 | 1 | 4 | 0 | 8 | 0 | 13 | 0 |
| LEITH, . . . | 18.0 | 0.7 | 26 | 7 | 6 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 0 | 0 |
| PAISLEY, . . | 21.0 | 2.1 | 30 | 4 | 12 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 0 | 5 | 0 |
| GREENOCK, . | 30.5 | 0.8 | 36 | 5 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 16 | 2 | 3 | 1 |
| PERTH, . . . | 29.0 | 1.7 | 17 | 4 | 7 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 0 | 4 | 1 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 5.

WEEK ENDING SATURDAY, FEBRUARY 5, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 5, 1898, was 18·0 per thousand of estimated population. This rate is 8·6 below that for the corresponding week of last year, but 0·6 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·0 per thousand; and the highest in Glasgow, viz., 18·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 113, being 21 above the number for the previous week.

The Mean Temperature was 42°·6, being 3°·0 below that for the week immediately preceding, but 9°·1 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 5, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Feb. 5, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 909 | 543 | 179 | 57·2 | 29·0 | 42·6 | 0·76 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 431 | 260 | 88 | 55·0 | 30·0 | 43·2 | 1·11 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 141 | 102 | 36 | 55·5 | 31·3 | 43·7 | 0·29 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 86 | 56 | 13 | 53·8 | 29·5 | 41·5 | 0·22 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 90 | 48 | 17 | 56·2 | 29·0 | 40·0 | 0·58 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 49 | 22 | 10 | 57·2 | 33·4 | 44·0 | 0·24 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 48 | 27 | 6 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 52 | 18 | 3 | 54·0 | 29·0 | 42·7 | 2·58 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 12 | 10 | 6 | 55·2 | 29·5 | 43·3 | 0·31 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 924 | 792 | 179 | 43·0 | 9·3 | 33·5 | 0·19 |

Week ending Saturday, FEBRUARY 5, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 5, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 18.0 | 2.2 | 543 | 117 | 130 | 0 | 8 | 6 | 8 | 21 | 3 | 20 | 4 | 113 | 22 | 120 | 33 |
| GLASGOW, . . | 18.7 | 2.9 | 260 | 62 | 50 | 0 | 7 | 4 | 5 | 15 | 2 | 8 | 3 | 59 | 10 | 60 | 11 |
| EDINBURGH, | 17.9 | 1.6 | 102 | 15 | 32 | 0 | 0 | 2 | 2 | 2 | 1 | 2 | 0 | 17 | 2 | 28 | 14 |
| DUNDEE, . . | 17.7 | 2.2 | 56 | 12 | 13 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 1 | 11 | 3 | 7 | 3 |
| ABERDEEN, . | 17.8 | 0.7 | 48 | 11 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 9 | 3 | 9 | 2 |
| LEITH, . . . | 15.0 | 1.4 | 22 | 9 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 5 | 2 | 3 | 2 |
| PAISLEY, . . | 18.6 | 2.1 | 27 | 4 | 8 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 5 | 0 | 7 | 1 |
| GREENOCK, . | 15.3 | 0.9 | 18 | 2 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 1 | 3 | 0 |
| PERTH, . . . | 17.0 | 1.7 | 10 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 3 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 6, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 26.6 | 3.2 | 792 | 173 | 198 | 0 | 28 | 7 | 5 | 32 | 4 | 20 | 7 | 222 | 29 | 142 | 61 |
| GLASGOW, . . | 27.2 | 4.3 | 374 | 87 | 81 | 0 | 24 | 3 | 4 | 23 | 1 | 4 | 3 | 102 | 11 | 56 | 27 |
| EDINBURGH, | 24.9 | 1.6 | 140 | 34 | 42 | 0 | 0 | 0 | 1 | 5 | 1 | 2 | 0 | 37 | 4 | 28 | 21 |
| DUNDEE, . . | 22.3 | 2.6 | 70 | 18 | 13 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | 1 | 20 | 1 | 13 | 5 |
| ABERDEEN, . | 22.6 | 2.3 | 60 | 14 | 19 | 0 | 2 | 1 | 0 | 0 | 1 | 2 | 1 | 15 | 4 | 17 | 0 |
| LEITH, . . . | 25.6 | 2.1 | 37 | 7 | 12 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 8 | 5 | 7 | 1 |
| PAISLEY, . . | 25.9 | 2.1 | 37 | 5 | 15 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 11 | 0 | 11 | 2 |
| GREENOCK, . | 44.0 | 2.5 | 52 | 6 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 24 | 4 | 6 | 3 |
| PERTH, . . . | 37.5 | 8.5 | 22 | 2 | 6 | 0 | 2 | 1 | 0 | 1 | 1 | 0 | 0 | 5 | 0 | 4 | 2 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 12, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 12, 1898, was 20·1 per thousand of estimated population. This rate is 8·7 below that for the corresponding week of last year, but 2·1 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·3 per thousand; and the highest in Glasgow, viz., 22·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 124, being 11 above the number for the previous week.

The Mean Temperature was 41°·7, being 0°·9 below that for the week immediately preceding, but 4°·6 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 12, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Feb. 12, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 946 | 607 | 161 | 54·3 | 27·0 | 41·7 | 0·61 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 454 | 312 | 74 | 54·2 | 31·8 | 42·6 | 0·81 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 143 | 102 | 29 | 54·3 | 31·0 | 42·4 | 0·26 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 92 | 52 | 12 | 49·8 | 29·5 | 40·5 | 0·08 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 111 | 57 | 17 | 52·0 | 27·0 | 39·6 | 0·00 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 48 | 24 | 9 | 53·2 | 32·9 | 43·2 | 0·23 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 37 | 27 | 10 | 51·9 | 32·1 | 43·0 | 0·96 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 40 | 24 | 6 | 49·7 | 30·2 | 41·0 | 2·24 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 21 | 9 | 4 | 51·8 | 30·5 | 41·4 | 0·29 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 908 | 857 | 148 | 49·8 | 22·0 | 37·1 | 0·27 |

Week ending Saturday, FEBRUARY 12, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 12, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 20.1 | 2.4 | 607 | 140 | 141 | 0 | 12 | 6 | 6 | 21 | 6 | 21 | 2 | 124 | 19 | 112 | 42 | 4 |
| GLASGOW, . | 22.4 | 2.9 | 312 | 74 | 63 | 0 | 11 | 3 | 3 | 15 | 2 | 6 | 1 | 63 | 11 | 53 | 21 | 4 |
| EDINBURGH, | 17.9 | 1.9 | 102 | 16 | 27 | 0 | 0 | 2 | 2 | 1 | 0 | 6 | 0 | 20 | 2 | 24 | 12 | 0 |
| DUNDEE, . . | 16.4 | 0.6 | 52 | 9 | 19 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 16 | 3 | 12 | 1 | 0 |
| ABERDEEN, . | 21.1 | 3.0 | 57 | 14 | 18 | 0 | 0 | 0 | 0 | 0 | 2 | 6 | 0 | 14 | 1 | 10 | 1 | 0 |
| LEITH, . . . | 16.4 | 3.4 | 24 | 7 | 4 | 0 | 0 | 1 | 1 | 0 | 0 | 3 | 0 | 3 | 0 | 3 | 1 | 0 |
| PAISLEY, . . | 18.6 | 2.8 | 27 | 9 | 3 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 2 | 2 | 5 | 2 | 0 |
| GREENOCK, . | 20.4 | 1.7 | 24 | 10 | 5 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 0 | 3 | 4 | 0 |
| PERTH, . . . | 15.3 | 0.0 | 9 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 13, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 28.8 | 3.6 | 857 | 161 | 219 | *1 | 31 | 5 | 4 | 39 | 7 | 19 | 13 | 227 | 19 | 139 | 51 | 6 | | |
| GLASGOW, . | 33.3 | 4.9 | 458 | 90 | 98 | *1 | 23 | 3 | 3 | 27 | 4 | 6 | 8 | 144 | 11 | 77 | 20 | 4 | | |
| EDINBURGH, | 24.7 | 2.7 | 129 | 23 | 43 | 0 | 4 | 1 | 0 | 8 | 0 | 2 | 3 | 22 | 4 | 25 | 22 | 1 | | |
| DUNDEE, . . | 23.9 | 2.2 | 75 | 14 | 26 | 0 | 0 | 1 | 1 | 1 | 0 | 4 | 0 | 17 | 1 | 12 | 3 | 0 | | |
| ABERDEEN, . | 21.5 | 1.5 | 57 | 13 | 17 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 1 | 10 | 1 | 4 | 1 | 1 | | |
| LEITH, . . . | 21.4 | 1.4 | 31 | 6 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 0 | 4 | 1 | 0 | | |
| PAISLEY, . . | 23.8 | 1.4 | 34 | 4 | 12 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 7 | 0 | 9 | 1 | 0 | | |
| GREENOCK, . | 33.0 | 0.8 | 39 | 7 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 16 | 1 | 5 | 3 | 0 | | |
| PERTH, . . . | 40.9 | 13.6 | 24 | 4 | 6 | 0 | 1 | 0 | 0 | 3 | 1 | 3 | 0 | 2 | 1 | 3 | 0 | 0 | | |

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 19, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 19, 1898, was 20·4 per thousand of estimated population. This rate is 5·1 below that for the corresponding week of last year, but 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·3 per thousand; and the highest in Greenock, viz., 26·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 88, being 36 below the number for the previous week.

The Mean Temperature was 40°·5, being 1°·2 below that for the week immediately preceding, and 3°·1 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 19, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Feb. 19, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 873 | 614 | 186 | 58·5 | 28·4 | 40·5 | 0·48 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 424 | 302 | 93 | 53·0 | 28·4 | 41·4 | 0·68 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 134 | 107 | 35 | 53·4 | 32·9 | 40·5 | 0·27 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 88 | 57 | 14 | 54·0 | 29·2 | 39·7 | 0·13 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 84 | 47 | 15 | 58·5 | 32·0 | 39·7 | 0·16 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 36 | 21 | 6 | 54·2 | 32·0 | 41·2 | 0·29 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 45 | 35 | 12 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 44 | 31 | 7 | 53·0 | 29·2 | 41·1 | 1·47 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 18 | 14 | 4 | 53·5 | 29·0 | 40·1 | 0·34 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 963 | 761 | 150 | 55·6 | 31·7 | 43·6 | 0·24 |

Week ending Saturday, FEBRUARY 19, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 19, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 20.4 | 3.0 | 614 | 106 | 135 | 0 | 15 | 12 | 7 | 25 | 9 | 22 | 3 | 88 | 27 | 131 | 29 | 2 |
| GLASGOW, . | 21.7 | 3.2 | 302 | 45 | 55 | 0 | 13 | 5 | 2 | 13 | 5 | 7 | 1 | 45 | 11 | 76 | 15 | 0 |
| EDINBURGH, | 18.8 | 2.3 | 107 | 16 | 30 | 0 | 2 | 2 | 2 | 4 | 0 | 3 | 1 | 15 | 5 | 20 | 8 | 0 |
| DUNDEE, . . | 18.0 | 3.5 | 57 | 11 | 15 | 0 | 0 | 3 | 0 | 2 | 1 | 5 | 0 | 9 | 4 | 12 | 0 | 0 |
| ABERDEEN, . | 17.4 | 1.9 | 47 | 12 | 11 | 0 | 0 | 1 | 2 | 0 | 0 | 2 | 1 | 4 | 3 | 7 | 3 | 1 |
| LEITH, . . . | 14.3 | 2.7 | 21 | 5 | 3 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 0 | 2 | 0 | 5 | 0 | 0 |
| PAISLEY, . . | 24.1 | 5.5 | 35 | 7 | 7 | 0 | 0 | 0 | 1 | 5 | 1 | 1 | 0 | 9 | 1 | 3 | 1 | 0 |
| GREENOCK, . | 26.4 | 2.6 | 31 | 6 | 10 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 3 | 5 | 1 | 0 |
| PERTH, . . . | 23.8 | 1.7 | 14 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 3 | 1 | 1 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 20, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 25.5 | 4.0 | 761 | 179 | 182 | 0 | 42 | 4 | 2 | 45 | 4 | 22 | 4 | 214 | 17 | 116 | 37 | 2 |
| GLASGOW, . | 29.4 | 6.3 | 404 | 101 | 75 | 0 | 38 | 2 | 1 | 33 | 3 | 10 | 3 | 127 | 8 | 60 | 15 | 2 |
| EDINBURGH, | 19.9 | 2.3 | 112 | 22 | 35 | 0 | 1 | 1 | 1 | 8 | 0 | 2 | 1 | 21 | 6 | 21 | 13 | 0 |
| DUNDEE, . . | 21.7 | 1.3 | 68 | 17 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 14 | 2 | 8 | 6 | 0 |
| ABERDEEN, . | 23.0 | 1.5 | 61 | 12 | 17 | 0 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 16 | 1 | 10 | 0 | 0 |
| LEITH, . . . | 23.5 | 1.4 | 34 | 10 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 12 | 0 | 4 | 1 | 0 |
| PAISLEY, . . | 26.6 | 1.4 | 38 | 9 | 16 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 15 | 0 | 8 | 0 | 0 |
| GREENOCK, . | 22.0 | 0.8 | 26 | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 0 | 1 | 2 | 0 |
| PERTH, . . . | 30.7 | 10.2 | 18 | 2 | 4 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 0 | 2 | 0 | 4 | 0 | 0 |

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 26, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 26, 1898, was 20·5 per thousand of estimated population. This rate is 4·9 below that for the corresponding week of last year, but 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 14·5 per thousand; and the highest in Perth, viz., 37·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 111, being 23 above the number for the previous week.

The Mean Temperature was 36°·0, being 4°·5 below that for the week immediately preceding, and 10°·4 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 26, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Feb. 26, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 840 | 619 | 200 | 49·3 | 21·0 | 36·0 | 0·51 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 403 | 289 | 97 | 46·0 | 23·0 | 37·1 | 0·75 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 141 | 109 | 38 | 46·1 | 24·0 | 37·0 | 0·20 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 90 | 55 | 22 | 44·9 | 22·6 | 34·7 | 0·36 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 87 | 49 | 17 | 42·0 | 21·2 | 33·7 | 0·82 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 38 | 34 | 8 | 43·7 | 26·0 | 36·8 | 0·12 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 44 | 44 | 5 | 49·3 | 27·0 | 38·6 | 0·52 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 25 | 17 | 9 | 45·0 | 27·0 | 35·5 | 1·03 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 12 | 22 | 4 | 44·5 | 21·0 | 34·5 | 0·31 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 915 | 756 | 201 | 64·2 | 33·4 | 46·4 | 1·28 |

Week ending Saturday, FEBRUARY 26, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 26, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | |
| In Eight Towns, | 20.5 | 2.4 | 619 | 124 | 138 | 0 | 16 | 10 | 3 | 20 | 6 | 17 | 6 | 111 | 16 | 109 | 34 |
| GLASGOW, . | 20.7 | 3.4 | 289 | 64 | 54 | 0 | 14 | 7 | 1 | 11 | 5 | 9 | 5 | 60 | 8 | 51 | 17 |
| EDINBURGH, | 19.2 | 1.4 | 109 | 18 | 25 | 0 | 2 | 1 | 2 | 0 | 0 | 3 | 0 | 20 | 3 | 19 | 11 |
| DUNDEE, . . | 17.4 | 1.9 | 55 | 13 | 12 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 1 | 10 | 3 | 7 | 2 |
| ABERDEEN, . | 18.1 | 0.7 | 49 | 14 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 1 | 7 | 0 |
| LEITH, . . . | 23.2 | 0.7 | 34 | 5 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 8 | 0 |
| PAISLEY, . . | 30.3 | 0.7 | 44 | 5 | 14 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 11 | 1 | 6 | 3 |
| GREENOCK, . | 14.5 | 4.3 | 17 | 4 | 2 | 0 | 0 | 0 | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 3 | 0 |
| PERTH, . . | 37.4 | 3.4 | 22 | 1 | 8 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 8 | 1 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 27, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | |
| In Eight Towns, | 25.4 | 2.9 | 756 | 165 | 173 | 1 | 30 | 5 | 5 | 32 | 0 | 13 | 1 | 230 | 22 | 143 | 45 |
| GLASGOW, . | 28.7 | 3.8 | 395 | 95 | 75 | 0 | 24 | 4 | 2 | 19 | 0 | 3 | 0 | 128 | 8 | 67 | 21 |
| EDINBURGH, | 25.3 | 2.1 | 142 | 20 | 37 | 0 | 5 | 1 | 1 | 4 | 0 | 1 | 1 | 33 | 10 | 32 | 20 |
| DUNDEE, . . | 21.4 | 3.2 | 67 | 13 | 13 | 0 | 0 | 0 | 2 | 3 | 0 | 5 | 0 | 17 | 2 | 12 | 0 |
| ABERDEEN, . | 22.6 | 2.6 | 60 | 19 | 15 | 0 | 1 | 0 | 0 | 3 | 0 | 3 | 0 | 17 | 1 | 12 | 1 |
| LEITH, . . . | 12.4 | 0.7 | 18 | 4 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 3 | 0 |
| PAISLEY, . . | 24.5 | 1.4 | 35 | 8 | 10 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 21 | 0 | 8 | 1 |
| GREENOCK, . | 17.8 | 0.8 | 21 | 4 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 1 | 2 | 2 |
| PERTH, . . . | 30.7 | 1.7 | 18 | 2 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 0 | 7 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 9.

WEEK ENDING SATURDAY, MARCH 5, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 5, 1898, was 21·8 per thousand of estimated population. This rate is 3·1 below that for the corresponding week of last year, but 1·3 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 12·3 per thousand; and the highest in Perth, viz., 25·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 139, being 28 above the number for the previous week.

The Mean Temperature was 37°·9, being 1°·9 above that for the week immediately preceding, but 0·6 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 5, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Mar. 5, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 881 | 659 | 212 | 48·3 | 25·0 | 37·9 | 0·37 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 457 | 338 | 108 | 46·3 | 28·0 | 38·3 | 0·51 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 145 | 112 | 43 | 46·1 | 30·5 | 38·3 | 0·02 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 73 | 64 | 16 | 44·7 | 27·2 | 36·7 | 0·05 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 80 | 59 | 17 | 47·5 | 25·0 | 36·6 | 0·92 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 25 | 18 | 6 | 44·8 | 31·5 | 38·6 | 0·14 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 52 | 28 | 9 | 48·3 | 29·5 | 39·5 | 0·43 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 43 | 25 | 9 | 44·7 | 29·0 | 37·5 | 0·79 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 6 | 15 | 4 | 47·5 | 25·0 | 37·9 | 0·09 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 978 | 743 | 257 | 55·0 | 28·5 | 38·5 | 0·80 |

Week ending Saturday, MARCH 5, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 5, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|--|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unsuspected Causes. | |
| In Eight Towns, | 21·8 | 2·6 | 659 | 137 | 140 | 0 | 20 | 8 | 2 | 27 | 3 | 18 | 3 | 139 | 29 | 131 | 44 | 3 | |
| GLASGOW, . | 24·3 | 3·9 | 338 | 70 | 52 | 0 | 18 | 4 | 1 | 19 | 3 | 10 | 1 | 74 | 18 | 72 | 20 | 1 | |
| EDINBURGH, | 19·7 | 1·1 | 112 | 16 | 38 | 0 | 1 | 2 | 0 | 3 | 0 | 0 | 1 | 24 | 3 | 23 | 18 | 0 | |
| DUNDEE, . . | 20·2 | 2·2 | 64 | 21 | 11 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 0 | 15 | 2 | 10 | 2 | 0 | |
| ABERDEEN, . | 21·9 | 0·7 | 59 | 12 | 19 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 14 | 2 | 16 | 0 | 0 | |
| LEITH, . . . | 12·3 | 0·7 | 18 | 5 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 1 | 0 | 1 | |
| PAISLEY, . . | 19·3 | 3·4 | 28 | 8 | 5 | 0 | 0 | 1 | 1 | 3 | 0 | 0 | 1 | 4 | 1 | 2 | 2 | 0 | |
| GREENOCK, . | 21·3 | 1·7 | 25 | 4 | 5 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 2 | 3 | 1 | 0 | |
| PERTH, . . . | 25·5 | 0·0 | 15 | 1 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 1 | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 6, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 24·9 | 3·2 | 743 | 165 | 161 | 0 | 30 | 5 | 4 | 36 | 5 | 16 | 7 | 196 | 41 | 127 | 47 | 8 | | |
| GLASGOW, . | 27·2 | 4·3 | 374 | 85 | 61 | 0 | 18 | 2 | 3 | 24 | 3 | 9 | 5 | 110 | 23 | 69 | 20 | 8 | | |
| EDINBURGH, | 24·4 | 3·6 | 137 | 29 | 42 | 0 | 10 | 1 | 0 | 7 | 0 | 2 | 1 | 34 | 6 | 32 | 19 | 0 | | |
| DUNDEE, . . | 26·5 | 1·3 | 83 | 20 | 16 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 17 | 5 | 10 | 3 | 0 | | |
| ABERDEEN, . | 18·8 | 1·5 | 50 | 10 | 16 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 1 | 15 | 3 | 6 | 1 | 0 | | |
| LEITH, . . . | 18·0 | 2·1 | 26 | 3 | 7 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 3 | 2 | 2 | 0 | 0 | | |
| PAISLEY, . . | 20·3 | 2·1 | 29 | 8 | 7 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 11 | 0 | 2 | 2 | 0 | | |
| GREENOCK, . | 21·2 | 0·0 | 25 | 8 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 2 | 1 | 0 | | |
| PERTH, . . . | 32·4 | 5·1 | 19 | 2 | 7 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 1 | 4 | 1 | 0 | | |

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 10. WEEK ENDING SATURDAY, MARCH 12, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 12, 1898, was 25·0 per thousand of estimated population. This rate is 1·9 above that for the corresponding week of last year, and 3·2 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 18·9 per thousand; and the highest in Leith, viz., 27·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 185, being 46 above the number for the previous week.

The Mean Temperature was 40°·7, being 2°·8 above that for the week immediately preceding, and 0°·3 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 12, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Mar. 12, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 987 | 753 | 176 | 58·4 | 22·0 | 40·7 | 0·11 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 497 | 375 | 83 | 56·1 | 27·3 | 41·2 | 0·17 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 162 | 136 | 34 | 56·0 | 27·0 | 41·5 | 0·01 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 100 | 67 | 16 | 53·7 | 24·3 | 39·9 | 0·01 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 93 | 51 | 11 | 58·4 | 26·5 | 41·0 | 0·37 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 50 | 41 | 5 | 52·8 | 29·5 | 41·5 | 0·01 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 44 | 39 | 11 | 52·3 | 28·2 | 41·5 | 0·07 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 33 | 30 | 8 | 52·2 | 29·2 | 40·0 | 0·27 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 8 | 14 | 8 | 54·5 | 22·0 | 39·2 | 0·00 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 972 | 690 | 173 | 50·0 | 28·5 | 40·4 | 0·72 |

Week ending Saturday, MARCH 12, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 12, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 25.0 | 2.7 | 753 | 160 | 173 | 0 | 18 | 7 | 7 | 25 | 6 | 18 | 2 | 185 | 16 | 135 | 38 |
| GLASGOW, . | 26.9 | 3.9 | 375 | 87 | 71 | 0 | 16 | 3 | 2 | 19 | 4 | 11 | 0 | 96 | 6 | 73 | 18 |
| EDINBURGH, | 23.9 | 2.1 | 136 | 18 | 37 | 0 | 1 | 3 | 4 | 2 | 0 | 2 | 0 | 31 | 3 | 24 | 14 |
| DUNDEE, . . | 21.2 | 0.6 | 67 | 14 | 16 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 19 | 3 | 10 | 0 |
| ABERDEEN, . | 18.9 | 0.7 | 51 | 21 | 13 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 14 | 1 | 4 | 2 |
| LEITH, . . . | 27.9 | 0.7 | 41 | 7 | 9 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 9 | 1 |
| PAISLEY, . . | 26.9 | 3.4 | 39 | 7 | 13 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 0 | 9 | 1 | 8 | 0 |
| GREENOCK, . | 25.5 | 3.4 | 30 | 4 | 6 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 1 | 1 | 4 | 2 |
| PERTH, . . . | 23.8 | 0.0 | 14 | 2 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 1 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 13, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 23.1 | 2.8 | 690 | 155 | 154 | 0 | 27 | 5 | 4 | 29 | 4 | 14 | 3 | 149 | 27 | 146 | 36 |
| GLASGOW, . | 25.7 | 3.5 | 354 | 80 | 73 | 0 | 19 | 1 | 2 | 17 | 3 | 6 | 2 | 91 | 14 | 90 | 16 |
| EDINBURGH, | 19.6 | 4.3 | 110 | 18 | 13 | 0 | 7 | 2 | 1 | 12 | 0 | 2 | 1 | 10 | 2 | 23 | 8 |
| DUNDEE, . . | 24.6 | 1.9 | 77 | 15 | 23 | 0 | 0 | 1 | 0 | 0 | 1 | 4 | 0 | 13 | 5 | 13 | 3 |
| ABERDEEN, . | 23.0 | 1.5 | 61 | 17 | 20 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 13 | 2 | 12 | 0 |
| LEITH, . . . | 18.7 | 0.0 | 27 | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 1 |
| PAISLEY, . . | 18.2 | 0.7 | 26 | 9 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 11 | 1 | 4 | 3 |
| GREENOCK, . | 17.8 | 0.0 | 21 | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 2 | 0 | 3 |
| PERTH, . . . | 23.9 | 0.0 | 14 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 2 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 19, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 19, 1898, was 24·1 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, but 0·9 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·6 per thousand; and the highest in Paisley, viz., 26·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 156, being 29 below the number for the previous week.

The Mean Temperature was 45°·0, being 4°·3 above that for the week immediately preceding, and 3°·4 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 19, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Mar. 19, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 926 | 727 | 156 | 61·0 | 28·0 | 45·0 | 0·47 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 450 | 368 | 82 | 55·1 | 35·1 | 45·4 | 0·66 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 150 | 131 | 25 | 55·5 | 33·5 | 45·9 | 0·14 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 87 | 73 | 7 | 59·8 | 31·4 | 44·6 | 0·07 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 99 | 46 | 19 | 61·0 | 28·0 | 43·9 | 0·12 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 34 | 31 | 6 | 55·4 | 34·8 | 46·2 | 0·12 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 46 | 39 | 8 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 33 | 31 | 6 | 52·0 | 33·5 | 43·8 | 2·06 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 27 | 8 | 3 | 59·0 | 34·0 | 45·5 | 0·10 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 877 | 693 | 165 | 52·8 | 33·0 | 41·6 | 1·31 |

Week ending Saturday, MARCH 19, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 19, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 24.1 | 2.5 | 727 | 170 | 167 | 0 | 17 | 10 | 5 | 21 | 6 | 15 | 5 | 156 | 32 | 130 | 38 | 7 |
| GLASGOW, . | 26.4 | 3.7 | 368 | 96 | 68 | 0 | 16 | 2 | 3 | 19 | 3 | 9 | 1 | 83 | 13 | 59 | 19 | 4 |
| EDINBURGH, | 23.0 | 0.9 | 131 | 20 | 47 | 0 | 0 | 3 | 0 | 0 | 1 | 1 | 2 | 25 | 8 | 29 | 10 | 1 |
| DUNDEE, . . | 23.1 | 1.9 | 73 | 20 | 17 | 0 | 0 | 2 | 1 | 2 | 0 | 1 | 1 | 21 | 1 | 9 | 1 | 1 |
| ABERDEEN, . | 17.0 | 1.9 | 46 | 9 | 12 | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 1 | 2 | 2 | 14 | 1 | 1 |
| LEITH, . . . | 21.1 | 0.7 | 31 | 9 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 1 | 3 | 0 | 0 |
| PAISLEY, . . | 26.9 | 1.4 | 39 | 10 | 7 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 12 | 2 | 7 | 5 | 0 |
| GREENOCK, . | 26.4 | 2.6 | 31 | 5 | 7 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 4 | 4 | 8 | 1 | 0 |
| PERTH, . . . | 13.6 | 0.0 | 8 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 1 | 1 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 20, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 23.3 | 3.6 | 693 | 149 | 150 | 0 | 33 | 9 | 5 | 33 | 11 | 15 | 6 | 149 | 26 | 122 | 38 | 2 |
| GLASGOW, . | 24.4 | 4.8 | 335 | 73 | 52 | 0 | 21 | 2 | 3 | 24 | 8 | 8 | 1 | 80 | 15 | 47 | 18 | 2 |
| EDINBURGH, | 20.6 | 3.6 | 116 | 23 | 29 | 0 | 12 | 2 | 0 | 5 | 1 | 0 | 3 | 25 | 5 | 27 | 11 | 0 |
| DUNDEE, . . | 23.9 | 1.9 | 75 | 19 | 21 | 0 | 0 | 1 | 2 | 0 | 0 | 3 | 1 | 11 | 3 | 9 | 5 | 0 |
| ABERDEEN, . | 23.3 | 2.3 | 62 | 15 | 17 | 0 | 0 | 2 | 0 | 1 | 0 | 3 | 1 | 17 | 1 | 14 | 1 | 0 |
| LEITH, . . . | 18.0 | 1.4 | 26 | 5 | 8 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 6 | 0 | 5 | 2 | 0 |
| PAISLEY, . . | 24.5 | 1.4 | 35 | 4 | 13 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 5 | 0 | 10 | 0 | 0 |
| GREENOCK, . | 21.2 | 0.8 | 25 | 5 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 5 | 2 | 6 | 1 | 0 |
| PERTH, . . . | 32.4 | 5.1 | 19 | 5 | 6 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 26, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 26, 1898, was 22·9 per thousand of estimated population. This rate is 0·3 above that for the corresponding week of last year, but 1·2 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 15·3 per thousand; and the highest in Glasgow, viz., 25·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 169, being 13 above the number for the previous week.

The Mean Temperature was 40°·6, being 4°·4 below that for the week immediately preceding, and 7°·9 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 26, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Mar. 26, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,563,536 | 38·058 | 12·12 | 1033 | 692 | 151 | 56·8 | 29·0 | 40·6 | 0·15 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 539 | 349 | 74 | 50·9 | 29·6 | 41·0 | 0·07 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 143 | 133 | 35 | 51·7 | 31·3 | 39·8 | 0·28 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 100 | 70 | 10 | 50·3 | 30·0 | 39·2 | 0·10 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 90 | 48 | 11 | 56·8 | 30·8 | 39·7 | 0·32 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 46 | 28 | 9 | 51·7 | 31·9 | 40·6 | 0·21 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 61 | 33 | 1 | 53·0 | 31·9 | 41·8 | 0·03 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 43 | 18 | 10 | 50·7 | 31·7 | 41·6 | 0·11 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 11 | 13 | 1 | 51·5 | 29·0 | 40·7 | 0·04 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 976 | 673 | 152 | 60·5 | 36·0 | 48·5 | 1·46 |

Week ending Saturday, MARCH 26, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 26, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 22.9 | 2.4 | 692 | 139 | 164 | 0 | 25 | 7 | 3 | 25 | 3 | 10 | 6 | 169 | 28 | 134 | 26 | 0 |
| GLASGOW, . | 25.1 | 3.5 | 349 | 73 | 69 | 0 | 21 | 2 | 1 | 19 | 3 | 3 | 5 | 89 | 16 | 68 | 15 | 0 |
| EDINBURGH, | 23.4 | 1.8 | 133 | 21 | 40 | 0 | 3 | 3 | 2 | 1 | 0 | 1 | 0 | 27 | 7 | 34 | 7 | 0 |
| DUNDEE, . . | 22.1 | 1.6 | 70 | 14 | 17 | 0 | 0 | 1 | 0 | 1 | 0 | 3 | 0 | 17 | 0 | 12 | 2 | 0 |
| ABERDEEN, . | 17.8 | 0.7 | 48 | 9 | 12 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 14 | 1 | 8 | 1 | 0 |
| LEITH, . . . | 19.1 | 0.7 | 28 | 5 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 6 | 2 | 3 | 0 | 0 |
| PAISLEY, . . | 22.7 | 1.4 | 33 | 12 | 8 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 8 | 0 | 4 | 0 | 0 |
| GREENOCK, . | 15.3 | 1.7 | 18 | 3 | 4 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 6 | 2 | 2 | 1 | 0 |
| PERTH, . . . | 22.1 | 3.4 | 13 | 2 | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 3 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 27, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 22.6 | 3.2 | 673 | 155 | 154 | 0 | 36 | 4 | 3 | 33 | 4 | 16 | 7 | 152 | 23 | 123 | 49 | 8 |
| GLASGOW, . | 23.1 | 3.7 | 318 | 75 | 56 | 0 | 19 | 3 | 1 | 22 | 2 | 4 | 2 | 74 | 10 | 58 | 23 | 6 |
| EDINBURGH, | 23.1 | 5.2 | 130 | 29 | 29 | 0 | 16 | 1 | 0 | 9 | 1 | 2 | 1 | 21 | 4 | 23 | 19 | 0 |
| DUNDEE, . . | 20.1 | 2.6 | 63 | 16 | 16 | 0 | 0 | 0 | 1 | 0 | 1 | 6 | 1 | 17 | 4 | 11 | 1 | 0 |
| ABERDEEN, . | 26.3 | 1.5 | 70 | 16 | 25 | 0 | 1 | 0 | 1 | 0 | 0 | 2 | 0 | 21 | 0 | 19 | 0 | 1 |
| LEITH, . . . | 21.4 | 1.4 | 31 | 8 | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 8 | 2 | 6 | 0 | 0 |
| PAISLEY, . . | 16.8 | 0.7 | 24 | 7 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 0 | 3 | 3 | 0 |
| GREENOCK, . | 16.1 | 0.0 | 19 | 1 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 2 | 3 | 2 | 0 |
| PERTH, . . . | 30.7 | 1.7 | 18 | 3 | 9 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 1 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 13.

WEEK ENDING SATURDAY, APRIL 2, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 2, 1898, was 24·2 per thousand of estimated population. This rate is 2·1 above that for the corresponding week of last year, and 1·3 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 15·3 per thousand ; and the highest in Perth, viz., 30·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 175, being 6 above the number for the previous week.

The Mean Temperature was 39°·9, being 0°·7 below that for the week immediately preceding, but 3°·4 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 2, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending April 2, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 997 | 729 | 228 | 58·3 | 25·8 | 39·9 | 0·48 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 494 | 363 | 128 | 54·5 | 28·0 | 40·3 | 0·42 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 179 | 130 | 51 | 52·0 | 28·2 | 39·7 | 0·76 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 75 | 73 | 9 | 54·4 | 27·8 | 39·0 | 0·29 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 79 | 54 | 9 | 56·2 | 30·2 | 39·6 | 0·53 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 56 | 35 | 9 | 51·5 | 31·4 | 39·8 | 0·96 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 42 | 38 | 13 | 58·3 | 30·2 | 41·9 | 0·28 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 50 | 18 | 4 | 52·0 | 32·0 | 39·7 | 0·30 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 22 | 18 | 5 | 54·5 | 25·8 | 39·0 | 0·27 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 964 | 659 | 231 | 54·5 | 24·6 | 36·5 | 0·35 |

Week ending Saturday, APRIL 2, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 2, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 24.2 | 2.7 | 729 | 167 | 177 | 0 | 23 | 12 | 4 | 21 | 5 | 17 | 3 | 175 | 17 | 136 | 52 | 2 |
| GLASGOW, . | 26.1 | 3.8 | 363 | 88 | 75 | 0 | 20 | 8 | 2 | 14 | 4 | 5 | 2 | 99 | 9 | 71 | 32 | 2 |
| EDINBURGH, | 22.9 | 0.9 | 130 | 24 | 40 | 0 | 3 | 0 | 1 | 1 | 0 | 0 | 0 | 27 | 1 | 25 | 19 | 0 |
| DUNDEE, . . | 23.1 | 3.2 | 73 | 18 | 18 | 0 | 0 | 1 | 0 | 2 | 0 | 7 | 0 | 13 | 2 | 9 | 0 | 0 |
| ABERDEEN, . | 20.0 | 2.6 | 54 | 12 | 18 | 0 | 0 | 1 | 1 | 1 | 1 | 3 | 1 | 12 | 0 | 12 | 0 | 0 |
| LEITH, . . . | 23.9 | 0.7 | 35 | 9 | 9 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 5 | 1 | 0 |
| PAISLEY, . . | 26.2 | 2.1 | 38 | 8 | 10 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 8 | 3 | 9 | 0 | 0 |
| GREENOCK, . | 15.3 | 1.7 | 18 | 3 | 3 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 5 | 2 | 4 | 0 | 0 |
| PERTH, . . . | 30.6 | 1.7 | 18 | 5 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 0 | 1 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 3, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 22.1 | 3.5 | 659 | 128 | 150 | 0 | 29 | 2 | 9 | 41 | 6 | 17 | 5 | 141 | 23 | 125 | 45 | 6 |
| GLASGOW, . | 24.1 | 4.3 | 331 | 69 | 60 | 0 | 15 | 1 | 6 | 28 | 5 | 4 | 2 | 75 | 15 | 71 | 24 | 6 |
| EDINBURGH, | 22.9 | 5.0 | 129 | 26 | 28 | 0 | 12 | 0 | 3 | 9 | 1 | 3 | 0 | 22 | 2 | 30 | 17 | 0 |
| DUNDEE, . . | 20.4 | 1.6 | 64 | 8 | 21 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 1 | 19 | 2 | 9 | 1 | 0 |
| ABERDEEN, . | 20.7 | 2.3 | 55 | 11 | 21 | 0 | 2 | 0 | 0 | 2 | 0 | 2 | 0 | 11 | 1 | 8 | 0 | 0 |
| LEITH, . . . | 17.3 | 3.5 | 25 | 4 | 7 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 1 | 4 | 0 | 0 | 1 | 0 |
| PAISLEY, . . | 15.4 | 0.0 | 22 | 5 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 4 | 2 | 0 |
| GREENOCK, . | 19.5 | 0.8 | 23 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 1 | 2 | 0 | 0 |
| PERTH, . . . | 17.0 | 0.0 | 10 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 1 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 9, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 9, 1898, was 24·1 per thousand of estimated population. This rate is 0·5 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 17·0 per thousand; and the highest in Dundee, viz., 31·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·8 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 154, being 21 below the number for the previous week.

The Mean Temperature was 46°·6, being 6°·7 above that for the week immediately preceding, and 6°·5 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 9, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending April 9, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 970 | 728 | 183 | 61·0 | 25·0 | 46·6 | 0·49 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 448 | 367 | 91 | 61·0 | 26·5 | 47·5 | 0·54 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 176 | 100 | 33 | 58·3 | 28·3 | 47·1 | 0·41 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 102 | 101 | 8 | 57·8 | 27·0 | 45·6 | 0·72 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 103 | 61 | 17 | 58·6 | 30·0 | 44·9 | 0·21 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 39 | 31 | 8 | 59·9 | 31·9 | 48·1 | 0·22 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 52 | 31 | 19 | 59·9 | 29·2 | 47·7 | 0·76 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 39 | 27 | 2 | ... | ... | ... | ... |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 11 | 10 | 5 | 59·5 | 25·0 | 45·4 | 0·59 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 957 | 733 | 177 | 54·9 | 26·0 | 40·1 | 0·12 |

Week ending Saturday, APRIL 9, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 9, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 24.1 | 3.5 | 728 | 158 | 178 | 0 | 24 | 4 | 9 | 44 | 4 | 20 | 3 | 154 | 18 | 128 | 36 | 4 |
| GLASGOW, . | 26.3 | 5.0 | 367 | 86 | 74 | 0 | 21 | 3 | 2 | 31 | 2 | 11 | 3 | 82 | 8 | 56 | 22 | 3 |
| EDINBURGH, | 17.6 | 1.8 | 100 | 14 | 29 | 0 | 2 | 0 | 1 | 3 | 2 | 2 | 0 | 22 | 7 | 23 | 8 | 0 |
| DUNDEE, . . | 31.9 | 2.5 | 101 | 21 | 30 | 0 | 0 | 0 | 1 | 2 | 0 | 5 | 0 | 24 | 1 | 20 | 0 | 0 |
| ABERDEEN, . | 22.6 | 3.0 | 61 | 18 | 14 | 0 | 0 | 1 | 2 | 3 | 0 | 2 | 0 | 6 | 0 | 15 | 1 | 1 |
| LEITH, . . . | 21.1 | 0.7 | 31 | 4 | 14 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 8 | 2 | 1 | 3 | 0 |
| PAISLEY, . . | 21.3 | 3.4 | 31 | 4 | 8 | 0 | 1 | 0 | 0 | 4 | 0 | 0 | 0 | 5 | 0 | 4 | 1 | 0 |
| GREENOCK, . | 23.0 | 1.7 | 27 | 8 | 6 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 5 | 1 | 0 |
| PERTH, . . . | 17.0 | 1.7 | 10 | 3 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 0 | 4 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 10, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 24.6 | 3.2 | 733 | 146 | 183 | 0 | 33 | 3 | 4 | 38 | 3 | 14 | 6 | 147 | 16 | 135 | 38 | 7 |
| GLASGOW, . | 25.2 | 3.5 | 347 | 74 | 74 | 0 | 10 | 1 | 2 | 26 | 1 | 8 | 1 | 65 | 8 | 70 | 19 | 6 |
| EDINBURGH, | 26.7 | 5.5 | 150 | 27 | 41 | 0 | 21 | 0 | 2 | 6 | 1 | 1 | 3 | 29 | 6 | 27 | 14 | 0 |
| DUNDEE, . . | 25.8 | 1.6 | 81 | 16 | 21 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 1 | 21 | 0 | 9 | 3 | 0 |
| ABERDEEN, . | 21.8 | 0.8 | 58 | 14 | 20 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 9 | 2 | 14 | 2 | 1 |
| LEITH, . . . | 20.7 | 4.1 | 30 | 7 | 5 | 0 | 2 | 1 | 0 | 2 | 0 | 1 | 0 | 8 | 0 | 1 | 0 | 0 |
| PAISLEY, . . | 21.7 | 0.7 | 31 | 4 | 12 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 10 | 0 | 9 | 0 | 0 |
| GREENOCK, . | 19.5 | 0.8 | 23 | 3 | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 0 | 3 | 0 | 0 |
| PERTH, . . . | 22.1 | 1.7 | 13 | 1 | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 15.

WEEK ENDING SATURDAY, APRIL 16, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 16, 1898, was 22·5 per thousand of estimated population. This rate is 0·2 above that for the corresponding week of last year, but 1·6 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 17·0 per thousand; and the highest in Dundee, viz., 30·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·9 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 161, being 7 above the number for the previous week.

The Mean Temperature was 47°·8, being 1°·2 above that for the week immediately preceding, and 3°·3 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 16, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending April 16, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1011 | 680 | 372 | 62·0 | 34·8 | 47·8 | 1·01 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 522 | 306 | 180 | 59·1 | 38·0 | 48·7 | 0·34 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 169 | 130 | 47 | 58·4 | 39·1 | 47·9 | 0·64 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 69 | 96 | 88 | 57·0 | 36·6 | 46·8 | 0·79 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 81 | 56 | 17 | 62·0 | 34·8 | 46·6 | 1·98 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 64 | 25 | 11 | 59·3 | 40·3 | 48·7 | 0·76 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 42 | 30 | 7 | 57·8 | 39·2 | 48·6 | 0·84 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 39 | 23 | 16 | 56·2 | 39·0 | 47·5 | 1·96 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 25 | 14 | 6 | 59·5 | 37·0 | 47·5 | 0·76 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 875 | 665 | 239 | 59·6 | 29·0 | 44·5 | 1·57 |

Week ending Saturday, APRIL 16, 1898.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, April 16, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 22.5 | 2.6 | 680 | 143 | 176 | 0 | 14 | 11 | 4 | 27 | 6 | 17 | 3 | 161 | 26 | 156 | 35 | 2 |
| GLASGOW, . | 22.0 | 2.9 | 306 | 70 | 49 | 0 | 13 | 7 | 0 | 13 | 1 | 7 | 2 | 71 | 13 | 72 | 17 | 1 |
| EDINBURGH, | 22.9 | 1.8 | 130 | 25 | 43 | 0 | 0 | 1 | 2 | 5 | 1 | 1 | 0 | 26 | 3 | 32 | 12 | 0 |
| DUNDEE, . . | 30.3 | 3.5 | 96 | 19 | 32 | 0 | 0 | 1 | 0 | 2 | 3 | 5 | 0 | 35 | 3 | 20 | 0 | 0 |
| ABERDEEN, . | 20.7 | 3.0 | 56 | 15 | 23 | 0 | 0 | 1 | 1 | 3 | 1 | 2 | 0 | 9 | 2 | 10 | 2 | 1 |
| LEITH, . . . | 17.0 | 0.7 | 25 | 5 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 1 | 4 | 0 | 0 |
| PAISLEY, . . | 20.7 | 4.1 | 30 | 3 | 10 | 0 | 1 | 0 | 1 | 3 | 0 | 1 | 0 | 6 | 1 | 10 | 2 | 0 |
| GREENOCK, . | 19.6 | 0.9 | 23 | 4 | 7 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 3 | 1 | 2 | 0 |
| PERTH, . . . | 23.8 | 1.7 | 14 | 2 | 6 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 5 | 0 | 7 | 0 | 0 |

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, April 17, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 22.3 | 3.6 | 665 | 137 | 137 | *1 | 39 | 4 | 6 | 39 | 7 | 12 | 3 | 151 | 21 | 118 | 46 | 4 |
| GLASGOW, . | 22.3 | 3.9 | 307 | 70 | 45 | 0 | 19 | 1 | 1 | 22 | 4 | 6 | 2 | 66 | 8 | 44 | 22 | 1 |
| EDINBURGH, | 26.0 | 5.7 | 146 | 26 | 35 | *1 | 19 | 2 | 4 | 5 | 1 | 0 | 0 | 28 | 5 | 39 | 15 | 0 |
| DUNDEE, . . | 19.1 | 1.3 | 60 | 13 | 14 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 21 | 3 | 12 | 3 | 1 |
| ABERDEEN, . | 18.4 | 1.9 | 49 | 7 | 16 | 0 | 1 | 1 | 1 | 2 | 0 | 0 | 0 | 12 | 1 | 8 | 2 | 1 |
| LEITH, . . . | 18.0 | 4.8 | 26 | 7 | 6 | 0 | 0 | 0 | 0 | 5 | 0 | 2 | 0 | 2 | 0 | 5 | 0 | 0 |
| PAISLEY, . . | 22.4 | 0.7 | 32 | 9 | 8 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 5 | 2 | 6 | 2 | 0 |
| GREENOCK, . | 25.4 | 1.7 | 30 | 4 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 10 | 2 | 2 | 2 | 0 |
| PERTH, . . . | 25.6 | 6.8 | 15 | 1 | 6 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 0 | 7 | 0 | 2 | 0 | 1 |

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 16.

WEEK ENDING SATURDAY, APRIL 23, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 23, 1898, was 22·0 per thousand of estimated population. This rate is 0·6 below that for the corresponding week of last year, and 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·6 per thousand; and the highest in Perth, viz., 28·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 151, being 10 below the number for the previous week.

The Mean Temperature was 48°·1, being 0°·3 above that for the week immediately preceding, and 3°·8 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 23, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending April 23, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1053 | 663 | 203 | 62·9 | 35·8 | 48·1 | 0·24 |
| GLASGOW, | 12,311 | 724,349 | 58·838 | 9·75 | 522 | 315 | 84 | 60·7 | 40·0 | 49·6 | 0·15 |
| EDINBURGH, . . . | 8,804 | 295,628 | 33·579 | 12·90 | 156 | 112 | 54 | 61·3 | 39·4 | 49·3 | 0·11 |
| DUNDEE, | 4,162 | 164,575 | 39·542 | 11·89 | 103 | 84 | 20 | 55·3 | 39·2 | 45·0 | 0·41 |
| ABERDEEN, . . . | 6,795 | 140,381 | 20·659 | 16·45 | 99 | 55 | 16 | 58·4 | 35·8 | 45·5 | 0·36 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 57 | 20 | 6 | 61·5 | 40·0 | 48·6 | 0·13 |
| PAISLEY, | 3,538 | 75,533 | 21·349 | 16·18 | 48 | 36 | 11 | 62·9 | 40·2 | 50·4 | 0·14 |
| GREENOCK, . . . | 1,440 | 61,170 | 42·479 | 11·47 | 51 | 24 | 9 | 59·7 | 41·0 | 48·2 | 0·30 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 17 | 17 | 3 | 62·0 | 40·0 | 48·5 | 0·32 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 1010 | 673 | 269 | 58·2 | 29·5 | 44·3 | 0·11 |

Week ending Saturday, APRIL 23, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 23, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 22.0 | 2.9 | 663 | 137 | 129 | 0 | 26 | 6 | 6 | 25 | 5 | 20 | 1 | 151 | 20 | 147 | 37 | 4 |
| GLASGOW, . | 22.6 | 4.0 | 315 | 69 | 47 | 0 | 22 | 3 | 3 | 16 | 3 | 9 | 0 | 75 | 10 | 72 | 15 | 3 |
| EDINBURGH, | 19.7 | 1.8 | 112 | 16 | 28 | 0 | 4 | 1 | 0 | 0 | 1 | 4 | 1 | 17 | 3 | 30 | 15 | 0 |
| DUNDEE, . . | 26.5 | 2.5 | 84 | 22 | 16 | 0 | 0 | 1 | 1 | 2 | 1 | 3 | 0 | 22 | 3 | 16 | 3 | 0 |
| ABERDEEN, . | 20.4 | 2.2 | 55 | 8 | 19 | 0 | 0 | 1 | 2 | 3 | 0 | 0 | 0 | 18 | 1 | 8 | 0 | 1 |
| LEITH, . . . | 13.6 | 0.0 | 20 | 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 3 | 0 | 0 |
| PAISLEY, . . | 24.8 | 3.4 | 36 | 10 | 3 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 0 | 6 | 0 | 8 | 2 | 0 |
| GREENOCK, . | 20.4 | 1.7 | 24 | 6 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 4 | 0 | 0 |
| PERTH, . . . | 28.9 | 1.7 | 17 | 5 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 1 | 6 | 2 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 24, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 22.6 | 3.4 | 673 | 128 | 146 | 0 | 39 | 5 | 2 | 41 | 4 | 11 | 8 | 157 | 27 | 136 | 46 | 3 |
| GLASGOW, . | 22.0 | 3.2 | 302 | 66 | 48 | 0 | 14 | 1 | 1 | 23 | 2 | 3 | 5 | 76 | 10 | 60 | 20 | 3 |
| EDINBURGH, | 29.2 | 7.6 | 164 | 22 | 34 | 0 | 23 | 3 | 1 | 13 | 1 | 2 | 0 | 31 | 3 | 44 | 20 | 0 |
| DUNDEE, . . | 19.5 | 1.6 | 61 | 14 | 17 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 2 | 18 | 3 | 9 | 1 | 0 |
| ABERDEEN, . | 18.1 | 1.5 | 48 | 12 | 16 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 1 | 10 | 1 | 7 | 1 | 0 |
| LEITH, . . . | 23.5 | 2.1 | 34 | 7 | 10 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 11 | 2 | 5 | 0 | 0 |
| PAISLEY, . . | 21.0 | 0.7 | 30 | 3 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 1 | 5 | 1 | 0 |
| GREENOCK, . | 14.4 | 0.8 | 17 | 2 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 6 | 3 | 1 | 0 |
| PERTH, . . . | 29.0 | 1.7 | 17 | 2 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 1 | 3 | 2 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 30, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 30, 1898, was 21·8 per thousand of estimated population. This rate is 0·2 below that for the corresponding week of last year, and 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 17·2 per thousand; and the highest in Perth, viz., 27·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 135, being 16 below the number for the previous week.

The Mean Temperature was 46°·4, being 1°·7 below that for the week immediately preceding, but 0°·8 above that for the corresponding week of 1897.

TABLE I.—BIR DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 30, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending April 30, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1044 | 657 | 291 | 59·5 | 35·7 | 46·4 | 1·62 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 508 | 310 | 150 | 59·5 | 37·9 | 48·2 | 0·73 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 166 | 98 | 53 | 57·0 | 35·7 | 46·3 | 0·75 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 105 | 75 | 22 | 56·6 | 39·0 | 44·6 | 2·51 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 91 | 59 | 24 | 52·0 | 39·0 | 44·7 | 2·58 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 54 | 31 | 6 | 55·7 | 36·6 | 46·3 | 0·92 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 51 | 37 | 22 | 59·0 | 40·9 | 48·5 | 0·71 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 51 | 31 | 11 | 55·5 | 40·0 | 46·6 | 1·57 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 18 | 16 | 3 | 56·5 | 39·5 | 46·1 | 3·22 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 1025 | 655 | 281 | 58·9 | 32·5 | 45·6 | 0·30 |

Week ending Saturday, APRIL 30, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 30, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 21·8 | 3·2 | 657 | 143 | 155 | 1 | 35 | 6 | 1 | 34 | 2 | 17 | 2 | 135 | 21 | 125 | 33 | 5 |
| GLASGOW, . | 22·3 | 4·2 | 310 | 69 | 56 | 0 | 30 | 4 | 1 | 16 | 0 | 7 | 1 | 59 | 14 | 65 | 9 | 2 |
| EDINBURGH, | 17·2 | 1·6 | 98 | 23 | 27 | 0 | 1 | 1 | 0 | 4 | 2 | 1 | 0 | 21 | 4 | 21 | 10 | 0 |
| DUNDEE, . . | 23·7 | 3·8 | 75 | 15 | 17 | 0 | 2 | 0 | 0 | 5 | 0 | 5 | 1 | 16 | 0 | 14 | 0 | 0 |
| ABERDEEN, . | 21·9 | 2·2 | 59 | 14 | 18 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 0 | 15 | 1 | 9 | 1 | 0 |
| LEITH, . . . | 21·1 | 2·0 | 31 | 8 | 8 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 11 | 0 | 4 | 3 | 2 |
| PAISLEY, . . | 25·5 | 3·4 | 37 | 5 | 16 | 0 | 1 | 0 | 0 | 3 | 0 | 1 | 0 | 7 | 0 | 6 | 3 | 0 |
| GREENOCK, . | 26·4 | 1·7 | 31 | 6 | 6 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 4 | 2 | 2 | 6 | 1 |
| PERTH, . . . | 27·2 | 1·7 | 16 | 3 | 7 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 1 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 1, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 22·0 | 4·3 | 655 | 149 | 125 | 0 | 52 | 3 | 6 | 45 | 6 | 15 | 4 | 124 | 19 | 118 | 53 | 4 |
| GLASGOW, . | 20·6 | 3·8 | 283 | 69 | 44 | 0 | 12 | 1 | 3 | 24 | 6 | 6 | 1 | 55 | 10 | 51 | 27 | 3 |
| EDINBURGH, | 30·1 | 10·5 | 169 | 41 | 31 | 0 | 35 | 2 | 1 | 17 | 0 | 4 | 1 | 31 | 1 | 35 | 21 | 0 |
| DUNDEE, . . | 15·9 | 1·0 | 50 | 7 | 10 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 6 | 2 | 9 | 2 | 0 |
| ABERDEEN, . | 18·8 | 1·9 | 50 | 9 | 12 | 0 | 2 | 0 | 1 | 0 | 0 | 2 | 1 | 13 | 1 | 10 | 0 | 0 |
| LEITH, . . . | 22·1 | 2·8 | 32 | 10 | 8 | 0 | 2 | 0 | 0 | 1 | 0 | 1 | 1 | 8 | 2 | 3 | 0 | 1 |
| PAISLEY, . . | 22·4 | 0·7 | 32 | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 1 | 6 | 1 | 0 |
| GREENOCK, . | 20·3 | 0·0 | 24 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 1 | 0 |
| PERTH, . . . | 25·6 | 5·1 | 15 | 3 | 9 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 2 | 1 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 18.

WEEK ENDING SATURDAY, MAY 7, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 7, 1898, was 21·7 per thousand of estimated population. This rate is 1·0 above that for the corresponding week of last year, but 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 17·7 per thousand; and the highest in Perth, viz., 34·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 128, being 7 below the number for last week.

The Mean Temperature was 50°·0, being 3°·6 above that for the week immediately preceding, and 4°·5 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 7, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending May 7, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1056 | 654 | 283 | 65·6 | 34·0 | 50·0 | 0·86 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 547 | 317 | 187 | 63·6 | 36·6 | 50·3 | 1·29 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 162 | 116 | 32 | 65·1 | 40·5 | 50·4 | 0·79 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 98 | 73 | 17 | 65·2 | 36·9 | 49·8 | 0·64 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 93 | 51 | 13 | 60·6 | 35·4 | 49·2 | 0·84 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 54 | 26 | 9 | 62·8 | 42·5 | 50·8 | 0·81 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 48 | 27 | 10 | 65·6 | 39·0 | 51·1 | 0·52 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 30 | 24 | 13 | 60·2 | 40·0 | 49·3 | 0·78 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 24 | 20 | 2 | 61·0 | 34·0 | 49·4 | 1·19 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 979 | 616 | 274 | 59·3 | 30·0 | 45·5 | 0·63 |

Week ending Saturday, MAY 7, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 7, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|---|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | | |
| In Eight Towns, | 21·7 | 3·0 | 654 | 129 | 141 | 0 | 27 | 4 | 1 | 29 | 5 | 24 | 1 | 128 | 20 | 135 | 29 | 3 | | | |
| GLASGOW, . | 22·8 | 4·2 | 317 | 62 | 53 | 0 | 23 | 1 | 1 | 18 | 4 | 11 | 0 | 75 | 8 | 68 | 11 | 0 | | | |
| EDINBURGH, | 20·4 | 1·6 | 116 | 15 | 29 | 0 | 2 | 1 | 0 | 2 | 1 | 3 | 0 | 12 | 5 | 34 | 7 | 0 | | | |
| DUNDEE, . . | 23·1 | 1·3 | 73 | 18 | 16 | 0 | 1 | 1 | 0 | 0 | 0 | 2 | 0 | 15 | 2 | 10 | 3 | 0 | | | |
| ABERDEEN, . | 18·9 | 2·2 | 51 | 10 | 17 | 0 | 0 | 1 | 0 | 2 | 0 | 3 | 0 | 12 | 1 | 9 | 0 | 0 | | | |
| LEITH, . . . | 17·7 | 2·0 | 26 | 5 | 10 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 4 | 3 | 6 | 1 | 0 | | | |
| PAISLEY, . . | 18·6 | 3·4 | 27 | 8 | 2 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 1 | 4 | 0 | 2 | 1 | 0 | | | |
| GREENOCK, . | 20·4 | 3·4 | 24 | 6 | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 0 | 2 | 0 | 1 | 2 | 1 | | | |
| PERTH, . . . | 34·0 | 1·7 | 20 | 5 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 1 | 5 | 4 | 2 | | | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 8, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 20·7 | 3·1 | 616 | 120 | 120 | 0 | 29 | 0 | 6 | 34 | 6 | 18 | 0 | 134 | 20 | 118 | 46 | 6 |
| GLASGOW, . | 23·3 | 3·6 | 320 | 54 | 51 | 0 | 15 | 0 | 5 | 21 | 3 | 6 | 0 | 73 | 8 | 60 | 20 | 6 |
| EDINBURGH, | 22·9 | 4·8 | 129 | 32 | 27 | 0 | 12 | 0 | 0 | 9 | 1 | 5 | 0 | 31 | 3 | 27 | 22 | 0 |
| DUNDEE, . . | 15·0 | 2·9 | 47 | 9 | 10 | 0 | 1 | 0 | 0 | 2 | 2 | 4 | 0 | 10 | 2 | 8 | 0 | 0 |
| ABERDEEN, . | 15·1 | 0·0 | 40 | 4 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 2 | 14 | 0 | 0 |
| LEITH, . . . | 13·1 | 1·4 | 19 | 6 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 2 | 0 | 0 | 0 |
| PAISLEY, . . | 17·5 | 1·4 | 25 | 8 | 5 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 1 | 3 | 1 | 0 |
| GREENOCK, . | 19·5 | 1·7 | 23 | 6 | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 0 | 1 | 2 | 0 |
| PERTH, . . . | 22·1 | 1·7 | 13 | 1 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 5 | 1 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 19. WEEK ENDING SATURDAY, MAY 14, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 14, 1898, was 19·8 per thousand of estimated population. This rate is 1·0 below that for the corresponding week of last year, and 1·9 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·2 per thousand; and the highest in Glasgow, viz., 23·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 107, being 21 below the number for the previous week.

The Mean Temperature was 47°·2, being 2°·8 below that for the week immediately preceding, but 0°·9 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 14, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending May 14, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1022 | 596 | 72 | 65·6 | 29·9 | 47·2 | 0·64 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 524 | 325 | 39 | 62·3 | 29·9 | 47·2 | 0·54 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 166 | 95 | 22 | 61·3 | 33·9 | 47·4 | 0·55 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 109 | 62 | 3 | 63·0 | 34·9 | 46·4 | 0·66 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 99 | 52 | 5 | 65·6 | 34·8 | 46·9 | 0·90 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 30 | 21 | 0 | 60·6 | 37·0 | 48·0 | 0·52 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 49 | 15 | 2 | 64·0 | 31·9 | 48·1 | 0·38 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 29 | 20 | 1 | 60·7 | 34·0 | 46·5 | 0·65 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 16 | 6 | 0 | 63·0 | 32·0 | 47·2 | 0·96 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 929 | 620 | 102 | 60·0 | 29·2 | 46·3 | 0·17 |

Week ending Saturday, MAY 14, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 14, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 19·8 | 2·8 | 596 | 116 | 123 | 0 | 32 | 4 | 3 | 26 | 6 | 12 | 2 | 107 | 17 | 123 | 30 | 4 |
| GLASGOW, . | 23·3 | 3·8 | 325 | 56 | 61 | 0 | 27 | 2 | 0 | 17 | 5 | 2 | 1 | 69 | 9 | 71 | 13 | 3 |
| EDINBURGH, | 16·7 | 1·9 | 95 | 16 | 25 | 0 | 2 | 2 | 0 | 3 | 1 | 3 | 0 | 12 | 2 | 30 | 8 | 1 |
| DUNDEE, . . | 19·6 | 3·8 | 62 | 12 | 8 | 0 | 2 | 0 | 2 | 5 | 0 | 3 | 0 | 12 | 3 | 7 | 2 | 0 |
| ABERDEEN, . | 19·3 | 1·1 | 52 | 18 | 14 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 6 | 2 | 11 | 1 | 0 |
| LEITH, . . . | 14·3 | 0·0 | 21 | 4 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 1 | 0 |
| PAISLEY, . . | 10·3 | 1·4 | 15 | 4 | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| GREENOCK, . | 17·0 | 1·7 | 20 | 6 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 0 | 2 | 2 | 0 |
| PERTH, . . . | 10·2 | 0·0 | 6 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 15, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 20·8 | 3·4 | 620 | 127 | 124 | 0 | 41 | 6 | 5 | 29 | 1 | 20 | 5 | 103 | 20 | 117 | 41 | 3 |
| GLASGOW, . | 21·4 | 3·8 | 294 | 60 | 52 | 0 | 16 | 4 | 4 | 12 | 1 | 15 | 4 | 46 | 11 | 44 | 17 | 3 |
| EDINBURGH, | 23·7 | 6·2 | 133 | 29 | 32 | 0 | 21 | 0 | 0 | 13 | 0 | 1 | 0 | 23 | 2 | 38 | 20 | 0 |
| DUNDEE, . . | 18·2 | 0·3 | 57 | 11 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 10 | 2 | 13 | 1 | 0 |
| ABERDEEN, . | 16·6 | 0·7 | 44 | 9 | 16 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 6 | 0 | 12 | 1 | 0 |
| LEITH, . . . | 21·4 | 5·5 | 31 | 7 | 1 | 0 | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 7 | 1 | 2 | 1 | 0 |
| PAISLEY, . . | 21·0 | 0·0 | 30 | 7 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 1 | 5 | 1 | 0 |
| GREENOCK, . | 19·5 | 2·5 | 23 | 3 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 3 | 3 | 0 | 0 | 0 |
| PERTH, . . . | 13·6 | 1·7 | 8 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 20. WEEK ENDING SATURDAY, MAY 21, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 21, 1898, was 19·9 per thousand of estimated population. This rate is 2·4 below that for the corresponding week of last year, but 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·2 per thousand; and the highest in Paisley, viz., 22·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 116, being 9 above the number for the previous week.

The Mean Temperature was 46°·9, being 0°·3 below that for the week immediately preceding, and 3°·0 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 21, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending May 21, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1009 | 599 | 76 | 65·5 | 30·0 | 46·9 | 0·47 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 451 | 303 | 32 | 65·1 | 31·1 | 47·8 | 0·45 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 149 | 101 | 13 | 58·3 | 33·8 | 47·0 | 0·48 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 111 | 63 | 6 | 61·7 | 32·0 | 46·2 | 0·32 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 107 | 54 | 10 | 59·6 | 32·0 | 46·4 | 0·65 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 59 | 16 | 5 | 54·7 | 36·0 | 46·9 | 0·18 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 66 | 32 | 4 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 52 | 24 | 4 | 64·5 | 35·0 | 47·6 | 0·62 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 14 | 6 | 2 | 65·5 | 30·0 | 46·4 | 0·58 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 952 | 664 | 88 | 69·9 | 31·8 | 49·9 | 0·00 |

Week ending Saturday, MAY 21, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 21, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 19.9 | 3.4 | 599 | 117 | 127 | 0 | 27 | 14 | 6 | 31 | 4 | 22 | 3 | 116 | 23 | 118 | 34 | 5 |
| GLASGOW, . | 21.8 | 4.2 | 303 | 64 | 50 | 0 | 15 | 3 | 3 | 22 | 2 | 13 | 2 | 60 | 14 | 58 | 18 | 5 |
| EDINBURGH, | 17.8 | 2.1 | 101 | 19 | 27 | 0 | 3 | 4 | 0 | 1 | 1 | 3 | 0 | 21 | 3 | 25 | 11 | 0 |
| DUNDEE, . . | 19.9 | 3.8 | 63 | 10 | 14 | 0 | 4 | 4 | 1 | 2 | 0 | 1 | 0 | 11 | 5 | 12 | 0 | 0 |
| ABERDEEN, . | 20.0 | 3.3 | 54 | 11 | 18 | 0 | 0 | 2 | 1 | 2 | 1 | 3 | 0 | 7 | 0 | 13 | 1 | 0 |
| LEITH, . . . | 10.9 | 0.0 | 16 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 4 | 1 | 0 |
| PAISLEY, . . | 22.0 | 6.9 | 32 | 6 | 5 | 0 | 5 | 1 | 0 | 2 | 0 | 2 | 0 | 7 | 0 | 6 | 2 | 0 |
| GREENOCK, . | 20.4 | 2.6 | 24 | 5 | 8 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 1 | 6 | 0 | 0 | 1 | 0 |
| PERTH, . . . | 10.2 | 0.0 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 22, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 22.3 | 3.7 | 664 | 129 | 133 | 0 | 49 | 4 | 5 | 35 | 3 | 14 | 4 | 131 | 20 | 141 | 39 | 6 |
| GLASGOW, . | 22.2 | 3.2 | 305 | 69 | 53 | 0 | 15 | 3 | 2 | 16 | 2 | 6 | 3 | 63 | 7 | 60 | 11 | 5 |
| EDINBURGH, | 26.9 | 7.8 | 151 | 22 | 23 | 0 | 30 | 1 | 2 | 9 | 1 | 1 | 0 | 25 | 4 | 46 | 22 | 0 |
| DUNDEE, . . | 20.1 | 2.2 | 63 | 11 | 8 | 0 | 0 | 0 | 0 | 3 | 0 | 4 | 0 | 16 | 2 | 7 | 0 | 1 |
| ABERDEEN, . | 18.8 | 1.5 | 50 | 8 | 20 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 8 | 1 | 15 | 0 | 0 |
| LEITH, . . . | 20.7 | 4.8 | 30 | 10 | 3 | 0 | 4 | 0 | 0 | 3 | 0 | 0 | 0 | 5 | 0 | 3 | 0 | 0 |
| PAISLEY, . . | 25.2 | 0.7 | 36 | 3 | 20 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 8 | 3 | 6 | 4 | 0 |
| GREENOCK, . | 14.4 | 0.8 | 17 | 3 | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 2 | 1 | 1 | 0 |
| PERTH, . . . | 20.4 | 3.4 | 12 | 3 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 3 | 1 | 0 |

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 21. WEEK ENDING SATURDAY, MAY 28, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 28, 1898, was 21·4 per thousand of estimated population. This rate is 0·3 below that for the corresponding week of last year, but 1·5 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 14·8 per thousand ; and the highest in Paisley, viz., 26·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 123, being 7 above the number for the previous week.

The Mean Temperature was 50°·1, being 3°·2 above that for the week immediately preceding, and 1°·0 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 28, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending May 28, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1023 | 647 | 103 | 65·7 | 36·0 | 50·1 | 0·07 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 529 | 325 | 40 | 65·3 | 37·0 | 51·2 | 0·00 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 178 | 111 | 26 | 62·1 | 39·5 | 49·6 | 0·04 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 97 | 75 | 8 | 65·7 | 36·4 | 49·4 | 0·00 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 85 | 40 | 16 | 60·5 | 39·5 | 48·8 | 0·21 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 54 | 23 | 4 | 60·9 | 41·5 | 49·7 | 0·15 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 32 | 38 | 9 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 34 | 22 | 0 | 64·7 | 41·0 | 52·1 | 0·03 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 14 | 13 | 0 | 65·5 | 36·0 | 50·1 | 0·09 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 992 | 648 | 84 | 66·2 | 35·0 | 49·1 | 1·27 |

Week ending Saturday, MAY 28, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 28, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 21.4 | 3.0 | 647 | 127 | 140 | 0 | 29 | 8 | 4 | 31 | 13 | 6 | 2 | 123 | 24 | 138 | 25 |
| GLASGOW, . | 23.3 | 3.6 | 325 | 72 | 60 | 0 | 14 | 3 | 2 | 18 | 9 | 4 | 0 | 74 | 12 | 61 | 17 |
| EDINBURGH, | 19.5 | 3.2 | 111 | 18 | 29 | 0 | 7 | 3 | 2 | 4 | 1 | 1 | 0 | 17 | 5 | 31 | 7 |
| DUNDEE, . . | 23.7 | 2.5 | 75 | 17 | 15 | 0 | 6 | 0 | 0 | 1 | 1 | 0 | 0 | 13 | 0 | 17 | 0 |
| ABERDEEN, . | 14.8 | 1.5 | 40 | 6 | 16 | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 1 | 5 | 1 | 10 | 1 |
| LEITH, . . . | 15.7 | 0.0 | 23 | 6 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 3 | 0 |
| PAISLEY, . . | 26.2 | 2.8 | 38 | 3 | 9 | 0 | 1 | 0 | 0 | 3 | 0 | 0 | 1 | 3 | 2 | 9 | 0 |
| GREENOCK, . | 18.7 | 4.3 | 22 | 1 | 3 | 0 | 1 | 0 | 0 | 3 | 1 | 0 | 0 | 5 | 2 | 6 | 0 |
| PERTH, . . . | 22.1 | 3.4 | 13 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 3 | 0 | 1 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 29, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 21.7 | 3.1 | 648 | 147 | 138 | 0 | 24 | 3 | 5 | 34 | 4 | 21 | 2 | 126 | 20 | 130 | 45 |
| GLASGOW, . | 20.2 | 2.6 | 278 | 60 | 49 | 0 | 4 | 1 | 3 | 18 | 4 | 6 | 2 | 55 | 13 | 57 | 18 |
| EDINBURGH, | 26.9 | 5.2 | 151 | 30 | 35 | 0 | 16 | 0 | 2 | 9 | 0 | 2 | 0 | 33 | 1 | 36 | 21 |
| DUNDEE, . . | 21.4 | 2.9 | 67 | 19 | 18 | 0 | 0 | 0 | 0 | 2 | 0 | 7 | 0 | 14 | 2 | 12 | 3 |
| ABERDEEN, . | 19.6 | 0.8 | 52 | 14 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | 1 | 12 | 1 |
| LEITH, . . . | 30.4 | 7.6 | 44 | 15 | 5 | 0 | 3 | 1 | 0 | 5 | 0 | 2 | 0 | 6 | 2 | 5 | 0 |
| PAISLEY, . . | 18.9 | 1.4 | 27 | 5 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 7 | 1 | 2 | 1 |
| GREENOCK, . | 19.5 | 1.7 | 23 | 4 | 6 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 1 |
| PERTH, . . . | 10.2 | 0.0 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 22.

WEEK ENDING SATURDAY, JUNE 4, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 4, 1898, was 23·0 per thousand of estimated population. This rate is 2·7 above that for the corresponding week of last year, and 1·6 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 18·7 per thousand; and the highest in Greenock, viz., 27·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 133, being 10 above the number for the previous week.

The Mean Temperature was 50°·1, being the same as that for the week immediately preceding, but 5°·2 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 4, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending June 4, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 963 | 694 | 298 | 65·0 | 37·6 | 50·1 | 0·70 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 454 | 322 | 133 | 62·3 | 38·8 | 50·0 | 0·62 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 177 | 135 | 78 | 62·2 | 37·6 | 50·0 | 0·78 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 89 | 75 | 17 | 62·9 | 39·4 | 50·0 | 0·86 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 75 | 51 | 32 | 62·8 | 39·9 | 48·9 | 0·37 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 56 | 30 | 11 | 60·8 | 39·0 | 50·5 | 0·88 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 53 | 38 | 12 | 62·7 | 40·7 | 51·7 | 0·61 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 44 | 32 | 9 | 59·2 | 39·5 | 49·0 | 0·67 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 15 | 11 | 6 | 65·0 | 38·0 | 50·7 | 0·82 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 997 | 605 | 341 | 78·0 | 41·1 | 55·3 | 0·92 |

Week ending Saturday, JUNE 4, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 4, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 23.0 | 3.7 | 694 | 140 | 128 | 0 | 34 | 4 | 2 | 43 | 6 | 23 | 0 | 133 | 24 | 159 | 40 | 4 |
| GLASGOW, . | 23.1 | 4.1 | 322 | 62 | 50 | 0 | 19 | 1 | 0 | 25 | 5 | 7 | 0 | 62 | 10 | 74 | 23 | 2 |
| EDINBURGH, | 23.7 | 3.0 | 135 | 31 | 17 | 0 | 5 | 1 | 1 | 3 | 1 | 6 | 0 | 25 | 10 | 46 | 15 | 0 |
| DUNDEE, . . | 23.7 | 6.6 | 75 | 17 | 17 | 0 | 10 | 1 | 0 | 4 | 0 | 6 | 0 | 9 | 1 | 9 | 0 | 0 |
| ABERDEEN, . | 18.9 | 2.2 | 51 | 16 | 9 | 0 | 0 | 1 | 0 | 4 | 0 | 1 | 0 | 10 | 1 | 9 | 1 | 1 |
| LEITH, . . . | 20.4 | 2.0 | 30 | 7 | 11 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 6 | 2 | 4 | 1 | 1 |
| PAISLEY, . . | 26.2 | 4.1 | 38 | 6 | 13 | 0 | 0 | 0 | 0 | 5 | 0 | 1 | 0 | 9 | 0 | 5 | 0 | 0 |
| GREENOCK, . | 27.2 | 0.9 | 32 | 1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 9 | 0 | 7 | 0 | 0 |
| PERTH, . . . | 18.7 | 1.7 | 11 | 0 | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 0 | 5 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 5, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|----------------------------------|----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy | Violence | | | | | |
| In Eight Towns, | 20.3 | 3.1 | 605 | 141 | 120 | 0 | 30 | 2 | 0 | 40 | 3 | 18 | 0 | 110 | 17 | 105 | 45 | 0 | | |
| GLASGOW, . | 19.3 | 2.7 | 265 | 60 | 56 | 0 | 6 | 0 | 0 | 21 | 2 | 8 | 0 | 45 | 10 | 42 | 19 | 0 | | |
| EDINBURGH, | 24.4 | 5.9 | 137 | 26 | 23 | 0 | 15 | 1 | 0 | 14 | 1 | 2 | 0 | 26 | 5 | 34 | 23 | 0 | | |
| DUNDEE, . . | 17.9 | 1.3 | 56 | 16 | 10 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 13 | 0 | 10 | 1 | 0 | | |
| ABERDEEN, . | 10.9 | 0.8 | 29 | 7 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 4 | 0 | 0 | | |
| LEITH, . . . | 29.0 | 6.9 | 42 | 14 | 5 | 0 | 7 | 1 | 0 | 1 | 0 | 1 | 0 | 12 | 2 | 4 | 0 | 0 | | |
| PAISLEY, . . | 22.4 | 1.4 | 32 | 11 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 5 | 0 | 5 | 0 | 0 | | |
| GREENOCK, . | 18.6 | 2.5 | 22 | 4 | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 0 | 1 | 0 | 0 | | |
| PERTH, . . . | 37.5 | 3.4 | 22 | 3 | 7 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 3 | 0 | 5 | 2 | 0 | | |

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 23. WEEK ENDING SATURDAY, JUNE 11, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 11, 1898, was 21·3 per thousand of estimated population. This rate is 1·0 above that for the corresponding week of last year, but 1·7 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·6 per thousand; and the highest in Dundee, viz., 24·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·8 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 109, being 24 below the number for the previous week.

The Mean Temperature was 56°·2, being 6°·1 above that for the week immediately preceding, and 3°·3 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 11, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending June 11, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1009 | 642 | 629 | 72·0 | 41·0 | 56·2 | 0·27 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 502 | 324 | 299 | 72·0 | 43·0 | 57·6 | 0·13 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 164 | 120 | 155 | 70·9 | 46·2 | 56·9 | 0·16 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 102 | 76 | 34 | 69·7 | 43·8 | 54·8 | 0·27 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 103 | 36 | 56 | 69·2 | 41·0 | 54·3 | 0·30 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 47 | 17 | 38 | 70·3 | 47·0 | 56·4 | 0·20 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 33 | 31 | 24 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 42 | 27 | 12 | 70·2 | 46·0 | 56·5 | 0·47 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 16 | 11 | 11 | 71·0 | 43·0 | 57·1 | 0·38 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 976 | 606 | 563 | 74·7 | 36·0 | 52·9 | 0·37 |

Week ending Saturday, JUNE 11, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 11, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|--|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. | |
| In Eight Towns, | 21·3 | 3·8 | 642 | 125 | 128 | 0 | 42 | 4 | 1 | 43 | 8 | 18 | 0 | 109 | 24 | 150 | 33 | 0 | |
| GLASGOW, . | 23·3 | 4·2 | 324 | 68 | 54 | 0 | 19 | 2 | 1 | 27 | 4 | 6 | 0 | 66 | 8 | 77 | 16 | 0 | |
| EDINBURGH, | 21·1 | 2·6 | 120 | 25 | 33 | 0 | 5 | 1 | 0 | 3 | 1 | 5 | 0 | 20 | 4 | 30 | 11 | 0 | |
| DUNDEE, . . | 24·0 | 6·6 | 76 | 14 | 11 | 0 | 13 | 0 | 0 | 4 | 1 | 3 | 0 | 10 | 2 | 13 | 1 | 0 | |
| ABERDEEN, . | 13·3 | 1·5 | 36 | 6 | 15 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 3 | 2 | 6 | 2 | 0 | |
| LEITH, . . . | 11·6 | 1·4 | 17 | 3 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 4 | 1 | 0 | |
| PAISLEY, . . | 21·3 | 6·9 | 31 | 2 | 5 | 0 | 3 | 0 | 0 | 7 | 0 | 0 | 0 | 3 | 3 | 10 | 0 | 0 | |
| GREENOCK, . | 23·0 | 3·4 | 27 | 5 | 4 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 5 | 3 | 6 | 2 | 0 | |
| PERTH, . . . | 18·7 | 1·7 | 11 | 2 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 0 | 0 | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 12, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|--|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. | |
| In Eight Towns, | 20·3 | 3·2 | 606 | 124 | 122 | 1 | 27 | 4 | 2 | 37 | 8 | 15 | 1 | 107 | 16 | 115 | 39 | 2 | |
| GLASGOW, . | 19·9 | 2·7 | 273 | 50 | 53 | 1 | 7 | 0 | 0 | 14 | 6 | 9 | 0 | 54 | 8 | 49 | 9 | 1 | |
| EDINBURGH, | 26·3 | 5·2 | 148 | 30 | 26 | 0 | 15 | 3 | 0 | 10 | 0 | 1 | 0 | 27 | 2 | 39 | 24 | 0 | |
| DUNDEE, . . | 18·5 | 2·9 | 58 | 13 | 14 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 0 | 9 | 1 | 10 | 2 | 0 | |
| ABERDEEN, . | 11·7 | 0·4 | 31 | 6 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 2 | 5 | 1 | 0 | |
| LEITH, . . . | 24·9 | 9·0 | 36 | 11 | 8 | 0 | 4 | 0 | 0 | 9 | 0 | 0 | 0 | 8 | 1 | 3 | 0 | 0 | |
| PAISLEY, . . | 18·9 | 2·8 | 27 | 12 | 2 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 3 | 1 | 3 | 1 | 0 | |
| GREENOCK, . | 16·1 | 0·0 | 19 | 1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 2 | 1 | |
| PERTH, . . . | 23·9 | 1·7 | 14 | 1 | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 18, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 18, 1898, was 20·2 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, but 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 17·2 per thousand; and the highest in Perth, viz., 27·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·8 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 107, being 2 below the number for the previous week.

The Mean Temperature was 55°·9, being 0°·3 below that for the week immediately preceding, but 3°·5 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 18, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending June 18, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 991 | 609 | 537 | 76·5 | 39·6 | 55·9 | 0·11 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 465 | 296 | 249 | 72·0 | 45·0 | 58·2 | 0·15 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 158 | 109 | 116 | 73·3 | 44·9 | 55·9 | 0·08 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 114 | 61 | 42 | 76·1 | 41·9 | 54·9 | 0·01 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 77 | 52 | 45 | 71·0 | 39·6 | 52·6 | 0·10 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 63 | 28 | 35 | 73·9 | 45·3 | 55·8 | 0·11 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 51 | 25 | 27 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 46 | 22 | 16 | 70·0 | 47·0 | 58·1 | 0·33 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 17 | 16 | 7 | 76·5 | 43·0 | 55·5 | 0·00 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 1053 | 577 | 514 | 73·2 | 39·7 | 52·4 | 3·62 |

Week ending Saturday, JUNE 18, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 18, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|--------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from* | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 20.2 | 3.0 | 609 | 127 | 124 | 0 | 32 | 8 | 0 | 22 | 8 | 22 | 1 | 107 | 23 | 134 | 24 | 1 |
| GLASGOW, . | 21.2 | 2.7 | 296 | 64 | 52 | 0 | 16 | 4 | 0 | 8 | 3 | 6 | 1 | 64 | 9 | 69 | 11 | 1 |
| EDINBURGH, | 19.2 | 3.5 | 109 | 22 | 24 | 0 | 3 | 3 | 0 | 5 | 0 | 9 | 0 | 13 | 6 | 26 | 9 | 0 |
| DUNDEE, . . | 19.3 | 5.1 | 61 | 15 | 12 | 0 | 12 | 1 | 0 | 0 | 2 | 1 | 0 | 8 | 4 | 9 | 2 | 0 |
| ABERDEEN, . | 19.3 | 2.6 | 52 | 12 | 17 | 0 | 0 | 0 | 0 | 4 | 0 | 3 | 0 | 2 | 2 | 14 | 0 | 0 |
| LEITH, . . . | 19.1 | 0.7 | 28 | 4 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 1 | 6 | 1 | 0 |
| PAISLEY, . . | 17.2 | 5.5 | 25 | 5 | 3 | 0 | 1 | 0 | 0 | 4 | 3 | 0 | 0 | 6 | 0 | 3 | 0 | 0 |
| GREENOCK, . | 18.7 | 0.9 | 22 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 1 | 4 | 0 | 0 |
| PERTH, . . . | 27.2 | 3.4 | 16 | 2 | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 3 | 1 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 19, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|--------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from* | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 19.4 | 2.9 | 577 | 113 | 125 | 0 | 24 | 5 | 1 | 29 | 5 | 23 | 2 | 107 | 21 | 111 | 36 | 0 |
| GLASGOW, . | 18.8 | 2.5 | 258 | 51 | 49 | 0 | 5 | 3 | 0 | 13 | 4 | 9 | 0 | 47 | 12 | 48 | 18 | 0 |
| EDINBURGH, | 20.5 | 3.7 | 115 | 19 | 27 | 0 | 15 | 0 | 0 | 5 | 0 | 1 | 0 | 21 | 5 | 32 | 15 | 0 |
| DUNDEE, . . | 22.0 | 3.8 | 69 | 15 | 12 | 0 | 0 | 0 | 0 | 5 | 0 | 7 | 0 | 12 | 2 | 8 | 1 | 0 |
| ABERDEEN, . | 16.9 | 1.9 | 45 | 7 | 18 | 0 | 1 | 0 | 1 | 0 | 1 | 2 | 1 | 5 | 1 | 13 | 1 | 0 |
| LEITH, . . . | 27.0 | 7.6 | 39 | 13 | 6 | 0 | 3 | 1 | 0 | 5 | 0 | 2 | 1 | 10 | 1 | 2 | 0 | 0 |
| PAISLEY, . . | 17.5 | 0.7 | 25 | 4 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 8 | 0 | 3 | 0 | 0 |
| GREENOCK, . | 16.1 | 2.5 | 19 | 4 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 3 | 1 | 0 |
| PERTH, . . . | 11.9 | 0.0 | 7 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 25.

WEEK ENDING SATURDAY, JUNE 25, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 25, 1898, was 19·5 per thousand of estimated population. This rate is 0·1 above that for the corresponding week of last year, but 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 16·7 per thousand; and the highest in Perth, viz., 25·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 92, being 15 below the number for the previous week.

The Mean Temperature was 57°·1, being 1°·2 above that for the week immediately preceding, and 0°·4 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 25, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending June 25, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1002 | 589 | 467 | 73·0 | 41·8 | 57·1 | 0·96 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 513 | 279 | 207 | 66·0 | 46·0 | 56·6 | 1·03 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 133 | 101 | 116 | 66·0 | 47·0 | 56·9 | 0·61 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 120 | 59 | 35 | 71·7 | 44·2 | 58·5 | 0·72 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 81 | 45 | 43 | 69·2 | 41·8 | 56·4 | 0·85 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 56 | 36 | 29 | 65·7 | 48·6 | 57·6 | 0·63 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 47 | 30 | 13 | 66·1 | 46·3 | 56·9 | 1·26 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 38 | 24 | 12 | 64·7 | 46·7 | 55·4 | 1·88 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 14 | 15 | 12 | 73·0 | 44·0 | 58·2 | 0·73 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 982 | 577 | 479 | 73·1 | 41·8 | 56·7 | 0·67 |

Week ending Saturday, JUNE 25, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 25, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 19.5 | 3.4 | 589 | 126 | 139 | 0 | 37 | 6 | 2 | 27 | 4 | 26 | 1 | 92 | 21 | 121 | 27 |
| GLASGOW, . | 20.0 | 3.7 | 279 | 61 | 49 | 0 | 13 | 4 | 1 | 18 | 3 | 12 | 1 | 51 | 11 | 58 | 9 |
| EDINBURGH, | 17.8 | 2.5 | 101 | 17 | 29 | 0 | 7 | 2 | 0 | 2 | 0 | 3 | 0 | 11 | 5 | 34 | 12 |
| DUNDEE, . . | 18.6 | 7.3 | 59 | 16 | 11 | 0 | 14 | 0 | 0 | 2 | 0 | 7 | 0 | 7 | 0 | 9 | 0 |
| ABERDEEN, . | 16.7 | 0.7 | 45 | 10 | 18 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 6 | 0 | 8 | 0 |
| LEITH, . . . | 24.5 | 4.1 | 36 | 11 | 6 | 0 | 1 | 0 | 1 | 1 | 1 | 2 | 0 | 2 | 1 | 2 | 1 |
| PAISLEY, . . | 20.7 | 1.4 | 30 | 7 | 11 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 7 | 2 | 6 | 2 |
| GREENOCK, . | 20.4 | 1.7 | 24 | 4 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 7 | 1 | 3 | 1 |
| PERTH, . . . | 25.5 | 3.4 | 15 | 0 | 8 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 26, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 19.4 | 2.3 | 577 | 134 | 112 | 0 | 21 | 4 | 2 | 16 | 6 | 20 | 3 | 101 | 21 | 103 | 41 |
| GLASGOW, . | 18.1 | 1.8 | 249 | 50 | 41 | 0 | 2 | 1 | 2 | 10 | 5 | 5 | 2 | 47 | 12 | 40 | 15 |
| EDINBURGH, | 22.2 | 2.7 | 125 | 36 | 25 | 0 | 10 | 0 | 0 | 1 | 0 | 4 | 0 | 25 | 3 | 30 | 20 |
| DUNDEE, . . | 16.6 | 2.2 | 52 | 9 | 8 | 0 | 0 | 0 | 0 | 2 | 1 | 4 | 1 | 5 | 2 | 10 | 0 |
| ABERDEEN, . | 15.8 | 2.6 | 42 | 15 | 8 | 0 | 0 | 2 | 0 | 0 | 0 | 5 | 0 | 5 | 0 | 8 | 0 |
| LEITH, . . . | 24.2 | 7.6 | 35 | 11 | 9 | 0 | 9 | 0 | 0 | 1 | 0 | 1 | 0 | 6 | 1 | 0 | 2 |
| PAISLEY, . . | 14.7 | 0.0 | 21 | 4 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 5 | 2 |
| GREENOCK, . | 27.1 | 3.4 | 32 | 6 | 5 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 7 | 1 | 4 | 2 |
| PERTH, . . . | 35.8 | 0.0 | 21 | 3 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 6 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 26.

WEEK ENDING SATURDAY, JULY 2, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 2, 1898, was 21·1 per thousand of estimated population. This rate is 2·4 above that for the corresponding week of last year, and 1·6 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·6 per thousand; and the highest in Paisley, viz., 25·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·9 per thousand, being 0·5 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 98, being 6 above the number for the previous week.

The Mean Temperature was 57°·1, being the same as that for the week immediately preceding, but 1°·9 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 2, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending July 2, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest. | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1054 | 635 | 499 | 75·5 | 37·2 | 57·1 | 0·25 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 513 | 297 | 251 | 70·1 | 40·5 | 56·4 | 0·57 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 167 | 121 | 112 | 71·0 | 43·0 | 57·4 | 0·10 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 119 | 74 | 32 | 72·6 | 41·8 | 56·8 | 0·06 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 92 | 51 | 50 | 75·5 | 37·2 | 56·3 | 0·37 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 54 | 26 | 21 | 70·5 | 44·0 | 57·5 | 0·12 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 62 | 37 | 12 | 70·5 | 43·0 | 58·6 | 0·45 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 36 | 21 | 15 | 68·7 | 45·0 | 57·0 | 0·22 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 11 | 8 | 6 | 75·0 | 38·0 | 56·9 | 0·18 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 1041 | 557 | 553 | 76·8 | 45·0 | 59·0 | 0·17 |

Week ending Saturday, JULY 2, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 2, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 21.1 | 3.9 | 635 | 147 | 112 | 0 | 41 | 5 | 4 | 35 | 4 | 30 | 3 | 98 | 21 | 123 | 41 | 3 | | |
| GLASGOW, . | 21.3 | 3.2 | 297 | 67 | 47 | 0 | 11 | 1 | 2 | 19 | 0 | 12 | 1 | 55 | 11 | 61 | 17 | 3 | | |
| EDINBURGH, | 21.3 | 4.6 | 121 | 28 | 25 | 0 | 13 | 0 | 1 | 5 | 1 | 6 | 2 | 12 | 5 | 30 | 17 | 0 | | |
| DUNDEE, . . | 23.4 | 6.3 | 74 | 20 | 12 | 0 | 11 | 1 | 0 | 3 | 1 | 4 | 0 | 10 | 3 | 9 | 3 | 0 | | |
| ABERDEEN, . | 18.9 | 4.1 | 51 | 14 | 11 | 0 | 0 | 1 | 1 | 5 | 0 | 4 | 0 | 7 | 1 | 8 | 1 | 0 | | |
| LEITH, . . . | 17.7 | 2.0 | 26 | 8 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 0 | 5 | 1 | 0 | | |
| PAISLEY, . . | 25.5 | 7.6 | 37 | 9 | 8 | 0 | 5 | 0 | 0 | 3 | 0 | 3 | 0 | 7 | 0 | 2 | 0 | 0 | | |
| GREENOCK, . | 17.9 | 1.7 | 21 | 1 | 6 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 6 | 2 | 0 | | |
| PERTH, . . . | 13.6 | 1.7 | 8 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 3, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 18.7 | 2.6 | 557 | 125 | 105 | 0 | 16 | 5 | 2 | 21 | 10 | 23 | 1 | 85 | 21 | 108 | 47 | 4 | | |
| GLASGOW, . | 19.0 | 2.6 | 261 | 57 | 39 | 0 | 3 | 2 | 2 | 10 | 9 | 10 | 0 | 38 | 12 | 52 | 21 | 3 | | |
| EDINBURGH, | 18.0 | 2.0 | 101 | 26 | 22 | 0 | 4 | 2 | 0 | 3 | 1 | 1 | 0 | 18 | 5 | 30 | 21 | 0 | | |
| DUNDEE, . . | 17.2 | 2.2 | 54 | 13 | 11 | 0 | 0 | 0 | 0 | 2 | 0 | 5 | 0 | 10 | 0 | 8 | 2 | 0 | | |
| ABERDEEN, . | 11.3 | 1.5 | 30 | 6 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 3 | 2 | 5 | 1 | 0 | | |
| LEITH, . . . | 33.2 | 11.8 | 48 | 15 | 6 | 0 | 9 | 0 | 0 | 6 | 0 | 2 | 0 | 6 | 1 | 4 | 0 | 0 | | |
| PAISLEY, . . | 21.7 | 1.4 | 31 | 4 | 6 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 8 | 0 | 5 | 0 | 0 | | |
| GREENOCK, . | 18.6 | 0.0 | 22 | 3 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 2 | 0 | | |
| PERTH, . . . | 17.0 | 0.0 | 10 | 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | | |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 27.

WEEK ENDING SATURDAY, JULY 9, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 9, 1898, was 20·0 per thousand of estimated population. This rate is 2·3 above that for the corresponding week of last year, but 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 13·3 per thousand; and the highest in Perth, viz., 27·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·7 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 103, being 5 above the number for the previous week.

The Mean Temperature was 57°·4, being 0°·3 above that for the week immediately preceding, and 2°·2 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 9, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending July 9, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1009 | 603 | 341 | 75·4 | 44·0 | 57·4 | 0·30 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 485 | 289 | 140 | 75·2 | 44·9 | 57·8 | 0·07 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 179 | 116 | 67 | 71·5 | 45·8 | 57·6 | 0·29 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 102 | 80 | 21 | 72·8 | 44·0 | 57·8 | 0·37 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 99 | 36 | 34 | 75·4 | 44·0 | 57·1 | 0·18 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 46 | 21 | 13 | 73·6 | 46·9 | 58·3 | 0·49 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 51 | 21 | 20 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 40 | 24 | 22 | 69·0 | 44·5 | 55·3 | 0·28 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 7 | 16 | 24 | 73·0 | 44·0 | 58·1 | 0·39 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 987 | 529 | 324 | 72·7 | 38·6 | 55·2 | 0·51 |

Week ending Saturday, JULY 9, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 9, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 20.0 | 3.2 | 603 | 156 | 117 | 0 | 36 | 8 | 3 | 21 | 1 | 27 | 3 | 103 | 17 | 104 | 30 | 1 |
| GLASGOW, . | 20.7 | 3.6 | 289 | 87 | 36 | 0 | 14 | 2 | 1 | 18 | 1 | 14 | 0 | 58 | 4 | 45 | 10 | 1 |
| EDINBURGH, | 20.4 | 1.2 | 116 | 28 | 29 | 0 | 1 | 2 | 0 | 2 | 0 | 2 | 1 | 14 | 6 | 26 | 17 | 0 |
| DUNDEE, . . | 25.3 | 8.2 | 80 | 19 | 11 | 0 | 16 | 2 | 1 | 0 | 0 | 7 | 0 | 11 | 3 | 11 | 0 | 0 |
| ABERDEEN, . | 13.3 | 1.5 | 36 | 10 | 14 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 1 | 6 | 1 | 11 | 0 | 0 |
| LEITH, . . . | 14.3 | 2.0 | 21 | 4 | 8 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 5 | 1 | 2 | 0 | 0 |
| PAISLEY, . . | 14.5 | 3.4 | 21 | 2 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 5 | 0 | 0 |
| GREENOCK, . | 20.4 | 0.0 | 24 | 4 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 3 | 1 | 0 |
| PERTH, . . . | 27.2 | 1.7 | 16 | 2 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 2 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 10, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 17.7 | 2.8 | 529 | 131 | 110 | 0 | 17 | 7 | 0 | 20 | 10 | 28 | 3 | 66 | 20 | 106 | 25 | 0 |
| GLASGOW, . | 16.7 | 2.5 | 230 | 52 | 39 | 0 | 2 | 2 | 0 | 6 | 5 | 19 | 0 | 30 | 6 | 40 | 9 | 0 |
| EDINBURGH, | 18.3 | 3.7 | 103 | 28 | 25 | 0 | 9 | 4 | 0 | 4 | 0 | 4 | 0 | 16 | 4 | 29 | 11 | 0 |
| DUNDEE, . . | 22.6 | 2.9 | 71 | 18 | 14 | 0 | 0 | 0 | 0 | 4 | 3 | 2 | 0 | 9 | 4 | 13 | 2 | 0 |
| ABERDEEN, . | 14.3 | 1.1 | 38 | 12 | 15 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 3 | 1 | 8 | 0 | 0 |
| LEITH, . . . | 22.1 | 8.3 | 32 | 11 | 4 | 0 | 6 | 0 | 0 | 5 | 0 | 1 | 0 | 2 | 2 | 5 | 1 | 0 |
| PAISLEY, . . | 21.7 | 0.7 | 31 | 7 | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 2 | 8 | 1 | 0 |
| GREENOCK, . | 11.8 | 0.8 | 14 | 1 | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| PERTH, . . . | 17.0 | 1.7 | 10 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 1 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 28.

WEEK ENDING SATURDAY, JULY 16, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 16, 1898, was 18·5 per thousand of estimated population. This rate is 0·6 above that for the corresponding week of last year, but 1·5 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 17·0 per thousand; and the highest in Perth, viz., 23·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 75, being 28 below the number for the previous week.

The Mean Temperature was 60°·1, being 2°·7 above that for the week immediately preceding, and 0°·1 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 16, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending July 16, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 977 | 559 | 403 | 78·0 | 44·0 | 60·1 | 0·13 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 434 | 250 | 212 | 75·0 | 46·0 | 59·8 | 0·18 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 182 | 104 | 60 | 73·9 | 48·0 | 59·7 | 0·11 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 94 | 56 | 24 | 77·3 | 44·9 | 61·6 | 0·00 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 87 | 46 | 49 | 68·0 | 44·0 | 56·6 | 0·04 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 39 | 28 | 11 | 74·9 | 48·8 | 61·6 | 0·22 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 53 | 33 | 18 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 69 | 28 | 22 | 73·0 | 46·5 | 59·8 | 0·28 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 19 | 14 | 7 | 78·0 | 44·0 | 61·4 | 0·09 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 924 | 534 | 361 | 86·5 | 40·0 | 60·0 | 0·00 |

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 29. WEEK ENDING SATURDAY, JULY 23, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 23, 1898, was 20·1 per thousand of estimated population. This rate is 0·6 above that for the corresponding week of last year, and 1·6 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 15·2 per thousand; and the highest in Perth, viz., 23·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·9 per thousand, being 0·8 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 72, being 3 below the number for the previous week.

The Mean Temperature was 57°·9, being 2°·2 below that for the week immediately preceding, and 2°·6 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 23, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending July 23, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 974 | 605 | 642 | 74·1 | 36·8 | 57·9 | 0·36 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 466 | 303 | 404 | 71·0 | 47·9 | 59·0 | 0·43 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 149 | 112 | 64 | 74·1 | 48·0 | 58·9 | 0·39 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 119 | 54 | 53 | 70·7 | 42·1 | 56·3 | 0·16 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 78 | 41 | 52 | 73·4 | 36·8 | 56·1 | 0·19 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 48 | 24 | 14 | 71·9 | 46·4 | 59·3 | 0·39 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 42 | 33 | 36 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 54 | 24 | 10 | 68·7 | 47·0 | 57·5 | 0·82 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 18 | 14 | 9 | 71·5 | 38·5 | 57·9 | 0·16 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 952 | 580 | 566 | 79·5 | 41·0 | 60·5 | 1·17 |

Week ending Saturday, JULY 23, 1898.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, July 23, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|-----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unsuspected Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | |
| In Eight Towns, | 20·1 | 3·9 | 605 | 167 | 114 | 0 | 19 | 8 | 2 | 29 | 5 | 55 | 3 | 72 | 30 | 129 | 32 | 1 | |
| GLASGOW, . | 21·8 | 4·6 | 303 | 88 | 46 | 0 | 9 | 5 | 1 | 10 | 1 | 38 | 1 | 38 | 18 | 64 | 18 | 1 | |
| EDINBURGH, | 19·7 | 3·2 | 112 | 27 | 23 | 0 | 2 | 3 | 1 | 9 | 1 | 2 | 1 | 11 | 2 | 36 | 8 | 0 | |
| DUNDEE, . . | 17·1 | 4·7 | 54 | 16 | 11 | 0 | 6 | 0 | 0 | 4 | 0 | 5 | 1 | 10 | 3 | 6 | 1 | 0 | |
| ABERDEEN, . | 15·2 | 1·1 | 41 | 9 | 11 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 4 | 1 | 8 | 1 | 0 | |
| LEITH, . . . | 16·4 | 1·4 | 24 | 5 | 9 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 1 | 3 | 1 | 0 | |
| PAISLEY, . . | 22·7 | 4·8 | 33 | 11 | 6 | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 0 | 1 | 0 | 4 | 0 | 0 | |
| GREENOCK, . | 20·4 | 5·1 | 24 | 6 | 5 | 0 | 1 | 0 | 0 | 1 | 1 | 3 | 0 | 5 | 3 | 7 | 2 | 0 | |
| PERTH, . . | 23·8 | 5·1 | 14 | 5 | 3 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 2 | 1 | 1 | 0 | |

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, July 24, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 19·5 | 3·4 | 580 | 143 | 121 | 0 | 15 | 5 | 1 | 37 | 7 | 35 | 3 | 84 | 18 | 98 | 38 | 9 | | |
| GLASGOW, . | 20·1 | 3·5 | 276 | 73 | 47 | 0 | 4 | 3 | 0 | 19 | 2 | 20 | 0 | 38 | 12 | 44 | 23 | 8 | | |
| EDINBURGH, | 20·6 | 2·8 | 116 | 27 | 28 | 0 | 3 | 2 | 1 | 7 | 1 | 2 | 3 | 20 | 5 | 28 | 11 | 0 | | |
| DUNDEE, . . | 18·5 | 4·5 | 58 | 15 | 15 | 0 | 0 | 0 | 0 | 6 | 1 | 7 | 0 | 8 | 0 | 10 | 1 | 0 | | |
| ABERDEEN, . | 12·8 | 0·4 | 34 | 10 | 7 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 1 | 4 | 1 | 1 | | |
| LEITH, . . . | 25·6 | 9·0 | 37 | 6 | 8 | 0 | 8 | 0 | 0 | 3 | 1 | 1 | 0 | 8 | 0 | 6 | 0 | 0 | | |
| PAISLEY, . . | 18·9 | 2·8 | 27 | 6 | 5 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | | |
| GREENOCK, . | 15·2 | 2·5 | 18 | 6 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 0 | 1 | 2 | 0 | | |
| PERTH, . . . | 23·9 | 1·7 | 14 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 4 | 0 | 0 | | |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 30. WEEK ENDING SATURDAY, JULY 30, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 30, 1898, was 18·6 per thousand of estimated population. This rate is 0·4 above that for the corresponding week of last year, but 1·5 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 8·5 per thousand; and the highest in Dundee, viz., 24·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 75, being 3 above the number for the previous week.

The Mean Temperature was 57°·7, being 0°·2 below that for the week immediately preceding, and 3°·9 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 30, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending July 30, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 930 | 560 | 345 | 72·6 | 39·5 | 57·7 | 0·34 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 438 | 269 | 75 | 72·6 | 39·5 | 58·3 | 0·25 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 185 | 112 | 91 | 68·9 | 42·9 | 57·6 | 0·26 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 76 | 76 | 111 | 70·2 | 44·4 | 58·2 | 0·30 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 91 | 37 | 27 | 68·2 | 43·0 | 56·5 | 0·35 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 44 | 20 | 18 | 71·9 | 44·7 | 58·1 | 0·26 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 41 | 23 | 8 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 45 | 18 | 6 | 70·0 | 45·0 | 57·9 | 0·24 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 10 | 5 | 9 | 70·5 | 40·5 | 57·6 | 0·69 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 918 | 542 | 379 | 77·6 | 50·0 | 61·6 | 0·47 |

Week ending Saturday, JULY 30, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 30, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|-----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | |
| In Eight Towns, | 18·6 | 3·7 | 560 | 141 | 95 | 0 | 25 | 6 | 2 | 20 | 3 | 57 | 4 | 75 | 22 | 113 | 29 | 3 | |
| GLASGOW, . | 19·3 | 4·8 | 269 | 77 | 43 | 0 | 5 | 3 | 2 | 14 | 3 | 40 | 2 | 33 | 8 | 53 | 12 | 2 | |
| EDINBURGH, | 19·7 | 1·4 | 112 | 20 | 25 | 0 | 3 | 1 | 0 | 1 | 0 | 3 | 2 | 13 | 5 | 31 | 11 | 0 | |
| DUNDEE, . . | 24·0 | 6·0 | 76 | 16 | 7 | 0 | 13 | 1 | 0 | 1 | 0 | 4 | 0 | 15 | 3 | 8 | 2 | 1 | |
| ABERDEEN, . | 13·7 | 1·9 | 37 | 12 | 7 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 0 | 3 | 3 | 9 | 1 | 0 | |
| LEITH, . . . | 13·6 | 2·7 | 20 | 5 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 0 | 1 | 1 | 0 | |
| PAISLEY, . . | 15·8 | 3·4 | 23 | 6 | 5 | 0 | 1 | 0 | 0 | 1 | 0 | 3 | 0 | 4 | 1 | 3 | 1 | 0 | |
| GREENOCK, . | 15·3 | 3·4 | 18 | 4 | 6 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 0 | 1 | 1 | 6 | 1 | 0 | |
| PERTH, . . . | 8·5 | 1·7 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 0 | 0 | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 31, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|---|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | | |
| In Eight Towns, | 18·2 | 3·0 | 542 | 156 | 107 | 0 | 5 | 5 | 3 | 22 | 3 | 51 | 2 | 64 | 27 | 113 | 30 | 1 | | | |
| GLASGOW, . | 18·6 | 3·4 | 256 | 81 | 43 | 0 | 1 | 0 | 2 | 14 | 1 | 29 | 0 | 24 | 12 | 53 | 14 | 1 | | | |
| EDINBURGH, | 18·0 | 1·6 | 101 | 23 | 21 | 0 | 0 | 4 | 1 | 1 | 0 | 3 | 1 | 10 | 7 | 35 | 7 | 0 | | | |
| DUNDEE, . . | 20·7 | 1·9 | 65 | 18 | 18 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 0 | 11 | 3 | 10 | 3 | 0 | | | |
| ABERDEEN, . | 13·5 | 1·5 | 36 | 9 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 5 | 3 | 9 | 0 | 0 | | | |
| LEITH, . . . | 21·4 | 6·9 | 31 | 7 | 3 | 0 | 4 | 0 | 0 | 4 | 0 | 2 | 1 | 7 | 0 | 0 | 0 | 0 | | | |
| PAISLEY, . . | 14·7 | 1·4 | 21 | 7 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 3 | 3 | 0 | | | |
| GREENOCK, . | 19·5 | 8·5 | 23 | 8 | 3 | 0 | 0 | 0 | 0 | 2 | 2 | 6 | 0 | 4 | 1 | 2 | 3 | 0 | | | |
| PERTH, . . . | 15·3 | 1·7 | 9 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | | | |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 6, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 6, 1898, was 20·0 per thousand of estimated population. This rate is 0·5 below that for the corresponding week of last year, but 1·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 16·4 per thousand; and the highest in Greenock, viz., 34·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·4 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 78, being 3 above the number for the previous week.

The Mean Temperature was 58°·8, being 1°·1 above that for the week immediately preceding, but 5°·5 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLCGY, during the Week ending Saturday, August 6, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Aug. 6, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 962 | 604 | 315 | 76·8 | 44·5 | 58·8 | 0·84 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 441 | 278 | 97 | 66·9 | 50·0 | 58·5 | 0·87 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 171 | 104 | 118 | 67·7 | 49·4 | 58·6 | 0·24 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 113 | 53 | 25 | 72·1 | 48·0 | 59·0 | 0·54 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 87 | 51 | 23 | 76·8 | 44·5 | 57·9 | 0·95 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 60 | 24 | 24 | 69·8 | 50·8 | 60·0 | 0·49 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 39 | 44 | 12 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 38 | 40 | 10 | 66·0 | 49·0 | 58·2 | 2·28 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 13 | 10 | 6 | 71·5 | 47·0 | 59·1 | 0·53 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 926 | 612 | 301 | 81·4 | 50·0 | 64·3 | 0·76 |

Week ending Saturday, AUGUST 6, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 6, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 20.0 | 4.4 | 604 | 182 | 104 | 0 | 20 | 4 | 2 | 30 | 1 | 77 | 1 | 78 | 20 | 104 | 25 | 4 | | |
| GLASGOW, . | 20.0 | 5.0 | 278 | 94 | 33 | 0 | 5 | 1 | 2 | 16 | 1 | 45 | 1 | 34 | 7 | 45 | 14 | 3 | | |
| EDINBURGH, | 18.3 | 2.8 | 104 | 25 | 27 | 0 | 5 | 1 | 0 | 5 | 0 | 5 | 0 | 15 | 4 | 29 | 4 | 0 | | |
| DUNDEE, . . | 16.7 | 4.1 | 53 | 12 | 10 | 0 | 7 | 0 | 0 | 0 | 0 | 6 | 0 | 9 | 0 | 7 | 0 | 0 | | |
| ABERDEEN, . | 18.9 | 3.7 | 51 | 14 | 11 | 0 | 0 | 0 | 0 | 5 | 0 | 5 | 0 | 8 | 4 | 7 | 2 | 0 | | |
| LEITH, . . . | 16.4 | 2.7 | 24 | 10 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 2 | 2 | 3 | 0 | | |
| PAISLEY, . . | 30.3 | 7.6 | 44 | 14 | 11 | 0 | 2 | 0 | 0 | 2 | 0 | 7 | 0 | 5 | 0 | 8 | 1 | 0 | | |
| GREENOCK, . | 34.0 | 8.5 | 40 | 12 | 7 | 0 | 0 | 2 | 0 | 2 | 0 | 6 | 0 | 4 | 3 | 4 | 1 | 1 | | |
| PERTH, . . . | 17.0 | 0.0 | 10 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 7, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 20.5 | 4.6 | 612 | 195 | 95 | 0 | 19 | 8 | 1 | 22 | 0 | 87 | 1 | 70 | 26 | 112 | 38 | 2 |
| GLASGOW, . | 21.1 | 6.0 | 290 | 106 | 38 | 0 | 3 | 2 | 0 | 13 | 0 | 65 | 0 | 25 | 15 | 50 | 19 | 2 |
| EDINBURGH, | 19.6 | 1.1 | 110 | 28 | 24 | 0 | 4 | 1 | 0 | 0 | 0 | 1 | 0 | 18 | 6 | 33 | 14 | 0 |
| DUNDEE, . . | 24.2 | 4.5 | 76 | 18 | 10 | 0 | 0 | 2 | 1 | 3 | 0 | 8 | 1 | 10 | 1 | 14 | 2 | 0 |
| ABERDEEN, . | 12.8 | 1.1 | 34 | 9 | 10 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 6 | 0 | 8 | 0 | 0 |
| LEITH, . . . | 26.3 | 14.5 | 38 | 12 | 1 | 0 | 12 | 1 | 0 | 5 | 0 | 3 | 0 | 2 | 1 | 0 | 0 | 0 |
| PAISLEY, . . | 18.2 | 3.5 | 26 | 6 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 5 | 1 | 1 | 2 | 0 |
| GREENOCK, . | 22.0 | 2.5 | 26 | 12 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 0 | 3 | 0 | 0 |
| PERTH, . . . | 20.4 | 3.4 | 12 | 4 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 3 | 1 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 13, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 13, 1898, was 19·8 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, but 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 16·7 per thousand; and the highest in Greenock, viz., 26·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·5 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 69, being 9 below the number for the previous week.

The Mean Temperature was 59°·4, being 0°·6 above that for the week immediately preceding, but 0°·9 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 13, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Aug. 13, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 910 | 598 | 192 | 79·1 | 40·0 | 59·4 | 1·14 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 457 | 290 | 84 | 79·1 | 40·0 | 59·5 | 1·47 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 160 | 109 | 34 | 76·9 | 45·2 | 60·9 | 0·69 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 85 | 53 | 17 | 74·0 | 43·7 | 59·4 | 1·34 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 75 | 47 | 29 | 75·8 | 43·8 | 58·7 | 0·87 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 47 | 29 | 4 | 77·2 | 46·9 | 61·3 | 0·67 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 34 | 28 | 12 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 43 | 31 | 7 | 78·0 | 45·0 | 59·5 | 1·71 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 9 | 11 | 5 | 71·5 | 41·5 | 56·7 | 1·22 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 884 | 565 | 189 | 74·9 | 41·2 | 60·3 | 1·83 |

Week ending Saturday, AUGUST 13, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 13, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | |
| In Eight Towns, | 19·8 | 4·5 | 598 | 195 | 104 | 0 | 13 | 12 | 9 | 17 | 5 | 80 | 2 | 69 | 18 | 129 | 26 |
| GLASGOW, . | 20·8 | 4·9 | 290 | 105 | 37 | 0 | 2 | 7 | 3 | 7 | 3 | 46 | 2 | 31 | 11 | 57 | 16 |
| EDINBURGH, | 19·2 | 2·5 | 109 | 26 | 31 | 0 | 4 | 2 | 1 | 2 | 1 | 4 | 0 | 14 | 2 | 31 | 6 |
| DUNDEE, . . | 16·7 | 5·7 | 53 | 14 | 12 | 0 | 4 | 0 | 2 | 0 | 0 | 12 | 0 | 8 | 2 | 6 | 1 |
| ABERDEEN, . | 17·4 | 3·0 | 47 | 14 | 11 | 0 | 0 | 2 | 0 | 4 | 0 | 2 | 0 | 4 | 0 | 15 | 2 |
| LEITH, . . . | 19·8 | 5·5 | 29 | 13 | 1 | 0 | 2 | 0 | 0 | 1 | 0 | 5 | 0 | 6 | 2 | 6 | 0 |
| PAISLEY, . . | 19·3 | 6·2 | 28 | 11 | 6 | 0 | 0 | 0 | 0 | 2 | 1 | 6 | 0 | 1 | 1 | 4 | 0 |
| GREENOCK, . | 26·4 | 7·7 | 31 | 12 | 4 | 0 | 1 | 0 | 3 | 0 | 0 | 5 | 0 | 5 | 0 | 4 | 1 |
| PERTH, . . . | 18·7 | 3·4 | 11 | 0 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 14, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | |
| In Eight Towns, | 19·0 | 5·2 | 565 | 223 | 86 | 0 | 7 | 12 | 2 | 18 | 4 | 113 | 4 | 54 | 20 | 80 | 38 |
| GLASGOW, . | 22·6 | 6·8 | 311 | 144 | 38 | 0 | 1 | 1 | 1 | 9 | 2 | 79 | 1 | 22 | 13 | 40 | 20 |
| EDINBURGH, | 14·4 | 4·1 | 81 | 15 | 20 | 0 | 2 | 9 | 0 | 6 | 1 | 5 | 0 | 11 | 2 | 17 | 8 |
| DUNDEE, . . | 16·6 | 3·2 | 52 | 15 | 11 | 0 | 0 | 2 | 0 | 1 | 1 | 6 | 0 | 9 | 1 | 6 | 2 |
| ABERDEEN, . | 10·2 | 0·8 | 27 | 8 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 2 | 5 | 1 |
| LEITH, . . . | 19·4 | 5·5 | 28 | 13 | 3 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 0 | 4 | 0 |
| PAISLEY, . . | 16·1 | 2·1 | 23 | 7 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 4 | 0 | 4 | 0 |
| GREENOCK, . | 23·7 | 11·8 | 28 | 18 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 12 | 2 | 0 | 0 | 1 | 5 |
| PERTH, . . . | 25·6 | 5·1 | 15 | 3 | 5 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 3 | 2 | 3 | 2 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 20, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 20, 1898, was 18·1 per thousand of estimated population. This rate is 3·5 below that for the corresponding week of last year, and 1·7 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 13·7 per thousand; and the highest in Paisley, viz., 27·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·9 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 77, being 8 above the number for the previous week.

The Mean Temperature was 59°·2, being 0°·2 below that for the week immediately preceding, but 0°·9 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 20, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Aug. 20, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 956 | 546 | 219 | 74·8 | 44·2 | 59·2 | 0·45 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 456 | 261 | 88 | 73·0 | 47·0 | 60·8 | 0·61 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 160 | 78 | 40 | 72·6 | 48·1 | 58·9 | 0·39 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 83 | 53 | 11 | 74·8 | 49·8 | 58·3 | 0·54 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 98 | 50 | 21 | 74·4 | 44·2 | 57·8 | 0·32 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 40 | 30 | 4 | 73·8 | 47·8 | 58·6 | 0·39 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 67 | 40 | 46 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 38 | 22 | 5 | 70·2 | 50·0 | 60·5 | 0·65 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 14 | 12 | 4 | 74·8 | 46·5 | 59·6 | 0·26 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 1004 | 643 | 196 | 73·0 | 41·2 | 58·3 | 1·25 |

Week ending Saturday, AUGUST 20, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 20, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|-----------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 18·1 | 3·9 | 546 | 180 | 108 | 0 | 6 | 7 | 2 | 24 | 9 | 70 | 3 | 77 | 23 | 104 | 25 | 1 | | |
| GLASGOW, . | 18·7 | 4·4 | 261 | 90 | 48 | 0 | 1 | 5 | 1 | 15 | 7 | 32 | 0 | 34 | 12 | 53 | 12 | 1 | | |
| EDINBURGH, | 13·7 | 1·2 | 78 | 16 | 24 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 2 | 13 | 4 | 21 | 6 | 0 | | |
| DUNDEE, . . | 16·7 | 3·5 | 53 | 19 | 6 | 0 | 2 | 0 | 0 | 0 | 0 | 9 | 0 | 6 | 5 | 6 | 0 | 0 | | |
| ABERDEEN, . | 18·5 | 3·3 | 50 | 17 | 10 | 0 | 0 | 2 | 0 | 5 | 1 | 1 | 1 | 11 | 1 | 8 | 1 | 0 | | |
| LEITH, . . . | 20·4 | 4·1 | 30 | 8 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 4 | 0 | 6 | 0 | 3 | 1 | 0 | | |
| PAISLEY, . . | 27·5 | 9·6 | 40 | 17 | 7 | 0 | 1 | 0 | 0 | 2 | 0 | 11 | 0 | 4 | 1 | 5 | 2 | 0 | | |
| GREENOCK, . | 18·7 | 5·1 | 22 | 9 | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 4 | 0 | 2 | 0 | 3 | 3 | 0 | | |
| PERTH, . . . | 20·4 | 6·8 | 12 | 4 | 6 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 1 | 0 | 5 | 0 | 0 | | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 21, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 21·6 | 6·3 | 643 | 234 | 109 | *1 | 6 | 5 | 4 | 21 | 4 | 147 | 0 | 62 | 27 | 102 | 36 | 4 |
| GLASGOW, . | 23·3 | 8·2 | 320 | 123 | 37 | 0 | 1 | 4 | 0 | 16 | 3 | 89 | 0 | 29 | 17 | 54 | 19 | 3 |
| EDINBURGH, | 17·1 | 2·7 | 96 | 34 | 23 | *1 | 1 | 1 | 2 | 2 | 0 | 8 | 0 | 10 | 3 | 21 | 11 | 0 |
| DUNDEE, . . | 24·2 | 3·5 | 76 | 25 | 20 | 0 | 0 | 0 | 1 | 2 | 0 | 8 | 0 | 9 | 0 | 13 | 0 | 0 |
| ABERDEEN, . | 16·9 | 2·3 | 45 | 10 | 11 | 0 | 0 | 0 | 1 | 0 | 0 | 5 | 0 | 4 | 3 | 8 | 1 | 0 |
| LEITH, . . . | 20·1 | 6·2 | 29 | 12 | 6 | 0 | 3 | 0 | 0 | 0 | 0 | 6 | 0 | 6 | 0 | 1 | 0 | 0 |
| PAISLEY, . . | 22·4 | 6·3 | 32 | 7 | 7 | 0 | 1 | 0 | 0 | 0 | 1 | 7 | 0 | 2 | 2 | 4 | 4 | 1 |
| GREENOCK, . | 31·3 | 18·6 | 37 | 21 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 21 | 0 | 2 | 1 | 1 | 1 | 0 |
| PERTH, . . . | 13·6 | 5·1 | 8 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 0 |

* Chicken-pox.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 27, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 27, 1898, was 18·4 per thousand of estimated population. This rate is 1·2 below that for the corresponding week of last year, but 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 11·9 per thousand; and the highest in Paisley, viz., 28·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·6 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 61, being 16 below the number for the previous week.

The Mean Temperature was 59°·5, being 0°·3 above that for the week immediately preceding, and 1°·2 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 27, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Aug. 27, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 895 | 556 | 165 | 78·0 | 38·0 | 59·5 | 0·36 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 446 | 246 | 70 | 78·0 | 40·5 | 59·8 | 0·28 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 126 | 97 | 34 | 74·7 | 44·5 | 59·8 | 0·26 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 85 | 59 | 13 | 73·0 | 43·2 | 58·5 | 0·14 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 90 | 55 | 18 | 69·0 | 41·0 | 58·0 | 0·19 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 47 | 19 | 9 | 76·0 | 45·9 | 60·7 | 0·21 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 52 | 42 | 10 | 77·1 | 44·1 | 60·6 | 0·31 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 34 | 31 | 6 | 76·2 | 47·2 | 59·3 | 1·23 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 15 | 7 | 5 | 73·2 | 38·0 | 58·9 | 0·24 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 867 | 585 | 199 | 72·2 | 43·8 | 58·3 | 0·37 |

Week ending Saturday, AUGUST 27, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 27, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|-----------------|--------|-----------|-----------------------|-----------------------------------|-----------|-----|--------------------------------|----------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Unidentified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | |
| In Eight Towns, | 18·4 | 4·6 | 556 | 170 | 113 | 0 | 8 | 5 | 2 | 27 | 9 | 89 | 3 | 61 | 13 | 110 | 24 | 1 | |
| GLASGOW, . | 17·7 | 4·7 | 246 | 82 | 42 | 0 | 3 | 2 | 1 | 8 | 8 | 44 | 0 | 29 | 7 | 54 | 10 | 1 | |
| EDINBURGH, | 17·1 | 2·5 | 97 | 20 | 28 | 0 | 1 | 1 | 0 | 3 | 0 | 9 | 0 | 8 | 2 | 21 | 5 | 0 | |
| DUNDEE, . . | 18·6 | 4·7 | 59 | 14 | 12 | 0 | 2 | 1 | 0 | 3 | 0 | 9 | 1 | 10 | 1 | 13 | 0 | 0 | |
| ABERDEEN, . | 20·4 | 5·2 | 55 | 16 | 13 | 0 | 0 | 0 | 0 | 8 | 0 | 6 | 2 | 6 | 2 | 6 | 1 | 0 | |
| LEITH, . . . | 13·0 | 6·1 | 19 | 10 | 1 | 0 | 1 | 0 | 0 | 2 | 0 | 6 | 0 | 2 | 0 | 0 | 2 | 0 | |
| PAISLEY, . . | 28·9 | 10·3 | 42 | 17 | 10 | 0 | 1 | 0 | 0 | 2 | 1 | 11 | 0 | 1 | 0 | 9 | 1 | 0 | |
| GREENOCK, . | 26·4 | 4·3 | 31 | 10 | 6 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 0 | 5 | 0 | 5 | 4 | 0 | |
| PERTH, . . . | 11·9 | 3·4 | 7 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 28, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 19·6 | 4·6 | 585 | 198 | 92 | 0 | 2 | 7 | 1 | 23 | 8 | 96 | 7 | 71 | 19 | 118 | 29 | 3 |
| GLASGOW, . | 19·7 | 5·0 | 271 | 94 | 28 | 0 | 0 | 2 | 0 | 12 | 5 | 50 | 2 | 33 | 10 | 54 | 16 | 1 |
| EDINBURGH, | 17·4 | 3·0 | 98 | 30 | 19 | 0 | 0 | 4 | 0 | 0 | 1 | 12 | 0 | 12 | 3 | 33 | 5 | 0 |
| DUNDEE, . . | 20·4 | 4·8 | 64 | 23 | 10 | 0 | 0 | 0 | 1 | 5 | 0 | 9 | 0 | 8 | 2 | 8 | 0 | 1 |
| ABERDEEN, . | 20·3 | 1·5 | 54 | 13 | 13 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 4 | 7 | 3 | 12 | 2 | 1 |
| LEITH, . . . | 17·3 | 6·2 | 25 | 9 | 5 | 0 | 2 | 0 | 0 | 2 | 1 | 4 | 0 | 1 | 0 | 4 | 0 | 0 |
| PAISLEY, . . | 23·8 | 7·0 | 34 | 13 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 8 | 0 | 3 | 3 | 0 |
| GREENOCK, . | 23·7 | 10·2 | 28 | 14 | 4 | 0 | 0 | 0 | 0 | 3 | 0 | 9 | 1 | 2 | 0 | 0 | 2 | 0 |
| PERTH, . . . | 18·7 | 1·7 | 11 | 2 | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 1 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, SEPTEMBER 3, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 3, 1898, was 19·8 per thousand of estimated population. This rate is 1·7 above that for the corresponding week of last year, and 1·4 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·6 per thousand; and the highest in Greenock, viz., 28·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·1 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 71, being 10 above the number for the previous week.

The Mean Temperature was 56°·6, being 2°·9 below that for the week immediately preceding, but 1°·6 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 3, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Sept. 3, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 929 | 596 | 281 | 79·0 | 40·0 | 56·6 | 1·98 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 445 | 270 | 147 | 68·1 | 46·9 | 56·6 | 2·21 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 151 | 103 | 46 | 67·0 | 44·0 | 56·2 | 1·97 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 97 | 62 | 23 | 74·8 | 43·6 | 56·9 | 1·08 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 94 | 47 | 33 | 79·0 | 40·0 | 55·8 | 1·31 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 42 | 41 | 13 | 68·9 | 46·8 | 57·3 | 1·95 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 45 | 31 | 7 | 71·7 | 46·6 | 57·4 | 2·50 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 43 | 34 | 6 | 64·2 | 45·7 | 55·5 | 3·51 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 12 | 8 | 6 | 73·5 | 45·0 | 57·4 | 1·30 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 881 | 538 | 267 | 69·2 | 34·0 | 55·0 | 1·20 |

Week ending Saturday, SEPTEMBER 3, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 3, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 19·8 | 4·1 | 596 | 175 | 119 | 0 | 5 | 5 | 2 | 22 | 9 | 81 | 1 | 71 | 18 | 103 | 34 | 4 |
| GLASGOW, . | 19·4 | 4·4 | 270 | 77 | 46 | 0 | 1 | 2 | 1 | 13 | 5 | 39 | 0 | 30 | 9 | 44 | 18 | 4 |
| EDINBURGH, | 18·1 | 3·2 | 103 | 27 | 30 | 0 | 1 | 3 | 0 | 1 | 1 | 12 | 1 | 11 | 2 | 23 | 8 | 0 |
| DUNDEE, . . | 19·6 | 3·2 | 62 | 19 | 14 | 0 | 1 | 0 | 0 | 3 | 0 | 6 | 0 | 11 | 1 | 10 | 0 | 0 |
| ABERDEEN, . | 17·4 | 3·3 | 47 | 16 | 7 | 0 | 0 | 0 | 0 | 5 | 1 | 3 | 0 | 9 | 1 | 12 | 1 | 0 |
| LEITH, . . . | 27·9 | 7·5 | 41 | 12 | 9 | 0 | 2 | 0 | 0 | 0 | 0 | 9 | 0 | 5 | 1 | 2 | 1 | 0 |
| PAISLEY, . . | 21·3 | 4·8 | 31 | 15 | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 0 | 2 | 1 | 3 | 2 | 0 |
| GREENOCK, . | 28·9 | 6·8 | 34 | 8 | 5 | 0 | 0 | 0 | 1 | 0 | 0 | 7 | 0 | 3 | 1 | 7 | 4 | 0 |
| PERTH, . . . | 13·6 | 0·0 | 8 | 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 4, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 18·1 | 4·3 | 538 | 180 | 92 | 1 | 5 | 10 | 4 | 19 | 4 | 84 | 3 | 66 | 16 | 88 | 38 | 2 |
| GLASGOW, . | 18·0 | 4·2 | 248 | 89 | 36 | 1 | 1 | 2 | 1 | 13 | 2 | 38 | 1 | 34 | 4 | 38 | 23 | 1 |
| EDINBURGH, | 15·1 | 3·2 | 85 | 24 | 15 | 0 | 1 | 4 | 0 | 1 | 0 | 12 | 0 | 6 | 5 | 22 | 10 | 0 |
| DUNDEE, . . | 23·6 | 5·4 | 74 | 27 | 16 | 0 | 0 | 3 | 0 | 4 | 1 | 9 | 0 | 6 | 2 | 16 | 2 | 0 |
| ABERDEEN, . | 15·8 | 2·3 | 42 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 1 | 8 | 1 | 7 | 2 | 0 |
| LEITH, . . . | 23·5 | 9·7 | 34 | 14 | 2 | 0 | 3 | 0 | 1 | 1 | 1 | 8 | 1 | 6 | 1 | 2 | 0 | 1 |
| PAISLEY, . . | 22·4 | 8·4 | 32 | 9 | 7 | 0 | 0 | 1 | 2 | 0 | 0 | 9 | 0 | 2 | 1 | 2 | 0 | 0 |
| GREENOCK, . | 16·1 | 1·7 | 19 | 7 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 2 | 1 | 1 | 0 |
| PERTH, . . . | 6·8 | 0·0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 36.

WEEK ENDING SATURDAY, SEPTEMBER 10, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 10, 1898, was 23·0 per thousand of estimated population. This rate is 4·7 above that for the corresponding week of last year, and 3·2 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 18·7 per thousand; and the highest in Leith, viz., 29·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·7 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 98, being 27 above the number for the previous week.

The Mean Temperature was 65°·7, being 9°·1 above that for the week immediately preceding, and 16°·3 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 10, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Sept. 10, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 958 | 695 | 231 | 83·0 | 51·7 | 65·7 | 0·17 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 477 | 320 | 117 | 82·0 | 53·1 | 65·6 | 0·41 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 167 | 131 | 52 | 82·8 | 52·5 | 66·2 | 0·12 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 79 | 70 | 9 | 81·7 | 51·7 | 64·6 | 0·07 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 90 | 62 | 21 | 79·0 | 52·0 | 64·7 | 0·06 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 51 | 43 | 6 | 81·9 | 54·0 | 65·7 | 0·25 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 46 | 30 | 10 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 32 | 28 | 13 | ... | ... | ... | ... |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 16 | 11 | 3 | 83·0 | 52·0 | 67·6 | 0·14 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 848 | 545 | 208 | 63·8 | 32·0 | 49·4 | 0·25 |

Week ending Saturday, SEPTEMBER 10, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 10, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|----------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths from Public Institutions. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | |
| In Eight Towns, | 23·0 | 4·7 | 695 | 221 | 141 | *1 | 9 | 6 | 2 | 22 | 9 | 92 | 2 | 98 | 23 | 138 |
| GLASGOW, . | 23·0 | 5·0 | 320 | 108 | 49 | 0 | 4 | 4 | 2 | 10 | 4 | 45 | 2 | 45 | 14 | 59 |
| EDINBURGH, | 23·0 | 4·2 | 131 | 40 | 39 | 0 | 3 | 0 | 0 | 2 | 0 | 19 | 0 | 14 | 1 | 32 |
| DUNDEE, . . | 22·1 | 4·7 | 70 | 24 | 14 | 0 | 0 | 1 | 0 | 4 | 1 | 9 | 0 | 14 | 1 | 14 |
| ABERDEEN, . | 23·0 | 3·0 | 62 | 17 | 20 | 0 | 0 | 1 | 0 | 3 | 0 | 4 | 0 | 9 | 1 | 14 |
| LEITH, . . . | 29·3 | 6·8 | 43 | 16 | 7 | 0 | 1 | 0 | 0 | 1 | 0 | 8 | 0 | 8 | 2 | 6 |
| PAISLEY, . . | 20·7 | 5·5 | 30 | 6 | 4 | 0 | 1 | 0 | 0 | 2 | 4 | 1 | 0 | 3 | 0 | 7 |
| GREENOCK, . | 23·8 | 4·3 | 28 | 7 | 6 | *1 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 5 | 3 | 3 |
| PERTH, . . . | 18·7 | 3·4 | 11 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 3 |

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 11, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|----------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths from Public Institutions. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | |
| In Eight Towns, | 18·3 | 3·3 | 545 | 158 | 107 | 1 | 2 | 5 | 7 | 15 | 5 | 63 | 6 | 72 | 15 | 100 |
| GLASGOW, . | 19·0 | 3·5 | 261 | 78 | 40 | 1 | 1 | 2 | 3 | 9 | 3 | 29 | 4 | 47 | 7 | 50 |
| EDINBURGH, | 19·9 | 3·7 | 112 | 27 | 23 | 0 | 0 | 2 | 2 | 2 | 1 | 14 | 0 | 6 | 2 | 35 |
| DUNDEE, . . | 15·6 | 3·2 | 49 | 14 | 8 | 0 | 0 | 1 | 0 | 1 | 1 | 7 | 1 | 6 | 2 | 5 |
| ABERDEEN, . | 16·2 | 3·0 | 43 | 18 | 10 | 0 | 0 | 0 | 2 | 1 | 0 | 5 | 1 | 5 | 0 | 3 |
| LEITH, . . . | 18·0 | 4·1 | 26 | 7 | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 4 | 0 | 3 | 3 | 2 |
| PAISLEY, . . | 13·3 | 0·0 | 19 | 6 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 |
| GREENOCK, . | 22·0 | 3·4 | 26 | 7 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 1 | 2 |
| PERTH, . . . | 15·3 | 1·7 | 9 | 1 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 17, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 17, 1898, was 18·8 per thousand of estimated population. This rate is 0·6 below that for the corresponding week of last year, and 4·2 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 16·4 per thousand; and the highest in Perth, viz., 20·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 5·2 per thousand, being 0·5 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 67, being 31 below the number for the previous week.

The Mean Temperature was 59°·6, being 6°·1 below that for the week immediately preceding, but 4°·7 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 17, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre, 1898. | Prox- imity in Yards. | Registered during the Week ending Sept. 17, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 924 | 567 | 217 | 78·9 | 42·0 | 59·6 | 0·34 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 443 | 276 | 104 | 78·8 | 48·5 | 60·9 | 0·31 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 157 | 93 | 41 | 78·6 | 48·0 | 60·8 | 0·35 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 107 | 59 | 20 | 73·5 | 45·3 | 58·7 | 0·29 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 78 | 52 | 21 | 70·0 | 42·0 | 57·2 | 0·27 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 43 | 29 | 12 | 78·9 | 49·9 | 61·1 | 0·10 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 40 | 26 | 6 | 76·5 | 49·9 | 60·8 | 0·20 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 41 | 20 | 11 | 75·0 | 48·7 | 58·9 | 0·93 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 15 | 12 | 2 | 69·0 | 45·5 | 58·1 | 0·24 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 874 | 579 | 190 | 73·7 | 36·0 | 54·9 | 0·42 |

Week ending Saturday, SEPTEMBER 17, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 17, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 18.8 | 5.2 | 567 | 195 | 103 | 0 | 9 | 3 | 5 | 21 | 9 | 110 | 1 | 67 | 14 | 104 | 22 | 7 |
| GLASGOW, . | 19.8 | 4.7 | 276 | 97 | 43 | 0 | 1 | 0 | 3 | 7 | 6 | 49 | 0 | 36 | 6 | 52 | 14 | 4 |
| EDINBURGH, | 16.4 | 5.3 | 93 | 29 | 24 | 0 | 6 | 1 | 1 | 6 | 1 | 15 | 0 | 8 | 0 | 22 | 3 | 2 |
| DUNDEE, . . | 18.6 | 7.3 | 59 | 24 | 10 | 0 | 1 | 1 | 0 | 1 | 1 | 19 | 0 | 6 | 4 | 4 | 0 | 0 |
| ABERDEEN, . | 19.3 | 5.6 | 52 | 16 | 8 | 0 | 0 | 1 | 0 | 6 | 0 | 8 | 1 | 4 | 2 | 10 | 0 | 1 |
| LEITH, . . . | 19.8 | 4.1 | 29 | 11 | 7 | 0 | 1 | 0 | 0 | 0 | 0 | 5 | 0 | 6 | 1 | 5 | 3 | 0 |
| PAISLEY, . . | 17.9 | 6.2 | 26 | 7 | 4 | 0 | 0 | 0 | 1 | 1 | 1 | 6 | 0 | 1 | 0 | 6 | 1 | 0 |
| GREENOCK, . | 17.0 | 6.8 | 20 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 4 | 1 | 1 | 0 | 0 |
| PERTH, . . . | 20.4 | 0.0 | 12 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 1 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 18, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 19.4 | 3.4 | 579 | 167 | 124 | 2 | 5 | 2 | 8 | 17 | 9 | 58 | 3 | 93 | 14 | 116 | 26 | 6 |
| GLASGOW, . | 19.6 | 3.1 | 270 | 73 | 49 | 2 | 1 | 1 | 2 | 7 | 8 | 22 | 1 | 50 | 7 | 53 | 6 | 6 |
| EDINBURGH, | 19.2 | 3.0 | 108 | 34 | 23 | 0 | 0 | 0 | 3 | 1 | 1 | 12 | 1 | 14 | 2 | 31 | 13 | 0 |
| DUNDEE, . . | 18.5 | 4.8 | 58 | 20 | 9 | 0 | 0 | 1 | 2 | 5 | 0 | 7 | 0 | 17 | 1 | 5 | 1 | 0 |
| ABERDEEN, . | 18.1 | 1.5 | 48 | 10 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 3 | 3 | 10 | 2 | 0 |
| LEITH, . . . | 19.4 | 4.8 | 28 | 13 | 9 | 0 | 1 | 0 | 0 | 1 | 0 | 5 | 0 | 6 | 0 | 4 | 0 | 0 |
| PAISLEY, . . | 21.7 | 2.8 | 31 | 6 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 2 | 0 | 8 | 1 | 0 |
| GREENOCK, . | 22.8 | 8.5 | 27 | 8 | 4 | 0 | 3 | 0 | 1 | 3 | 0 | 3 | 0 | 1 | 1 | 1 | 3 | 0 |
| PERTH, . . . | 15.3 | 1.7 | 9 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 24, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 24, 1898, was 19·7 per thousand of estimated population. This rate is 1·9 above that for the corresponding week of last year, and 0·9 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·6 per thousand; and the highest in Glasgow, viz., 21·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 5·2 per thousand, being the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 82, being 15 above the number for the previous week.

The Mean Temperature was 52°·9, being 6°·7 below that for the week immediately preceding, but 1°·4 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 24, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Sept. 24, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 957 | 595 | 219 | 75·5 | 33·0 | 52·9 | 0·56 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 469 | 298 | 116 | 65·8 | 33·0 | 51·9 | 0·77 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 138 | 114 | 37 | 66·7 | 39·2 | 52·8 | 0·28 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 101 | 62 | 12 | 67·8 | 38·1 | 52·7 | 0·23 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 78 | 38 | 20 | 64·2 | 34·0 | 50·4 | 0·41 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 57 | 27 | 6 | 67·0 | 41·1 | 53·7 | 0·48 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 59 | 27 | 15 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 49 | 21 | 12 | 74·7 | 41·0 | 55·1 | 1·35 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 6 | 8 | 1 | 75·5 | 36·0 | 53·5 | 0·43 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 914 | 532 | 224 | 63·0 | 36·5 | 51·5 | 0·60 |

Week ending Saturday, SEPTEMBER 24, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 24, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 19.7 | 5.2 | 595 | 195 | 101 | 0 | 4 | 6 | 7 | 22 | 13 | 104 | 3 | 82 | 19 | 96 | 29 | 4 |
| GLASGOW, . | 21.4 | 5.6 | 298 | 101 | 44 | 0 | 2 | 2 | 5 | 10 | 4 | 55 | 1 | 51 | 9 | 52 | 12 | 3 |
| EDINBURGH, | 20.1 | 5.1 | 114 | 34 | 26 | 0 | 0 | 4 | 1 | 2 | 2 | 20 | 0 | 15 | 2 | 24 | 10 | 0 |
| DUNDEE, . . | 19.6 | 4.4 | 62 | 20 | 7 | 0 | 0 | 0 | 1 | 0 | 0 | 13 | 0 | 8 | 2 | 8 | 1 | 0 |
| ABERDEEN, . | 14.1 | 4.1 | 38 | 11 | 8 | 0 | 1 | 0 | 0 | 5 | 0 | 5 | 1 | 4 | 2 | 3 | 1 | 0 |
| LEITH, . . . | 18.4 | 4.8 | 27 | 12 | 6 | 0 | 1 | 0 | 0 | 3 | 0 | 3 | 0 | 1 | 0 | 2 | 0 | 0 |
| PAISLEY, . . | 18.6 | 6.2 | 27 | 5 | 6 | 0 | 0 | 0 | 0 | 2 | 6 | 1 | 0 | 0 | 1 | 3 | 3 | 0 |
| GREENOCK, . | 17.9 | 6.8 | 21 | 11 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 0 | 3 | 1 | 3 | 1 | 0 |
| PERTH, . . . | 13.6 | 0.0 | 8 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 1 | 1 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 25, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 17.8 | 2.6 | 532 | 139 | 117 | 0 | 5 | 6 | 3 | 20 | 9 | 35 | 1 | 95 | 17 | 105 | 25 | 3 | | |
| GLASGOW, . | 18.5 | 2.4 | 255 | 68 | 54 | 0 | 2 | 1 | 1 | 13 | 5 | 11 | 0 | 60 | 8 | 54 | 9 | 3 | | |
| EDINBURGH, | 18.7 | 3.0 | 105 | 27 | 25 | 0 | 1 | 5 | 2 | 1 | 2 | 6 | 1 | 8 | 3 | 29 | 11 | 0 | | |
| DUNDEE, . . | 16.3 | 4.5 | 51 | 20 | 7 | 0 | 0 | 0 | 0 | 4 | 0 | 10 | 0 | 6 | 2 | 6 | 1 | 0 | | |
| ABERDEEN, . | 15.1 | 1.1 | 40 | 8 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 6 | 2 | 9 | 1 | 0 | | |
| LEITH, . . . | 17.3 | 2.1 | 25 | 9 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 3 | 0 | 0 | 0 | 0 | | |
| PAISLEY, . . | 14.0 | 0.7 | 20 | 3 | 8 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 0 | 2 | 1 | 0 | | |
| GREENOCK, . | 22.0 | 5.9 | 26 | 3 | 6 | 0 | 2 | 0 | 0 | 1 | 1 | 3 | 0 | 4 | 0 | 3 | 1 | 0 | | |
| PERTH, . . . | 17.0 | 0.0 | 10 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 1 | 0 | | |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 39.

WEEK ENDING SATURDAY, OCTOBER 1, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 1, 1898, was 19·1 per thousand of estimated population. This rate is 0·3 below that for the corresponding week of last year, and 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·7 per thousand; and the highest in Paisley, viz., 28·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·2 per thousand, being 1·0 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 85, being 3 above the number for the previous week.

The Mean Temperature was 50°·2, being 2°·7 below that for the week immediately preceding, and 2°·9 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 1, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Oct. 1, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 882 | 577 | 277 | 63·2 | 36·8 | 50·2 | 1·24 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 413 | 245 | 142 | 61·9 | 38·2 | 50·6 | 2·01 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 144 | 103 | 62 | 60·7 | 39·7 | 50·5 | 1·21 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 95 | 65 | 17 | 59·8 | 38·4 | 50·4 | 1·13 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 77 | 58 | 32 | 63·2 | 37·0 | 49·7 | 0·13 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 42 | 23 | 6 | 61·1 | 41·1 | 51·6 | 1·25 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 47 | 41 | 6 | 59·1 | 39·9 | 50·4 | 0·51 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 48 | 30 | 9 | 57·5 | 41·5 | 49·5 | 2·23 |
| PERTH, . . . | 2,122 | 30,623 | 14·431 | 19·68 | 16 | 12 | 3 | 60·0 | 36·8 | 49·3 | 1·43 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 937 | 579 | 239 | 65·8 | 35·5 | 53·1 | 0·40 |

Week ending Saturday, OCTOBER 1, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 1, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 19.1 | 4.2 | 577 | 185 | 107 | 0 | 6 | 11 | 4 | 17 | 14 | 75 | 2 | 85 | 24 | 117 | 36 | 3 |
| GLASGOW, . | 17.6 | 4.0 | 245 | 94 | 22 | 0 | 1 | 6 | 1 | 10 | 6 | 32 | 0 | 41 | 10 | 43 | 19 | 3 |
| EDINBURGH, | 18.1 | 3.9 | 103 | 34 | 25 | 0 | 1 | 0 | 3 | 4 | 0 | 14 | 1 | 12 | 2 | 21 | 9 | 0 |
| DUNDEE, . . | 20.5 | 5.4 | 65 | 21 | 15 | 0 | 2 | 1 | 0 | 0 | 0 | 14 | 0 | 8 | 1 | 11 | 0 | 0 |
| ABERDEEN, . | 21.5 | 4.8 | 58 | 11 | 22 | 0 | 0 | 3 | 0 | 3 | 1 | 6 | 0 | 10 | 1 | 18 | 0 | 0 |
| LEITH, . . . | 15.7 | 3.4 | 23 | 7 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 3 | 3 | 3 | 0 |
| PAISLEY, . . | 28.2 | 6.9 | 41 | 7 | 10 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 0 | 6 | 2 | 9 | 2 | 0 |
| GREENOCK, . | 25.5 | 1.7 | 30 | 10 | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 4 | 3 | 8 | 3 | 0 |
| PERTH, . . . | 20.4 | 3.4 | 12 | 1 | 5 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 4 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 2, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|------------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia, & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 19.4 | 2.6 | 579 | 187 | 107 | 0 | 3 | 5 | 4 | 18 | 7 | 41 | 7 | 130 | 20 | 98 | 33 | 0 |
| GLASGOW, . | 18.5 | 2.4 | 255 | 77 | 45 | 0 | 2 | 2 | 1 | 9 | 5 | 14 | 4 | 69 | 12 | 38 | 17 | 0 |
| EDINBURGH, | 19.2 | 2.1 | 108 | 25 | 23 | 0 | 0 | 2 | 2 | 1 | 0 | 7 | 1 | 11 | 3 | 30 | 14 | 0 |
| DUNDEE, . . | 25.2 | 4.5 | 79 | 34 | 12 | 0 | 0 | 0 | 0 | 2 | 0 | 12 | 0 | 27 | 2 | 11 | 1 | 0 |
| ABERDEEN, . | 17.3 | 1.9 | 46 | 22 | 7 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 9 | 0 | 3 | 0 | 0 |
| LEITH, . . . | 21.4 | 4.8 | 31 | 12 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 4 | 2 | 6 | 2 | 4 | 0 | 0 |
| PAISLEY, . . | 18.9 | 2.8 | 27 | 7 | 9 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 3 | 0 | 5 | 0 | 0 |
| GREENOCK, . | 22.8 | 2.5 | 27 | 9 | 6 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 4 | 0 | 5 | 1 | 0 |
| PERTH, . . . | 10.2 | 0.0 | 6 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 40.

WEEK ENDING SATURDAY, OCTOBER 8, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 8, 1898, was 20·6 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, and 1·5 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 18·7 per thousand; and the highest in Dundee, viz., 24·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·1 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 102, being 17 above the number for the previous week.

The Mean Temperature was 55°·9, being 5°·7 above that for the week immediately preceding, and 6°·4 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 8, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Oct. 8, 1898. | | | Temperature. | | | Rainfall in Inches. |
|---|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 996 | 621 | 234 | 74·0 | 41·0 | 55·9 | 0·02 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 507 | 281 | 111 | 65·6 | 43·1 | 55·8 | 0·02 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 147 | 113 | 39 | 70·2 | 47·5 | 56·0 | 0·00 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 98 | 77 | 24 | 68·9 | 45·4 | 55·7 | 0·05 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 88 | 53 | 24 | 74·0 | 41·0 | 55·2 | 0·01 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 52 | 30 | 11 | 66·6 | 46·9 | 55·9 | 0·00 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 40 | 33 | 15 | 69·5 | 47·0 | 56·9 | 0·02 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 45 | 23 | 8 | 65·0 | 49·7 | 56·3 | 0·01 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 19 | 11 | 2 | 71·0 | 43·0 | 55·7 | 0·08 |
| Corresponding Week of 1897.— Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 983 | 590 | 203 | 61·9 | 34·0 | 49·5 | 0·25 |

Week ending Saturday, OCTOBER 8, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 8, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 20.6 | 4.1 | 621 | 162 | 135 | 1 | 7 | 14 | 7 | 19 | 14 | 62 | 3 | 102 | 14 | 136 | 23 |
| GLASGOW, . | 20.2 | 4.2 | 281 | 83 | 51 | 0 | 4 | 9 | 4 | 10 | 10 | 22 | 0 | 53 | 5 | 67 | 5 |
| EDINBURGH, | 19.9 | 2.8 | 113 | 17 | 42 | 0 | 0 | 0 | 1 | 6 | 0 | 9 | 0 | 9 | 2 | 31 | 11 |
| DUNDEE, . . | 24.3 | 6.3 | 77 | 24 | 14 | 0 | 0 | 2 | 1 | 1 | 0 | 16 | 1 | 14 | 0 | 13 | 1 |
| ABERDEEN, . | 19.6 | 3.3 | 53 | 16 | 9 | 0 | 2 | 2 | 1 | 0 | 0 | 4 | 0 | 9 | 1 | 9 | 1 |
| LEITH, . . . | 20.4 | 2.0 | 30 | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 3 | 4 | 8 | 1 |
| PAISLEY, . . | 22.7 | 6.9 | 33 | 9 | 4 | 0 | 1 | 0 | 0 | 2 | 4 | 3 | 1 | 5 | 1 | 2 | 2 |
| GREENOCK, . | 19.6 | 4.3 | 23 | 6 | 4 | *1 | 0 | 1 | 0 | 0 | 0 | 3 | 0 | 7 | 0 | 5 | 1 |
| PERTH, . . . | 18.7 | 3.4 | 11 | 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 1 | 1 | 1 |

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 9, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 19.8 | 2.4 | 590 | 174 | 109 | 0 | 3 | 13 | 5 | 12 | 12 | 28 | 2 | 160 | 24 | 116 | 28 |
| GLASGOW, . | 20.9 | 2.8 | 288 | 78 | 55 | 0 | 2 | 5 | 2 | 7 | 7 | 15 | 2 | 74 | 14 | 60 | 11 |
| EDINBURGH, | 16.9 | 1.8 | 95 | 21 | 20 | 0 | 0 | 3 | 1 | 1 | 2 | 3 | 0 | 25 | 5 | 29 | 11 |
| DUNDEE, . . | 24.2 | 3.5 | 76 | 36 | 9 | 0 | 0 | 1 | 2 | 3 | 0 | 5 | 0 | 28 | 3 | 11 | 2 |
| ABERDEEN, . | 18.8 | 2.6 | 50 | 15 | 14 | 0 | 0 | 3 | 0 | 0 | 1 | 3 | 0 | 10 | 1 | 8 | 1 |
| LEITH, . . . | 15.9 | 0.0 | 23 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 1 | 0 |
| PAISLEY, . . | 18.9 | 3.5 | 27 | 5 | 4 | 0 | 0 | 1 | 0 | 1 | 2 | 1 | 0 | 5 | 0 | 4 | 1 |
| GREENOCK, . | 22.0 | 0.8 | 26 | 7 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 1 | 2 | 2 |
| PERTH, . . . | 8.5 | 1.7 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 15, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 15, 1898, was 20·7 per thousand of estimated population. This rate is 1·6 above that for the corresponding week of last year, and 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 12·6 per thousand; and the highest in Greenock, viz., 28·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 139, being 37 above the number for the previous week.

The Mean Temperature was 49°·1, being 6°·8 below that for the week immediately preceding, but 4°·1 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 15, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Oct. 15, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 954 | 625 | 240 | 61·7 | 31·0 | 49·1 | 0·42 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 480 | 315 | 91 | 59·9 | 36·9 | 49·5 | 0·11 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 151 | 116 | 51 | 59·5 | 40·1 | 48·8 | 0·33 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 84 | 59 | 56 | 58·6 | 36·9 | 49·0 | 0·65 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 88 | 34 | 15 | 57·0 | 38·5 | 48·0 | 0·50 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 53 | 28 | 12 | 60·1 | 42·4 | 49·6 | 0·32 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 38 | 28 | 4 | 58·0 | 36·5 | 49·3 | 0·14 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 37 | 33 | 7 | 61·7 | 40·2 | 50·1 | 0·21 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 23 | 12 | 4 | 61·0 | 31·0 | 48·2 | 1·13 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 938 | 568 | 209 | 60·1 | 24·5 | 45·0 | 1·62 |

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 15, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living, | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|--|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. | |
| In Eight Towns, | 20·7 | 3·5 | 625 | 192 | 121 | 0 | 5 | 7 | 8 | 19 | 12 | 54 | 2 | 139 | 20 | 102 | 40 | 4 | |
| GLASGOW, . | 22·6 | 4·0 | 315 | 104 | 55 | 0 | 1 | 4 | 3 | 12 | 9 | 27 | 1 | 81 | 10 | 49 | 24 | 2 | |
| EDINBURGH, | 20·4 | 3·9 | 116 | 29 | 25 | 0 | 3 | 1 | 1 | 2 | 1 | 14 | 0 | 18 | 4 | 24 | 7 | 0 | |
| DUNDEE, . . | 18·6 | 2·5 | 59 | 23 | 15 | 0 | 0 | 0 | 3 | 1 | 0 | 4 | 0 | 9 | 0 | 8 | 0 | 0 | |
| ABERDEEN, . | 12·6 | 3·0 | 34 | 10 | 7 | 0 | 0 | 0 | 1 | 4 | 0 | 3 | 0 | 5 | 1 | 8 | 0 | 0 | |
| LEITH, . . . | 19·1 | 1·4 | 28 | 7 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 1 | 1 | 3 | 0 | |
| PAISLEY, . . | 19·3 | 1·4 | 28 | 6 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 12 | 2 | 6 | 0 | 0 | |
| GREENOCK, . | 28·1 | 5·1 | 33 | 9 | 9 | 0 | 0 | 1 | 0 | 0 | 2 | 3 | 0 | 8 | 1 | 6 | 3 | 0 | |
| PERTH, . . . | 20·4 | 1·7 | 12 | 4 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 3 | 2 | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 16, 1897.

[illegible]

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 42.

WEEK ENDING SATURDAY, OCTOBER 22, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 22, 1898, was 19·0 per thousand of estimated population. This rate is 1·3 below that for the corresponding week of last year, and 1·7 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·0 per thousand; and the highest in Greenock, viz., 23·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 117, being 22 below the number for the previous week.

The Mean Temperature was 49°·2, being 0°·1 above that for the week immediately preceding, but 2°·5 below that for the corresponding week of 1897.

TABLE L.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 22, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Oct. 22, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 951 | 572 | 177 | 64·7 | 38·0 | 49·2 | 1·91 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 454 | 283 | 95 | 63·3 | 41·0 | 50·2 | 1·39 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 169 | 100 | 33 | 64·0 | 41·5 | 49·6 | 1·71 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 103 | 60 | 14 | 61·4 | 40·8 | 48·2 | 3·30 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 87 | 37 | 8 | 61·5 | 41·2 | 48·6 | 1·38 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 47 | 19 | 6 | 64·7 | 44·7 | 50·9 | 1·01 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 43 | 32 | 9 | 61·3 | 42·3 | 50·1 | 0·99 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 35 | 28 | 11 | 61·2 | 40·5 | 48·3 | 1·16 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 13 | 13 | 1 | 60·5 | 38·0 | 47·5 | 4·30 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 982 | 604 | 185 | 65·1 | 33·5 | 51·7 | 0·19 |

Week ending Saturday, OCTOBER 22, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 22, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 19.0 | 2.9 | 572 | 141 | 118 | 0 | 8 | 6 | 6 | 19 | 9 | 38 | 3 | 117 | 22 | 107 | 32 | 4 |
| GLASGOW, . | 20.3 | 3.0 | 283 | 66 | 55 | 0 | 3 | 3 | 2 | 11 | 5 | 18 | 2 | 65 | 8 | 47 | 17 | 1 |
| EDINBURGH, | 17.6 | 3.0 | 100 | 20 | 30 | 0 | 5 | 3 | 2 | 3 | 0 | 4 | 0 | 15 | 7 | 27 | 11 | 1 |
| DUNDEE, . . | 19.0 | 3.8 | 60 | 19 | 11 | 0 | 0 | 0 | 2 | 1 | 0 | 9 | 1 | 13 | 1 | 8 | 0 | 0 |
| ABERDEEN, . | 13.7 | 1.5 | 37 | 12 | 7 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 3 | 2 | 5 | 1 | 1 |
| LEITH, . . . | 13.0 | 0.7 | 19 | 6 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 1 | 3 | 1 | 0 |
| PAISLEY, . . | 22.0 | 2.1 | 32 | 8 | 9 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 8 | 0 | 7 | 0 | 0 |
| GREENOCK, . | 23.8 | 6.0 | 28 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 3 | 0 | 5 | 2 | 5 | 2 | 1 |
| PERTH, . . . | 22.1 | 0.0 | 13 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 5 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 23, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|--|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. | |
| In Eight Towns, | 20.3 | 2.9 | 604 | 176 | 99 | *1 | 7 | 4 | 6 | 27 | 13 | 29 | 5 | 139 | 17 | 119 | 28 | 0 | |
| GLASGOW, | 21.8 | 3.4 | 300 | 89 | 41 | 0 | 5 | 3 | 3 | 17 | 10 | 9 | 1 | 82 | 6 | 58 | 10 | 0 | |
| EDINBURGH, | 18.1 | 1.2 | 102 | 19 | 22 | *1 | 0 | 0 | 0 | 1 | 2 | 3 | 0 | 14 | 3 | 33 | 12 | 0 | |
| DUNDEE, | 24.6 | 3.5 | 77 | 30 | 10 | 0 | 0 | 0 | 3 | 1 | 0 | 7 | 1 | 19 | 3 | 10 | 2 | 0 | |
| ABERDEEN, | 16.2 | 3.8 | 43 | 19 | 8 | 0 | 0 | 1 | 0 | 1 | 0 | 8 | 0 | 9 | 1 | 4 | 1 | 0 | |
| LEITH, | 17.3 | 2.1 | 25 | 7 | 3 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 5 | 0 | 5 | 2 | 0 | |
| PAISLEY, | 13.3 | 2.1 | 19 | 4 | 4 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 2 | 4 | 1 | 2 | 0 | 0 | |
| GREENOCK, | 24.5 | 4.2 | 29 | 5 | 8 | 0 | 2 | 0 | 0 | 3 | 0 | 0 | 1 | 4 | 3 | 4 | 1 | 0 | |
| PERTH, | 15.3 | 1.7 | 9 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 3 | 0 | 0 | |

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 43. WEEK ENDING SATURDAY, OCTOBER 29, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 29, 1898, was 20·0 per thousand of estimated population. This rate is 0·1 above that for the corresponding week of last year, and 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·7 per thousand; and the highest in Perth, viz., 27·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 117, being the same as for the previous week.

The Mean Temperature was 49°·7, being 0°·5 above that for the week immediately preceding, and 3°·9 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 29, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Oct. 29, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 1076 | 603 | 207 | 62·5 | 36·0 | 49·7 | 1·24 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 517 | 264 | 106 | 59·2 | 41·9 | 50·8 | 1·58 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 176 | 105 | 36 | 57·0 | 40·0 | 50·3 | 1·32 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 99 | 80 | 12 | 55·4 | 40·1 | 48·5 | 0·68 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 108 | 58 | 21 | 57·0 | 39·0 | 48·1 | 0·71 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 60 | 23 | 7 | 57·0 | 41·9 | 50·4 | 0·79 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 49 | 35 | 8 | 58·0 | 41·2 | 50·4 | 1·53 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 42 | 22 | 13 | 62·0 | 41·7 | 50·2 | 2·51 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 25 | 16 | 4 | 62·5 | 36·0 | 48·9 | 0·81 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 910 | 593 | 242 | 58·2 | 31·8 | 45·8 | 0·09 |

Week ending Saturday, OCTOBER 29, 1898.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 29, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | |
| In Eight Towns, | 20.0 | 2.4 | 603 | 184 | 99 | 0 | 4 | 4 | 8 | 6 | 15 | 36 | 2 | 117 | 20 | 119 | 38 |
| GLASGOW, . | 19.0 | 2.2 | 264 | 81 | 31 | 0 | 3 | 4 | 2 | 2 | 10 | 9 | 1 | 54 | 12 | 58 | 12 |
| EDINBURGH, | 18.5 | 1.1 | 105 | 23 | 22 | 0 | 1 | 0 | 1 | 1 | 0 | 3 | 0 | 22 | 5 | 25 | 18 |
| DUNDEE, . . | 25.3 | 3.8 | 80 | 26 | 20 | 0 | 0 | 0 | 2 | 1 | 1 | 8 | 0 | 15 | 1 | 14 | 1 |
| ABERDEEN, . | 21.5 | 4.1 | 58 | 26 | 11 | 0 | 0 | 0 | 2 | 2 | 2 | 5 | 1 | 12 | 0 | 9 | 2 |
| LEITH, . . . | 15.7 | 2.7 | 23 | 6 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 5 | 0 | 3 | 1 |
| PAISLEY, . . | 24.1 | 4.1 | 35 | 13 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 0 | 4 | 0 | 6 | 1 |
| GREENOCK, . | 18.7 | 3.4 | 22 | 8 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 4 | 0 | 2 | 3 |
| PERTH, . . . | 27.2 | 0.0 | 16 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 0 |

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 30, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | |
| In Eight Towns, | 19.9 | 2.7 | 593 | 184 | 133 | 0 | 8 | 12 | 3 | 15 | 6 | 35 | 5 | 132 | 21 | 94 | 37 |
| GLASGOW, . | 19.9 | 2.9 | 273 | 79 | 58 | 0 | 8 | 5 | 0 | 13 | 2 | 12 | 5 | 60 | 12 | 44 | 17 |
| EDINBURGH, | 18.5 | 2.3 | 104 | 20 | 26 | 0 | 0 | 2 | 2 | 1 | 2 | 6 | 0 | 17 | 3 | 22 | 12 |
| DUNDEE, . . | 24.2 | 3.2 | 76 | 34 | 18 | 0 | 0 | 1 | 0 | 0 | 1 | 8 | 0 | 28 | 4 | 12 | 2 |
| ABERDEEN, . | 23.7 | 2.6 | 63 | 23 | 13 | 0 | 0 | 3 | 0 | 0 | 0 | 4 | 0 | 15 | 0 | 8 | 1 |
| LEITH, . . . | 16.6 | 2.1 | 24 | 10 | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 3 | 1 | 1 | 0 |
| PAISLEY, . . | 17.5 | 2.1 | 25 | 8 | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 5 | 1 | 3 | 1 |
| GREENOCK, . | 16.9 | 0.8 | 20 | 6 | 6 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 2 |
| PERTH, . . . | 13.6 | 3.4 | 8 | 4 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 44. WEEK ENDING SATURDAY, NOVEMBER 5, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 5, 1898, was 18·9 per thousand of estimated population. This rate is 0·1 above that for the corresponding week of last year, but 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 17·4 per thousand; and the highest in Perth, viz., 28·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 124, being 7 above the number for the previous week.

The Mean Temperature was 47°·0, being 2°·7 below that for the week immediately preceding but 0°·8 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 5, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Nov. 5, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 879 | 571 | 290 | 61·0 | 30·5 | 47·0 | 2·64 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 410 | 250 | 174 | 58·1 | 39·0 | 47·7 | 4·02 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 140 | 107 | 53 | 61·0 | 38·2 | 47·6 | 2·27 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 85 | 55 | 15 | 57·8 | 37·1 | 45·9 | 1·03 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 80 | 60 | 15 | 59·8 | 30·5 | 44·6 | 0·68 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 61 | 31 | 10 | 59·7 | 39·8 | 48·1 | 2·14 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 42 | 29 | 11 | 56·7 | 39·9 | 47·7 | 3·66 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 41 | 22 | 9 | 57·5 | 39·7 | 47·3 | 5·57 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 20 | 17 | 3 | 59·8 | 37·0 | 46·9 | 1·78 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 861 | 560 | 295 | 54·4 | 33·2 | 46·2 | 0·07 |

Week ending Saturday, NOVEMBER 5, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 5, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 18.9 | 2.7 | 571 | 155 | 116 | 0 | 7 | 6 | 10 | 7 | 18 | 32 | 2 | 124 | 24 | 122 | 36 | 2 |
| GLASGOW, . | 17.9 | 2.4 | 250 | 62 | 42 | 0 | 2 | 3 | 5 | 4 | 11 | 9 | 2 | 61 | 9 | 54 | 17 | 2 |
| EDINBURGH, | 18.8 | 3.2 | 107 | 29 | 21 | 0 | 2 | 2 | 1 | 1 | 2 | 10 | 0 | 15 | 4 | 26 | 9 | 0 |
| DUNDEE, . . | 17.4 | 2.5 | 55 | 15 | 10 | 0 | 0 | 0 | 1 | 2 | 0 | 5 | 0 | 14 | 2 | 10 | 1 | 0 |
| ABERDEEN, . | 22.2 | 3.0 | 60 | 17 | 22 | 0 | 1 | 1 | 1 | 0 | 0 | 5 | 0 | 12 | 1 | 11 | 0 | 0 |
| LEITH, . . . | 21.1 | 4.1 | 31 | 14 | 6 | 0 | 2 | 0 | 0 | 0 | 1 | 3 | 0 | 7 | 1 | 4 | 4 | 0 |
| PAISLEY, . . | 20.0 | 1.4 | 29 | 7 | 6 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 9 | 1 | 7 | 1 | 0 |
| GREENOCK, . | 18.7 | 2.6 | 22 | 4 | 5 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 4 | 6 | 6 | 2 | 0 |
| PERTH, . . . | 28.9 | 1.7 | 17 | 7 | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 2 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 6, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | |
| In Eight Towns, | 18.8 | 2.3 | 560 | 143 | 114 | 0 | 12 | 18 | 5 | 16 | 5 | 14 | 4 | 138 | 12 | 118 | 27 | 1 |
| GLASGOW, . | 20.1 | 2.5 | 277 | 58 | 49 | 0 | 6 | 5 | 4 | 12 | 3 | 5 | 3 | 71 | 5 | 52 | 8 | 1 |
| EDINBURGH, | 17.4 | 2.5 | 98 | 30 | 22 | 0 | 0 | 10 | 0 | 1 | 1 | 2 | 0 | 17 | 3 | 31 | 11 | 0 |
| DUNDEE, . . | 19.8 | 1.0 | 62 | 17 | 16 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 18 | 3 | 15 | 3 | 0 |
| ABERDEEN, . | 14.7 | 3.0 | 39 | 16 | 10 | 0 | 0 | 1 | 1 | 3 | 0 | 3 | 0 | 10 | 0 | 6 | 1 | 0 |
| LEITH, . . . | 10.4 | 0.0 | 15 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 1 | 0 | 0 |
| PAISLEY, . . | 21.7 | 0.7 | 31 | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 10 | 0 | 6 | 1 | 0 |
| GREENOCK, . | 26.2 | 6.8 | 31 | 7 | 4 | 0 | 6 | 1 | 0 | 0 | 1 | 0 | 0 | 7 | 0 | 5 | 2 | 0 |
| PERTH, . . . | 11.9 | 1.7 | 7 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 2 | 1 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 12, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 12, 1898, was 19·4 per thousand of estimated population. This rate is 0·7 below that for the corresponding week of last year, but 0·5 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 14·5 per thousand; and the highest in Dundee, viz., 23·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 126, being 2 above the number for the previous week.

The Mean Temperature was 43°·6, being 3°·4 below that for the week immediately preceding, and 6°·2 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 12, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Nov. 12, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 943 | 584 | 204 | 56·5 | 30·0 | 43·6 | 0·48 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 451 | 277 | 114 | 56·5 | 33·3 | 44·1 | 0·51 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 136 | 102 | 33 | 52·5 | 36·3 | 44·0 | 0·60 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 92 | 75 | 13 | 50·8 | 32·0 | 41·5 | 0·75 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 95 | 53 | 11 | 51·2 | 30·0 | 43·8 | 0·73 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 51 | 25 | 4 | 52·2 | 37·9 | 44·7 | 0·08 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 61 | 26 | 17 | 53·3 | 36·7 | 44·6 | 0·30 |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 37 | 17 | 6 | 53·5 | 36·5 | 45·5 | 0·31 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 20 | 9 | 6 | 52·0 | 30·0 | 41·8 | 0·52 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 900 | 599 | 176 | 58·7 | 40·0 | 49·8 | 1·07 |

Week ending Saturday, NOVEMBER 12, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 12, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 19.4 | 2.9 | 58.4 | 142 | 113 | 0 | 11 | 9 | 11 | 11 | 16 | 28 | 3 | 126 | 30 | 118 | 27 | 1 |
| GLASGOW, . | 19.9 | 3.4 | 277 | 67 | 35 | 0 | 4 | 5 | 3 | 7 | 12 | 16 | 1 | 67 | 18 | 66 | 8 | 0 |
| EDINBURGH, | 17.9 | 1.4 | 102 | 20 | 29 | 0 | 3 | 2 | 1 | 1 | 0 | 1 | 0 | 18 | 6 | 19 | 14 | 0 |
| DUNDEE, . . | 23.7 | 2.5 | 75 | 25 | 22 | 0 | 0 | 2 | 1 | 1 | 0 | 4 | 1 | 14 | 2 | 9 | 2 | 0 |
| ABERDEEN, . | 19.6 | 5.2 | 53 | 16 | 8 | 0 | 4 | 0 | 5 | 0 | 0 | 5 | 1 | 10 | 0 | 13 | 0 | 0 |
| LEITH, . . . | 17.0 | 0.7 | 25 | 5 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 8 | 0 | 3 | 0 | 0 |
| PAISLEY, . . | 17.9 | 4.1 | 26 | 3 | 6 | 0 | 0 | 0 | 0 | 2 | 4 | 0 | 0 | 4 | 2 | 4 | 1 | 0 |
| GREENOCK, . | 14.5 | 0.9 | 17 | 3 | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 5 | 2 | 2 | 2 | 1 |
| PERTH, . . . | 15.3 | 1.7 | 9 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 13, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 20.1 | 2.1 | 59.9 | 162 | 121 | 1 | 7 | 11 | 6 | 12 | 4 | 23 | 5 | 156 | 26 | 114 | 35 | 4 |
| GLASGOW, . | 21.4 | 2.4 | 294 | 88 | 49 | 1 | 1 | 6 | 2 | 8 | 2 | 13 | 3 | 82 | 11 | 54 | 14 | 3 |
| EDINBURGH, | 19.0 | 1.4 | 107 | 19 | 33 | 0 | 0 | 1 | 2 | 0 | 2 | 3 | 0 | 17 | 7 | 30 | 16 | 0 |
| DUNDEE, . . | 20.7 | 3.2 | 65 | 23 | 10 | 0 | 0 | 4 | 1 | 1 | 0 | 4 | 0 | 16 | 2 | 12 | 1 | 1 |
| ABERDEEN, . | 16.6 | 0.4 | 44 | 14 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 21 | 2 | 5 | 2 | 0 |
| LEITH, . . . | 18.0 | 2.1 | 26 | 6 | 4 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 7 | 1 | 4 | 0 | 0 |
| PAISLEY, . . | 16.1 | 0.0 | 23 | 4 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 1 | 4 | 1 | 0 |
| GREENOCK, . | 23.7 | 7.6 | 28 | 6 | 3 | 0 | 5 | 0 | 0 | 3 | 0 | 1 | 0 | 8 | 1 | 2 | 1 | 0 |
| PERTH, . . . | 20.4 | 0.0 | 12 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 46.

WEEK ENDING SATURDAY, NOVEMBER 19, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 19, 1898, was 19·5 per thousand of estimated population. This rate is 1·0 above that for the corresponding week of last year, and 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 13·8 per thousand; and the highest in Aberdeen, viz., 23·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 127, being 1 above the number for the previous week.

The Mean Temperature was 45°·8, being 2°·2 above that for the week immediately preceding, and 1°·2 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 19, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Nov. 19, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 917 | 588 | 212 | 57·7 | 31·0 | 45·8 | 0·25 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 433 | 264 | 117 | 57·1 | 33·9 | 46·5 | 0·18 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 162 | 123 | 37 | 56·6 | 33·6 | 46·3 | 0·02 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 85 | 66 | 12 | 55·2 | 32·6 | 44·7 | 0·12 |
| ABERDEEN, . . . | 6,795 | 140,381 | 20·659 | 16·45 | 100 | 62 | 21 | 55·0 | 32·0 | 43·0 | 0·18 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 42 | 22 | 8 | 57·7 | 34·8 | 47·6 | 0·50 |
| PAISLEY, | 3,538 | 75,533 | 21·349 | 16·18 | 37 | 20 | 6 | ... | ... | ... | ... |
| GREENOCK, . . . | 1,440 | 61,170 | 42·479 | 11·47 | 47 | 19 | 8 | 55·0 | 38·0 | 47·0 | 0·73 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 11 | 12 | 3 | 57·0 | 31·0 | 45·7 | 0·00 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 877 | 552 | 203 | 60·2 | 21·5 | 44·6 | 0·45 |

Week ending Saturday, NOVEMBER 1 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 19, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | |
| In Eight Towns, | 19.5 | 2.3 | 588 | 164 | 115 | 0 | 6 | 8 | 11 | 9 | 14 | 22 | 3 | 127 | 17 | 110 | 36 | 0 | |
| GLASGOW, . | 19.0 | 2.2 | 264 | 70 | 48 | 0 | 1 | 6 | 3 | 5 | 8 | 8 | 1 | 53 | 11 | 53 | 14 | 0 | |
| EDINBURGH, | 21.6 | 3.3 | 123 | 24 | 31 | 0 | 5 | 2 | 1 | 2 | 3 | 6 | 0 | 19 | 3 | 34 | 18 | 0 | |
| DUNDEE, . . | 20.9 | 2.8 | 66 | 20 | 8 | 0 | 0 | 0 | 5 | 1 | 0 | 3 | 1 | 14 | 1 | 5 | 1 | 0 | |
| ABERDEEN, . | 23.0 | 0.7 | 62 | 22 | 14 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 17 | 0 | 8 | 1 | 0 | |
| LEITH, . . . | 15.0 | 0.0 | 22 | 12 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 1 | 2 | 2 | 0 | |
| PAISLEY, . . | 13.8 | 4.1 | 20 | 6 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 0 | 5 | 0 | 2 | 0 | 0 | |
| GREENOCK, . | 16.2 | 1.7 | 19 | 5 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 4 | 1 | 2 | 0 | 0 | |
| PERTH, . . . | 20.4 | 1.7 | 12 | 5 | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 5 | 0 | 4 | 0 | 0 | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 20, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | |
| In Eight Towns, | 18.5 | 2.1 | 552 | 152 | 107 | 0 | 12 | 8 | 4 | 10 | 9 | 19 | 5 | 140 | 19 | 104 | 26 | 2 | |
| GLASGOW, . | 18.5 | 2.3 | 254 | 71 | 36 | 0 | 7 | 2 | 2 | 9 | 8 | 3 | 3 | 65 | 8 | 52 | 11 | 2 | |
| EDINBURGH, | 18.5 | 2.7 | 104 | 25 | 27 | 0 | 0 | 4 | 1 | 0 | 0 | 10 | 1 | 22 | 5 | 21 | 10 | 0 | |
| DUNDEE, . . | 16.6 | 1.0 | 52 | 12 | 10 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 14 | 3 | 12 | 0 | 0 | |
| ABERDEEN, . | 21.5 | 1.1 | 57 | 26 | 13 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 20 | 0 | 5 | 1 | 0 | |
| LEITH, . . . | 17.3 | 1.4 | 25 | 6 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 3 | 0 | 1 | 0 | 0 | |
| PAISLEY, . . | 18.2 | 0.7 | 26 | 3 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 2 | 6 | 2 | 0 | |
| GREENOCK, . | 17.8 | 5.9 | 21 | 6 | 3 | 0 | 5 | 0 | 1 | 1 | 0 | 0 | 0 | 6 | 1 | 4 | 2 | 0 | |
| PERTH, . . . | 22.1 | 0.0 | 13 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 3 | 0 | 0 | |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 47.

WEEK ENDING SATURDAY, NOVEMBER 26, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 26, 1898, was 19·7 per thousand of estimated population. This rate is 0·2 above that for the corresponding week of last year, and also 0·2 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 11·9 per thousand; and the highest in Aberdeen, viz., 22·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 127, being the same as for the previous week.

The Mean Temperature was 38°·0, being 7°·8 below that for the week immediately preceding, and 7°·4 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 26, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Nov. 26, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 861 | 595 | 239 | 53·0 | 21·5 | 38·0 | 1·90 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 396 | 268 | 102 | 46·2 | 25·9 | 38·0 | 1·17 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 133 | 121 | 54 | 44·9 | 27·4 | 37·7 | 1·43 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 84 | 66 | 18 | 44·6 | 27·1 | 37·8 | 2·73 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 102 | 61 | 22 | 45·0 | 27·0 | 38·0 | 2·39 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 60 | 31 | 17 | 46·7 | 29·8 | 39·1 | 1·25 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 42 | 22 | 10 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 32 | 19 | 9 | 48·5 | 27·2 | 37·8 | 1·10 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 12 | 7 | 7 | 53·0 | 21·5 | 37·6 | 3·25 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 897 | 581 | 219 | 59·1 | 32·0 | 45·4 | 0·43 |

Week ending Saturday, NOVEMBER 26, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 26, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|---|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | | |
| In Eight Towns, | 19.7 | 2.4 | 595 | 150 | 131 | 0 | 10 | 3 | 5 | 19 | 11 | 25 | 1 | 127 | 21 | 115 | 39 | 2 | | | |
| GLASGOW, . | 19.2 | 2.6 | 268 | 60 | 57 | 0 | 4 | 1 | 3 | 12 | 7 | 9 | 0 | 56 | 7 | 56 | 13 | 2 | | | |
| EDINBURGH, | 21.3 | 2.3 | 121 | 25 | 32 | 0 | 4 | 0 | 1 | 3 | 2 | 3 | 0 | 24 | 3 | 32 | 20 | 0 | | | |
| DUNDEE, . . | 20.9 | 2.8 | 66 | 22 | 15 | 0 | 1 | 1 | 0 | 3 | 1 | 3 | 0 | 15 | 3 | 10 | 3 | 0 | | | |
| ABERDEEN, . | 22.6 | 4.1 | 61 | 27 | 8 | 0 | 1 | 1 | 1 | 0 | 1 | 7 | 0 | 18 | 0 | 9 | 0 | 0 | | | |
| LEITH, . . . | 21.1 | 2.0 | 31 | 8 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 5 | 4 | 5 | 0 | 0 | | | |
| PAISLEY, . . | 15.2 | 0.0 | 22 | 6 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 2 | 1 | 0 | | | |
| GREENOCK, . | 16.2 | 0.0 | 19 | 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | | | |
| PERTH, . . . | 11.9 | 1.7 | 7 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 1 | 2 | 0 | | | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 27, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|--|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | | Deaths from | | | | | | | | | | | | |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. | |
| In Eight Towns, | 19.5 | 2.5 | 581 | 159 | 116 | 0 | 10 | 12 | 5 | 23 | 2 | 22 | 7 | 116 | 21 | 118 | 35 | 6 | |
| GLASGOW, . | 19.1 | 3.0 | 263 | 65 | 44 | 0 | 9 | 5 | 2 | 15 | 2 | 8 | 3 | 51 | 7 | 59 | 11 | 5 | |
| EDINBURGH, | 20.1 | 1.6 | 113 | 25 | 31 | 0 | 0 | 2 | 2 | 2 | 0 | 3 | 2 | 21 | 8 | 31 | 13 | 0 | |
| DUNDEE, . . | 17.5 | 3.5 | 55 | 21 | 7 | 0 | 0 | 3 | 1 | 2 | 0 | 5 | 1 | 13 | 1 | 7 | 2 | 0 | |
| ABERDEEN, . | 22.2 | 2.3 | 59 | 16 | 18 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 0 | 12 | 1 | 10 | 1 | 0 | |
| LEITH, . . . | 14.5 | 0.7 | 21 | 9 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 1 | 3 | 1 | 0 | |
| PAISLEY, . . | 19.6 | 1.4 | 28 | 11 | 3 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 8 | 0 | 3 | 1 | 0 | |
| GREENOCK, . | 25.4 | 3.4 | 30 | 9 | 5 | 0 | 1 | 0 | 0 | 2 | 0 | 1 | 1 | 3 | 2 | 4 | 4 | 0 | |
| PERTH, . . . | 20.4 | 0.0 | 12 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 1 | 2 | 1 | |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 48.

WEEK ENDING SATURDAY, DECEMBER 3, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 3, 1898, was 21·0 per thousand of estimated population. This rate is 1·4 above that for the corresponding week of last year, and 1·3 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 15·3 per thousand; and the highest in Glasgow, viz., 22·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 144, being 17 above the number for the previous week.

The Mean Temperature was 39°·4, being 1°·4 above that for the week immediately preceding, and 2°·1 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 3, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Dec. 3, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|--|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 889 | 632 | 337 | 53·1 | 19·0 | 39·4 | 0·95 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 450 | 306 | 160 | 53·1 | 19·5 | 40·9 | 1·47 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 130 | 122 | 85 | 52·4 | 20·3 | 40·1 | 0·52 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 93 | 63 | 26 | 51·9 | 21·2 | 38·4 | 0·37 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 95 | 55 | 26 | 53·0 | 20·0 | 37·5 | 0·56 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 44 | 29 | 15 | 52·9 | 23·9 | 41·4 | 0·34 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 35 | 28 | 4 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 30 | 18 | 9 | 52·0 | 26·5 | 40·5 | 2·67 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 12 | 11 | 12 | 52·5 | 19·0 | 37·2 | 0·72 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 874 | 583 | 369 | 50·5 | 22·8 | 37·3 | 0·86 |

Week ending Saturday, DECEMBER 3, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 3, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | |
| In Eight Towns, | 21.0 | 2.8 | 632 | 149 | 147 | 0 | 19 | 5 | 11 | 21 | 10 | 17 | 3 | 144 | 21 | 133 | 51 |
| GLASGOW, . | 22.0 | 3.1 | 306 | 68 | 72 | 0 | 6 | 2 | 7 | 15 | 6 | 7 | 1 | 64 | 11 | 66 | 26 |
| EDINBURGH, | 21.5 | 2.5 | 122 | 28 | 36 | 0 | 9 | 0 | 0 | 2 | 2 | 1 | 0 | 31 | 4 | 27 | 17 |
| DUNDEE, . . | 19.9 | 2.5 | 63 | 15 | 12 | 0 | 3 | 1 | 0 | 2 | 0 | 2 | 1 | 20 | 1 | 9 | 2 |
| ABERDEEN, . | 20.4 | 3.0 | 55 | 24 | 8 | 0 | 1 | 1 | 1 | 1 | 0 | 4 | 1 | 9 | 1 | 8 | 2 |
| LEITH, . . . | 19.8 | 1.4 | 29 | 12 | 7 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 12 | 1 | 5 | 0 |
| PAISLEY, . . | 19.3 | 2.1 | 28 | 1 | 8 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 2 | 1 | 8 | 2 |
| GREENOCK, . | 15.3 | 3.4 | 18 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 1 | 2 | 4 | 1 |
| PERTH, . . . | 18.7 | 1.7 | 11 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 0 | 6 | 1 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 4, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | |
| In Eight Towns, | 19.6 | 2.4 | 583 | 134 | 124 | 0 | 15 | 9 | 6 | 22 | 8 | 13 | 2 | 123 | 29 | 116 | 36 |
| GLASGOW, . | 19.3 | 2.8 | 265 | 45 | 53 | 0 | 11 | 3 | 2 | 16 | 1 | 6 | 2 | 57 | 13 | 57 | 14 |
| EDINBURGH, | 20.8 | 1.8 | 117 | 26 | 27 | 0 | 0 | 3 | 1 | 2 | 1 | 3 | 0 | 23 | 5 | 30 | 14 |
| DUNDEE, . . | 20.4 | 1.6 | 64 | 28 | 11 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 0 | 12 | 2 | 8 | 4 |
| ABERDEEN, . | 13.9 | 0.4 | 37 | 10 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 12 | 1 | 3 | 0 |
| LEITH, . . . | 18.7 | 2.1 | 27 | 4 | 7 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 2 | 3 | 5 | 2 |
| PAISLEY, . . | 16.1 | 2.1 | 23 | 3 | 8 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 5 | 2 | 4 | 1 |
| GREENOCK, . | 27.9 | 10.2 | 33 | 8 | 4 | 0 | 4 | 0 | 1 | 3 | 3 | 1 | 0 | 4 | 2 | 5 | 0 |
| PERTH, . . . | 29.0 | 0.0 | 17 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 1 | 4 | 1 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 49.

WEEK ENDING SATURDAY, DECEMBER 10, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 10, 1898, was 21·0 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·6 per thousand; and the highest in Edinburgh, viz., 24·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 160, being 16 above the number for the previous week.

The Mean Temperature was 45°·9, being 6°·5 above that for the week immediately preceding, and 5°·5 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 10, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Dec. 10, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 908 | 633 | 299 | 58·7 | 30·9 | 45·9 | 1·43 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 440 | 283 | 125 | 57·9 | 30·9 | 46·8 | 1·59 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 153 | 139 | 71 | 57·5 | 34·4 | 46·2 | 0·81 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 97 | 70 | 15 | 56·3 | 31·2 | 44·6 | 0·41 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 86 | 62 | 38 | 57·0 | 32·0 | 43·9 | 0·43 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 42 | 20 | 10 | 58·7 | 36·2 | 47·3 | 0·64 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 34 | 21 | 19 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 40 | 27 | 8 | 54·7 | 33·0 | 45·9 | 1·84 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 16 | 11 | 13 | 57·0 | 33·0 | 46·3 | 1·30 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 834 | 603 | 268 | 53·7 | 29·0 | 40·4 | 1·38 |

Week ending Saturday, DECEMBER 10, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 10, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|-----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 21.0 | 2.4 | 633 | 144 | 153 | 0 | 12 | 10 | 4 | 16 | 11 | 18 | 3 | 160 | 29 | 133 | 30 | 3 |
| GLASGOW, . | 20.3 | 2.1 | 2.3 | 56 | 56 | 0 | 5 | 3 | 2 | 8 | 6 | 5 | 1 | 71 | 13 | 58 | 15 | 3 |
| EDINBURGH, | 24.5 | 2.6 | 139 | 31 | 43 | 0 | 3 | 2 | 1 | 3 | 2 | 4 | 0 | 32 | 4 | 35 | 10 | 0 |
| DUNDEE, . . | 22.1 | 2.2 | 70 | 25 | 17 | 0 | 0 | 1 | 0 | 2 | 0 | 4 | 0 | 21 | 1 | 9 | 1 | 0 |
| ABERDEEN, . | 23.0 | 2.6 | 62 | 22 | 18 | 0 | 2 | 1 | 0 | 1 | 0 | 3 | 1 | 18 | 3 | 12 | 0 | 0 |
| LEITH, . . . | 13.6 | 2.7 | 20 | 2 | 5 | 0 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 4 | 2 | 4 | 0 | 0 |
| PAISLEY, . . | 14.5 | 2.1 | 21 | 3 | 8 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 10 | 1 | 5 | 1 | 0 |
| GREENOCK, . | 23.0 | 4.3 | 27 | 3 | 5 | 0 | 0 | 3 | 0 | 1 | 1 | 0 | 1 | 3 | 3 | 7 | 0 | 0 |
| PERTH, . . . | 18.7 | 1.7 | 11 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 3 | 3 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 11, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|-----------------|--------|-----------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 20.2 | 2.5 | 603 | 135 | 139 | 0 | 16 | 12 | 5 | 20 | 6 | 17 | 2 | 127 | 23 | 114 | 36 | 3 |
| GLASGOW, . | 20.9 | 2.9 | 288 | 61 | 62 | 0 | 8 | 7 | 2 | 14 | 3 | 6 | 1 | 65 | 10 | 57 | 19 | 3 |
| EDINBURGH, | 18.0 | 0.9 | 101 | 22 | 28 | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0 | 23 | 3 | 29 | 8 | 0 |
| DUNDEE, . . | 17.2 | 2.2 | 54 | 11 | 8 | 0 | 0 | 2 | 0 | 2 | 0 | 3 | 0 | 12 | 3 | 8 | 2 | 0 |
| ABERDEEN, . | 21.5 | 1.5 | 57 | 19 | 11 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 1 | 10 | 3 | 9 | 0 | 0 |
| LEITH, . . . | 19.4 | 2.1 | 28 | 9 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 1 | 4 | 1 | 0 |
| PAISLEY, . . | 16.8 | 2.1 | 24 | 4 | 6 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 5 | 1 | 2 | 3 | 0 |
| GREENOCK, . | 28.8 | 11.0 | 34 | 8 | 5 | 0 | 8 | 0 | 0 | 4 | 1 | 0 | 0 | 6 | 1 | 1 | 2 | 0 |
| PERTH, . . . | 29.0 | 1.7 | 17 | 1 | 9 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 1 | 4 | 1 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 50. WEEK ENDING SATURDAY, DECEMBER 17, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 17, 1898, was 19·4 per thousand of estimated population. This rate is 0·9 below that for the corresponding week of last year, and 1·6 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·2 per thousand; and the highest in Aberdeen, viz., 22·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 130, being 30 below the number for the previous week.

The Mean Temperature was 46°·0, being 0°·1 above that for the week immediately preceding, and 4°·8 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 17, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Dec. 17, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 888 | 584 | 255 | 57·0 | 33·5 | 46·0 | 0·45 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 392 | 266 | 114 | 55·0 | 39·5 | 47·1 | 0·62 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 157 | 116 | 56 | 55·6 | 39·0 | 45·5 | 0·11 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 90 | 67 | 20 | 54·3 | 33·5 | 43·9 | 0·19 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 87 | 60 | 33 | 57·0 | 34·0 | 44·6 | 0·28 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 55 | 27 | 8 | 55·7 | 40·7 | 46·7 | 0·09 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 45 | 19 | 4 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 42 | 23 | 11 | 54·2 | 39·2 | 47·4 | 1·59 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 20 | 6 | 9 | 56·0 | 34·0 | 46·6 | 0·27 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 912 | 606 | 249 | 55·0 | 23·5 | 41·2 | 0·58 |

Week ending Saturday, DECEMBER 17, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 17, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 19·4 | 2·1 | 584 | 122 | 129 | 0 | 8 | 12 | 6 | 16 | 10 | 12 | 2 | 130 | 26 | 125 | 26 |
| GLASGOW, . | 19·1 | 2·2 | 266 | 51 | 52 | 0 | 5 | 5 | 2 | 9 | 6 | 4 | 0 | 61 | 9 | 57 | 10 |
| EDINBURGH, | 20·4 | 1·6 | 116 | 19 | 39 | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 24 | 2 | 31 | 11 |
| DUNDEE, . . | 21·2 | 1·9 | 67 | 17 | 12 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 1 | 17 | 5 | 12 | 0 |
| ABERDEEN, . | 22·2 | 3·3 | 60 | 15 | 13 | 0 | 1 | 1 | 0 | 2 | 3 | 2 | 0 | 7 | 4 | 15 | 2 |
| LEITH, . . . | 18·4 | 2·0 | 27 | 4 | 7 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 8 | 1 | 3 | 0 |
| PAISLEY, . . | 13·1 | 1·4 | 19 | 4 | 4 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 3 | 3 | 1 |
| GREENOCK, . | 19·6 | 3·4 | 23 | 10 | 2 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 5 | 2 | 4 | 2 |
| PERTH, . . . | 10·2 | 0·0 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 18, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|-----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|
| | | | | Deaths of | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhoea. | Croup and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. |
| In Eight Towns, | 20·3 | 2·4 | 606 | 136 | 141 | 0 | 11 | 10 | 3 | 29 | 5 | 14 | 1 | 137 | 20 | 114 | 46 |
| GLASGOW, . | 21·0 | 2·8 | 289 | 70 | 50 | 0 | 8 | 6 | 1 | 16 | 2 | 5 | 1 | 74 | 11 | 59 | 26 |
| EDINBURGH, | 19·9 | 1·1 | 112 | 23 | 31 | 0 | 0 | 3 | 2 | 0 | 0 | 1 | 0 | 25 | 6 | 29 | 16 |
| DUNDEE, . . | 18·5 | 2·6 | 58 | 14 | 14 | 0 | 0 | 1 | 0 | 1 | 2 | 4 | 0 | 17 | 1 | 8 | 1 |
| ABERDEEN, . | 20·3 | 1·1 | 54 | 14 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 9 | 1 | 6 | 0 |
| LEITH, . . . | 15·2 | 2·1 | 22 | 6 | 4 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 2 | 0 | 5 | 1 |
| PAISLEY, . . | 18·2 | 1·4 | 26 | 5 | 8 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 5 | 1 | 3 | 1 |
| GREENOCK, . | 31·3 | 9·3 | 37 | 4 | 9 | 0 | 3 | 0 | 0 | 8 | 0 | 0 | 0 | 3 | 0 | 3 | 1 |
| PERTH, . . . | 13·6 | 1·7 | 8 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 1 | 0 |

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 24, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 24, 1898, was 18·2 per thousand of estimated population. This rate is 0·4 below that for the corresponding week of last year, and 1·2 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·6 per thousand; and the highest in Perth, viz., 22·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 115, being 15 below the number for the previous week.

The Mean Temperature was 41°·6, being 4°·4 below that for the week immediately preceding, but 9°·2 above that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 24, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Dec. 24, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 910 | 549 | 303 | 52·9 | 30·0 | 41·6 | 0·20 |
| GLASGOW, | 12,311 | 724,349 | 58·838 | 9·75 | 444 | 252 | 131 | 52·9 | 33·6 | 43·9 | 0·60 |
| EDINBURGH, . . . | 8,804 | 295,628 | 33·579 | 12·90 | 143 | 105 | 58 | 51·9 | 31·7 | 41·9 | 0·05 |
| DUNDEE, | 4,162 | 164,575 | 39·542 | 11·89 | 94 | 65 | 22 | 51·0 | 32·0 | 40·1 | 0·10 |
| ABERDEEN, | 6,795 | 140,381 | 20·659 | 16·45 | 80 | 57 | 46 | 46·2 | 30·0 | 39·2 | 0·20 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 39 | 17 | 12 | 52·9 | 34·0 | 43·3 | 0·02 |
| PAISLEY, | 3,538 | 75,533 | 21·349 | 16·18 | 51 | 22 | 21 | ... | ... | ... | ... |
| GREENOCK, . . . | 1,440 | 61,170 | 42·479 | 11·47 | 44 | 18 | 7 | ... | ... | ... | ... |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 15 | 13 | 6 | 51·5 | 31·5 | 41·2 | 0·24 |
| Corresponding Week of 1897. — Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 831 | 554 | 277 | 48·7 | 19·0 | 32·4 | 0·03 |

Week ending Saturday, DECEMBER 24, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 24, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 18.2 | 2.3 | 549 | 115 | 114 | 0 | 12 | 14 | 4 | 14 | 11 | 13 | 4 | 115 | 30 | 121 | 30 | 4 |
| GLASGOW, | 18.1 | 2.6 | 252 | 43 | 39 | 0 | 6 | 9 | 1 | 9 | 8 | 3 | 2 | 60 | 12 | 67 | 11 | 2 |
| EDINBURGH, | 18.5 | 1.6 | 105 | 20 | 27 | 0 | 3 | 1 | 1 | 0 | 2 | 2 | 1 | 18 | 8 | 29 | 13 | 0 |
| DUNDEE, | 20.5 | 2.5 | 65 | 18 | 16 | 0 | 0 | 2 | 1 | 2 | 0 | 3 | 0 | 18 | 2 | 9 | 1 | 1 |
| ABERDEEN, | 21.1 | 3.0 | 57 | 20 | 15 | 0 | 3 | 1 | 1 | 0 | 0 | 3 | 0 | 13 | 2 | 8 | 1 | 0 |
| LEITH, | 11.6 | 0.7 | 17 | 3 | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 |
| PAISLEY, | 15.2 | 4.1 | 22 | 6 | 6 | 0 | 0 | 1 | 0 | 2 | 1 | 2 | 0 | 4 | 2 | 7 | 0 | 0 |
| GREENOCK, | 15.3 | 0.0 | 18 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 |
| PERTH, | 22.1 | 0.0 | 13 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 1 |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 25, 1897.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|------------|-------------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|--------------------------------|---------------------------------|---------------------------------|
| | | | | Deaths of | | | Deaths from | | | | | | | | | | | |
| | From All Causes. | From Seven Zymotic Diseases. | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| In Eight Towns, | 18.6 | 2.2 | 554 | 116 | 129 | 1 | 11 | 9 | 5 | 26 | 4 | 10 | 3 | 146 | 23 | 94 | 44 | 2 |
| GLASGOW, | 20.7 | 3.0 | 284 | 49 | 62 | *1 | 8 | 6 | 2 | 19 | 3 | 2 | 0 | 75 | 15 | 51 | 17 | 1 |
| EDINBURGH, | 15.5 | 0.9 | 87 | 20 | 24 | 0 | 0 | 0 | 2 | 1 | 0 | 2 | 0 | 22 | 4 | 16 | 16 | 0 |
| DUNDEE, | 19.1 | 2.6 | 60 | 18 | 14 | 0 | 0 | 3 | 0 | 2 | 0 | 3 | 1 | 13 | 0 | 9 | 4 | 1 |
| ABERDEEN, | 15.8 | 0.8 | 42 | 12 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 11 | 0 | 8 | 0 | 0 |
| LEITH, | 13.8 | 0.7 | 20 | 5 | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 6 | 2 | 1 | 3 | 0 |
| PAISLEY, | 19.6 | 2.1 | 28 | 6 | 8 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 8 | 2 | 5 | 2 | 0 |
| GREENOCK, | 19.5 | 5.1 | 23 | 5 | 3 | 0 | 3 | 0 | 1 | 2 | 0 | 0 | 0 | 7 | 0 | 1 | 2 | 0 |
| PERTH, | 17.0 | 0.0 | 10 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 3 | 0 | 0 |

* Chickenpox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 52.

WEEK ENDING SATURDAY, DECEMBER 31, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 31, 1898, was 18·2 per thousand of estimated population. This rate is 5·9 below that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 12·4 per thousand; and the highest in Perth, viz., 22·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·9 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 105, being 10 below the number for the previous week.

The Mean Temperature was 40°·9, being 0°·7 below that for the week immediately preceding, and 2°·8 below that for the corresponding week of 1897.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 31, 1898, in Eight Principal Towns of Scotland.

| TOWNS. | Registra- tion Area in Acres. | Population estimated to middle of Year 1898. | Persons to an Acre. 1898. | Prox- imity in Yards. | Registered during the Week ending Dec. 31, 1898. | | | Temperature. | | | Rainfall in Inches. |
|--|--|---|------------------------------------|--------------------------------|---|--------|----------------|--------------|--------|------|---------------------------|
| | | | | | Births | Deaths | Mar- riages | Highest | Lowest | Mean | |
| Eight Principal Towns in Scotland. | 41,214 | 1,568,536 | 38·058 | 12·12 | 952 | 548 | 655 | 55·1 | 21·6 | 40·9 | 0·95 |
| GLASGOW, . . . | 12,311 | 724,349 | 58·838 | 9·75 | 453 | 247 | 240 | 55·0 | 27·1 | 42·1 | 1·58 |
| EDINBURGH, . . | 8,804 | 295,628 | 33·579 | 12·90 | 145 | 107 | 161 | 53·4 | 26·0 | 41·1 | 0·55 |
| DUNDEE, . . . | 4,162 | 164,575 | 39·542 | 11·89 | 100 | 55 | 59 | 53·8 | 24·7 | 39·1 | 0·43 |
| ABERDEEN, . . | 6,795 | 140,381 | 20·659 | 16·45 | 87 | 57 | 81 | 53·0 | 21·6 | 38·2 | 0·88 |
| LEITH, | 2,042 | 76,277 | 37·354 | 12·23 | 57 | 26 | 47 | 55·1 | 28·4 | 42·4 | 0·41 |
| PAISLEY, . . . | 3,538 | 75,533 | 21·349 | 16·18 | 45 | 18 | 20 | ... | ... | ... | ... |
| GREENOCK, . . | 1,440 | 61,170 | 42·479 | 11·47 | 43 | 25 | 36 | 53·2 | 28·2 | 41·7 | 2·17 |
| PERTH, | 2,122 | 30,623 | 14·431 | 19·68 | 22 | 13 | 11 | 50·0 | 22·0 | 41·4 | 0·64 |
| Corresponding Week of 1897.—Eight Towns. | 41,214 | 1,549,907 | 37·606 | 12·19 | 915 | 717 | 583 | 55·6 | 30·0 | 43·7 | 1·87 |

Week ending Saturday, DECEMBER 31, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 31, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 18.2 | 1.9 | 548 | 99 | 130 | 0 | 13 | 10 | 3 | 14 | 9 | 9 | 5 | 105 | 26 | 119 | 26 | 1 | | |
| GLASGOW, . | 17.7 | 2.0 | 247 | 48 | 47 | 0 | 6 | 6 | 1 | 7 | 5 | 3 | 4 | 46 | 14 | 48 | 11 | 0 | | |
| EDINBURGH, | 18.8 | 1.9 | 107 | 18 | 26 | 0 | 4 | 0 | 1 | 3 | 2 | 1 | 0 | 20 | 4 | 27 | 9 | 0 | | |
| DUNDEE, . . | 17.4 | 1.6 | 55 | 8 | 13 | 0 | 0 | 3 | 0 | 0 | 0 | 2 | 1 | 14 | 1 | 16 | 0 | 0 | | |
| ABERDEEN, . | 21.1 | 3.0 | 57 | 9 | 18 | 0 | 3 | 0 | 0 | 3 | 0 | 2 | 0 | 13 | 0 | 11 | 2 | 1 | | |
| LEITH, . . . | 17.7 | 0.7 | 26 | 6 | 7 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 7 | 3 | 5 | 2 | 0 | | |
| PAISLEY, . . | 12.4 | 0.0 | 18 | 4 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 4 | 1 | 0 | | |
| GREENOCK, . | 21.3 | 3.4 | 25 | 3 | 9 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 2 | 4 | 0 | 0 | | |
| PERTH, . . . | 22.1 | 1.7 | 13 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 4 | 1 | 0 | | |

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 1, 1898.

| TOWNS. | Annual Rate of Mortality per 1000 living. | | Deaths from All Causes. | The Deaths Registered in the Week include | | | | | | | | | | | | | | | | |
|-----------------|---|------------------------------|-------------------------|---|----------------------------------|-------------|----------|----------------|-------------|----------------|--------|------------|-----------------------|-----------------------------------|-----------|-----|----|--------------------------------|---------------------------------|---------------------------------|
| | From All Causes. | From Seven Zymotic Diseases. | | Deaths of | | Deaths from | | | | | | | | | | | | Deaths in Public Institutions. | Deaths from Uncertified Causes. | Deaths from Unspecified Causes. |
| | | | | Infants under One Year of Age. | Persons aged 60 Years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Hooping-cough. | Fever. | Diarrhoea. | Group and Laryngitis. | Bronchitis, Pneumonia & Pleurisy. | Violence. | | | | | |
| In Eight Towns, | 24.1 | 2.4 | 717 | 156 | 196 | 0 | 15 | 8 | 3 | 27 | 2 | 18 | 4 | 182 | 32 | 128 | 44 | 3 | | |
| GLASGOW, . | 24.3 | 3.1 | 334 | 70 | 74 | 0 | 13 | 3 | 1 | 16 | 2 | 7 | 2 | 90 | 16 | 60 | 14 | 3 | | |
| EDINBURGH, | 26.7 | 2.0 | 150 | 38 | 54 | 0 | 0 | 3 | 0 | 2 | 0 | 6 | 1 | 35 | 6 | 31 | 22 | 0 | | |
| DUNDEE, . . | 23.6 | 2.2 | 74 | 19 | 21 | 0 | 0 | 1 | 2 | 3 | 0 | 1 | 0 | 16 | 6 | 15 | 4 | 0 | | |
| ABERDEEN, . | 18.4 | 1.1 | 49 | 10 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 12 | 2 | 10 | 1 | 0 | | |
| LEITH, . . . | 15.2 | 0.0 | 22 | 4 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 1 | 0 | | |
| PAISLEY, . . | 26.6 | 2.1 | 38 | 3 | 13 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 12 | 2 | 6 | 1 | 0 | | |
| GREENOCK, . | 31.3 | 5.9 | 37 | 9 | 6 | 0 | 2 | 1 | 0 | 3 | 0 | 1 | 0 | 12 | 0 | 4 | 1 | 0 | | |
| PERTH, . . . | 22.1 | 0.0 | 13 | 3 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | | |